

# **Safety Data Sheet**

Copyright, 2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 10-4882-6
 Version number:
 12.00

 Issue Date:
 2023/07/06
 Supercedes Date:
 2019/10/11

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Thermal Bonding Film 583

#### **Product Identification Numbers**

44-0004-1780-6	44-0011-1555-7	44-0011-1557-3	44-0011-1558-1	44-0011-1559-9
44-0011-1560-7	44-0011-1561-5	44-0011-1562-3	44-0011-1565-6	44-0011-1566-4
44-0011-1567-2	44-0011-1568-0	44-0011-1573-0	44-0011-1582-1	44-0012-0337-9
70-0000-0535-8	70-0025-1111-4	70-0025-1113-0	70-0025-1124-7	70-0025-1133-8
70-0025-1135-3	70-0025-1156-9	70-0060-0418-1	70-0060-0721-8	70-0060-2627-5
70-0060-4361-9	70-0060-4362-7	70-0060-4363-5	70-0062-6963-6	70-0062-6964-4
70-0062-6966-9	70-0160-0205-0	70-0715-4594-4	80-0014-2685-9	80-0014-2743-6
80-0014-4538-8	AT-0106-3826-3	DT-0001-0234-3	DT-0001-0406-7	DT-0001-1206-0
DT-0001-1389-4	DT-0001-1476-9	GT-3000-6252-5	JT-1400-0686-0	RT-0009-3607-5
XT-0016-2469-8				

#### 1.2. Recommended use and restrictions on use

#### **Intended Use**

Bonding

#### **Specific Use**

bonding film

#### Restrictions on use

Not applicable

### 1.3. Supplier's details

**Company:** 3M Canada Company

**Division:** Electronics Materials Solutions Division

Address: 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1

**Telephone:** (800) 364-3577 **Website:** www.3M.ca

#### 1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

## **SECTION 2: Hazard identification**

#### 2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2A. Reproductive Toxicity: Category 2.

#### 2.2. Label elements

#### Signal word

Warning

#### **Symbols**

Exclamation mark | Health Hazard |

**Pictograms** 





#### **Hazard statements**

Causes serious eye irritation. Suspected of damaging fertility or the unborn child.

### **Precautionary statements**

#### **Prevention:**

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves and eye/face protection. Wash exposed skin thoroughly after handling.

### **Response:**

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF exposed or concerned: Get medical advice/attention.

#### Storage:

Store locked up.

#### Disposal

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

### 2.3. Other hazards

None known.

66% of the mixture consists of ingredients of unknown acute oral toxicity.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Release-treated paper	None	60 - 100	Not Applicable
Acrylonitrile-butadiene polymer	9003-18-3		2-Propenenitrile, polymer with 1,3-
			butadiene

Page: 2 of 10

Glycerol esters of rosin acids	8050-31-5	7 - 13	Resin acids and Rosin acids, esters with glycerol
Phenol-formaldehyde polymer	25085-50-1	7 - 13	Formaldehyde, polymer with 4-(1,1-dimethylethyl)phenol
Zinc oxide	1314-13-2	< 2.5	Zinc oxide (ZnO)
Salicylic acid	69-72-7	0.5 - 1.5 Trade Secret *	Benzoic acid, 2-hydroxy-
curing agent	68411-46-1	< 1	Benzenamine, N-phenyl-, reaction products with 2,4,4-trimethylpentene

<sup>\*</sup>The actual concentration of this ingredient has been withheld as a trade secret.

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you are concerned, get medical advice.

#### **Skin Contact:**

Wash with soap and water. If you are concerned, get medical advice.

#### **Eye Contact:**

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

#### If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

**Substance Condition** Carbon monoxide **During Combustion** Carbon dioxide **During Combustion** 

### 5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA). Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

# **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	<b>Additional Comments</b>
Zinc oxide	1314-13-2	ACGIH	TWA(respirable fraction):2	
			mg/m3;STEL(respirable	
			fraction):10 mg/m3	

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect Vented Goggles

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective

clothing.

Gloves made from the following material(s) are recommended: Butyl Rubber

Fluoroelastomer

### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Information on basic physical and chemical properties			
Physical state	Solid		
Specific Physical Form:	Film		
Colour	Colourless		
Odour	Slight Phenolic		
Odour threshold Not Applicable			
рН	Not Applicable		
Melting point/Freezing point	No Data Available		
Boiling point	Not Applicable		
Flash Point	>=93.3 °C [Test Method:Closed Cup]		
Evaporation rate	Not Applicable		
Flammability (solid, gas)	Not Classified		
Flammable Limits(LEL)	Not Applicable		
Flammable Limits(UEL)	Not Applicable		
Vapour Pressure	Not Applicable		
Vapour Density and/or Relative Vapour Density  Not Applicable			
Density	No Data Available		
Relative density 1.06 [Ref Std:WATER=1]			
Water solubility	Nil		
Solubility- non-water	Not Applicable		
Partition coefficient: n-octanol/ water	No Data Available		
Autoignition temperature No Data Available			
Decomposition temperature Not Applicable			
Viscosity/Kinematic Viscosity	Not Applicable		
Volatile Organic Compounds	Not Applicable		
Percent volatile	Not Applicable		
VOC Less H2O & Exempt Solvents	Not Applicable		

# **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

## 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

## 10.4. Conditions to avoid

Heat

## 10.5. Incompatible materials

### 3M<sup>TM</sup> Thermal Bonding Film 583

None known.

#### 10.6. Hazardous decomposition products

<u>Condition</u>
Not Specified
Not Specified
Not Specified

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

No health effects are expected.

#### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

#### **Eye Contact:**

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

#### **Ingestion:**

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. May cause additional health effects (see below).

#### **Additional Health Effects:**

#### Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

## **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Acrylonitrile-butadiene polymer	Dermal	Rabbit	LD50 > 15,000 mg/kg
Acrylonitrile-butadiene polymer	Ingestion	Rat	LD50 > 30,000 mg/kg
Phenol-formaldehyde polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
Glycerol esters of rosin acids	Dermal	Rabbit	LD50 > 5,000 mg/kg

Page: 6 of 10

## 3M<sup>TM</sup> Thermal Bonding Film 583

Glycerol esters of rosin acids	Ingestion	Rat	LD50 > 2,000 mg/kg
Phenol-formaldehyde polymer	Ingestion	Rat	LD50 5,660 mg/kg
Zinc oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Zinc oxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.7 mg/l
Zinc oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Salicylic acid	Dermal	Rat	LD50 > 2,000 mg/kg
Salicylic acid	Ingestion	Rat	LD50 891 mg/kg
curing agent	Dermal	Rat	LD50 > 2,000 mg/kg
curing agent	Ingestion	Rat	LD50 > 5,000 mg/kg

ATE = acute toxicity estimate

## **Skin Corrosion/Irritation**

Name	Species	Value
Acrylonitrile-butadiene polymer	Professio nal judgeme nt	No significant irritation
Glycerol esters of rosin acids	Rabbit	Minimal irritation
Zinc oxide	Human and animal	No significant irritation
Salicylic acid	Rabbit	No significant irritation
curing agent	Rabbit	Mild irritant

Serious Eye Damage/Irritation

Name	Species	Value
Acrylonitrile-butadiene polymer	Professio nal judgeme nt	No significant irritation
Glycerol esters of rosin acids	Rabbit	Mild irritant
Zinc oxide	Rabbit	Mild irritant
Salicylic acid	Rabbit	Corrosive
curing agent	Rabbit	Mild irritant

### **Skin Sensitization**

Name	Species	Value
Glycerol esters of rosin acids	Guinea	Not classified
	pig	
Phenol-formaldehyde polymer	Human	Some positive data exist, but the data are not
		sufficient for classification
Zinc oxide	Guinea	Not classified
	pig	
Salicylic acid	Mouse	Not classified
curing agent	Guinea	Not classified
	pig	

## Photosensitization

Name	Species	Value
Salicylic acid	Mouse	Not sensitizing

## **Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Page: 7 of 10

Glycerol esters of rosin acids	In Vitro	Not mutagenic
Zinc oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Zinc oxide	In vivo	Some positive data exist, but the data are not sufficient for classification
Salicylic acid	In Vitro	Not mutagenic
Salicylic acid	In vivo	Not mutagenic
curing agent	In Vitro	Not mutagenic

## Carcinogenicity

For the component/components, either no data are currently available or the data are not sufficient for classification.

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Zinc oxide	Ingestion	Not classified for reproduction and/or development	Multiple animal species	NOAEL 125 mg/kg/day	premating & during gestation
Salicylic acid	Ingestion	Toxic to development	Rat	NOAEL 75 mg/kg/day	during organogenesi s
curing agent	Ingestion	Not classified for male reproduction	Rat	NOAEL 54 mg/kg/day	2 generation
curing agent	Ingestion	Not classified for development	Rat	NOAEL 18 mg/kg/day	2 generation
curing agent	Ingestion	Toxic to female reproduction	Rat	NOAEL 54 mg/kg/day	2 generation

## Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
curing agent	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for	similar health	NOAEL not available	
			classification	hazards		

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Glycerol esters of rosin acids	Ingestion	liver   heart   skin   endocrine system   bone, teeth, nails, and/or hair   blood   bone marrow   hematopoietic system   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system	Not classified	Rat	NOAEL 5,000 mg/kg/day	90 days
Zinc oxide	Ingestion	nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	10 days
Zinc oxide	Ingestion	endocrine system   hematopoietic system   kidney and/or bladder	Not classified	Other	NOAEL 500 mg/kg/day	6 months
Salicylic acid	Ingestion	liver	Not classified	Rat	NOAEL 500 mg/kg/day	3 days
curing agent	Ingestion	nervous system	Some positive data exist, but the data are not sufficient for	Rat	NOAEL 54 mg/kg/day	98 days

			classification			
curing agent	Ingestion	endocrine system	Not classified	Rat	NOAEL 225	28 days
		liver   kidney and/or			mg/kg/day	
		bladder   heart				
		gastrointestinal tract				
		bone, teeth, nails,				
		and/or hair				
		hematopoietic				
		system   immune				
		system   muscles				
		eyes   respiratory				
		system				

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

No data available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

# **SECTION 14: Transport Information**

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

# **SECTION 16: Other information**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in

Page: 9 of 10

#### significant quantities.

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	10-4882-6	Version number:	12.00
Issue Date:	2023/07/06	Supercedes Date:	2019/10/11

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

#### 3M Canada SDSs are available at www.3M.ca

D 10 c 10