



## Safety Data Sheet

Copyright, 2020, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	10-2472-8	<b>Version number:</b>	18.03
<b>Issue Date:</b>	2020/10/19	<b>Supersedes Date:</b>	2019/11/06

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

### SECTION 1: Identification

#### 1.1. Product identifier

3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR

##### Product Identification Numbers

62-3143-0000-5	62-3143-0155-7	62-3143-0301-7	62-3143-0453-6	62-3143-1205-9
62-3143-2005-2	62-3143-3905-2	62-3143-4801-2	62-3143-5305-3	62-3143-5306-1
62-3166-1705-9	62-3166-2005-3	62-3166-3905-3	62-3166-3906-1	62-3166-5305-4
87-3300-0086-7				

#### 1.2. Recommended use and restrictions on use

##### Intended Use

Structural adhesive

##### Restrictions on use

Not applicable

#### 1.3. Supplier's details

<b>Company:</b>	3M Canada Company
<b>Division:</b>	Automotive and Aerospace Solutions Division
<b>Address:</b>	1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1
<b>Telephone:</b>	(800) 364-3577
<b>Website:</b>	www.3M.ca

#### 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

Carcinogenicity: Category 2.

Specific Target Organ Toxicity (repeated exposure): Category 1.

#### 2.2. Label elements

Signal word

### 3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR

Danger

#### Symbols

Health Hazard |

#### Pictograms



#### Hazard statements

Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure: skin |

May cause damage to organs through prolonged or repeated exposure: respiratory system |

#### Precautionary statements

##### Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling.

##### Response:

IF exposed or concerned: Get medical advice/attention.

##### Storage:

Store locked up.

##### Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### 2.3. Other hazards

None known.

91% of the mixture consists of ingredients of unknown acute oral toxicity.

91% of the mixture consists of ingredients of unknown acute dermal toxicity.

### SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
NITRILE RUBBER/PHENOLIC EPOXY RESINS/PHENOLIC RESIN	Trade Secret	80 - 96	Not Applicable
Dicyandiamide	461-58-5	3 - 7	Guanidine, cyano-
PARA-CHLOROPHENOL-DIMETHYLUREA	150-68-5	1 - 5	Urea, N'-(4-chlorophenyl)-N,N-dimethyl-
ANTIMONY TRIOXIDE	1309-64-4	0.5 - 1.5 Trade Secret *	Antimony oxide (Sb2O3)

NITRILE RUBBER/PHENOLIC EPOXY RESINS/PHENOLIC RESIN is a non-hazardous Trade Secret material according

to WHMIS criteria.

\*The actual concentration of this ingredient has been withheld as a trade secret.

## **SECTION 4: First aid measures**

### **4.1. Description of first aid measures**

#### **Inhalation:**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin Contact:**

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eye Contact:**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### **If Swallowed:**

Rinse mouth. If you feel unwell, get medical attention.

### **4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1. Information on toxicological effects.

### **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

## **SECTION 5: Fire-fighting measures**

### **5.1. Suitable extinguishing media**

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

### **5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

### **Hazardous Decomposition or By-Products**

<u><b>Substance</b></u>	<u><b>Condition</b></u>
Chlorine	During Combustion
Carbon monoxide	During Combustion
Carbon dioxide	During Combustion
Hydrogen Bromide	During Combustion
Hydrogen Chloride	During Combustion
Hydrogen Cyanide	During Combustion
Ammonia	During Combustion
Oxides of Nitrogen	During Combustion
Oxides of Antimony	During Combustion
Toxic Vapor, Gas, Particulate	During Combustion

### **5.3. Special protective actions for fire-fighters**

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

## **SECTION 6: Accidental release measures**

### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and

## 3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR

health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (gloves, respirators, etc.) as required.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from amines.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
ANTIMONY COMPOUNDS	1309-64-4	ACGIH	TWA(as Sb):0.5 mg/m3	
PARA-CHLOROPHENOL-DIMETHYLUREA	150-68-5	Manufacturer determined	TWA(Inhalable aerosol):1 mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Provide ventilated enclosure for curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

##### Skin/hand protection

### 3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Specific Physical Form:	Film
Colour	White-Amber
Odour	Minimal Odour
Odour threshold	No Data Available
pH	Not Applicable
Melting point/Freezing point	No Data Available
Boiling point	Not Applicable
Flash Point	Flash point > 93 °C (200 °F)
Evaporation rate	Not Applicable
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Vapour Pressure	Not Applicable
Viscosity/Kinematic Viscosity	Not Applicable
Density	1.2 g/cm <sup>3</sup> [ @ 20 °C ]
Relative density	1.2 [Ref Std:WATER=1]
Water solubility	Nil
Solubility- non-water	No Data Available
Partition coefficient: n-octanol/ water	Not Applicable
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available
Viscosity/Kinematic Viscosity	Not Applicable
Volatile Organic Compounds	Not Applicable
Percent volatile	
VOC Less H <sub>2</sub> O & Exempt Solvents	Not Applicable

#### Nanoparticles

This material does not contain nanoparticles.

## SECTION 10: Stability and reactivity

#### **10.1. Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

#### **10.2. Chemical stability**

Stable.

#### **10.3. Possibility of hazardous reactions**

Hazardous polymerization will not occur.

#### **10.4. Conditions to avoid**

Heat

#### **10.5. Incompatible materials**

Amines

Strong acids

Strong bases

#### **10.6. Hazardous decomposition products**

<u>Substance</u>	<u>Condition</u>
None known.	

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### **11.1. Information on Toxicological effects**

#### **Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

##### **Inhalation:**

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

##### **Skin Contact:**

Contact with the skin during product use is not expected to result in significant irritation. May cause additional health effects (see below).

##### **Eye Contact:**

Contact with the eyes during product use is not expected to result in significant irritation.

##### **Ingestion:**

May be harmful if swallowed. Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation.

#### **Additional Health Effects:**

**Prolonged or repeated exposure may cause target organ effects:**

**3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR**

Fibrosis: Signs/symptoms may include breathlessness, chronic dry cough, phlegm production, wheezing, and changes in lung function tests. Dermal Effects: Signs/symptoms may include redness, itching, acne, or bumps on the skin.

**Carcinogenicity:**

Contains a chemical or chemicals which can cause cancer.

<b>Ingredient</b>	<b>CAS No.</b>	<b>Class Description</b>	<b>Regulation</b>
ANTIMONY TRIOXIDE	1309-64-4	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

<b>Name</b>	<b>Route</b>	<b>Species</b>	<b>Value</b>
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE 2,000 - 5,000 mg/kg
Dicyandiamide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Dicyandiamide	Ingestion	Rat	LD50 > 30,000 mg/kg
PARA-CHLOROPHENOL-DIMETHYLUREA	Dermal	Rabbit	LD50 > 2,500 mg/kg
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	Rat	LD50 1,480 mg/kg
ANTIMONY TRIOXIDE	Dermal	Rabbit	LD50 > 6,685 mg/kg
ANTIMONY TRIOXIDE	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 2.76 mg/l
ANTIMONY TRIOXIDE	Ingestion	Rat	LD50 > 34,600 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

<b>Name</b>	<b>Species</b>	<b>Value</b>
Overall product	Multiple animal species	No significant irritation
Dicyandiamide	Human and animal	Minimal irritation
PARA-CHLOROPHENOL-DIMETHYLUREA	similar compounds	Mild irritant
ANTIMONY TRIOXIDE	Human and animal	Minimal irritation

**Serious Eye Damage/Irritation**

<b>Name</b>	<b>Species</b>	<b>Value</b>
Dicyandiamide	Professional judgement	Mild irritant
PARA-CHLOROPHENOL-DIMETHYLUREA	similar compounds	Moderate irritant
ANTIMONY TRIOXIDE	Rabbit	Mild irritant

**Skin Sensitization**

<b>Name</b>	<b>Species</b>	<b>Value</b>
Overall product	Guinea pig	Not classified
Dicyandiamide	Guinea pig	Not classified

**3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR**

ANTIMONY TRIOXIDE	Human	Not classified
-------------------	-------	----------------

**Respiratory Sensitization**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity**

Name	Route	Value
Dicyandiamide	In Vitro	Not mutagenic
PARA-CHLOROPHENOL-DIMETHYLUREA	In Vitro	Some positive data exist, but the data are not sufficient for classification
PARA-CHLOROPHENOL-DIMETHYLUREA	In vivo	Some positive data exist, but the data are not sufficient for classification
ANTIMONY TRIOXIDE	In Vitro	Some positive data exist, but the data are not sufficient for classification
ANTIMONY TRIOXIDE	In vivo	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Dicyandiamide	Ingestion	Rat	Not carcinogenic
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	Rat	Some positive data exist, but the data are not sufficient for classification
ANTIMONY TRIOXIDE	Inhalation	Multiple animal species	Carcinogenic

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Dicyandiamide	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
Dicyandiamide	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	44 days
Dicyandiamide	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating & during gestation
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	Not classified for development	Mouse	LOAEL 215 mg/kg/day	during gestation
ANTIMONY TRIOXIDE	Inhalation	Not classified for female reproduction	Rat	LOAEL 0.25 mg/l	premating & during gestation

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
PARA-CHLOROPHENOL-DIMETHYLUREA	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar compounds	NOAEL Not available	
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	methemoglobinemia	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL Not available	not applicable
ANTIMONY TRIOXIDE	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
------	-------	-----------------	-------	---------	-------------	----------



**3M(TM) SCOTCH-WELD(TM) STRUCTURAL ADHESIVE FILM AF 126FR**

						Duration
Dicyandiamide	Ingestion	kidney and/or bladder	Not classified	Rat	NOAEL 6,822 mg/kg/day	13 weeks
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Mouse	LOAEL 800 mg/kg/day	103 weeks
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 65 mg/kg/day	103 weeks
PARA-CHLOROPHENOL-DIMETHYLUREA	Ingestion	immune system	Not classified	Rat	LOAEL 520 mg/kg/day	13 weeks
ANTIMONY TRIOXIDE	Dermal	skin	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
ANTIMONY TRIOXIDE	Inhalation	pulmonary fibrosis	May cause damage to organs though prolonged or repeated exposure	Rat	NOAEL 0.002 mg/l	1 years
ANTIMONY TRIOXIDE	Inhalation	liver	Not classified	Rat	NOAEL 0.043 mg/l	1 years
ANTIMONY TRIOXIDE	Inhalation	blood	Not classified	Rat	NOAEL 0.004 mg/l	not available
ANTIMONY TRIOXIDE	Inhalation	pneumoconiosis	Not classified	Human	LOAEL 0.01 mg/l	occupational exposure
ANTIMONY TRIOXIDE	Inhalation	heart	Not classified	Rat	NOAEL 0.02 mg/l	1 years
ANTIMONY TRIOXIDE	Ingestion	blood   liver	Not classified	Rat	NOAEL 418 mg/kg/day	not available
ANTIMONY TRIOXIDE	Ingestion	heart	Not classified	Rat	NOAEL Not available	not available

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

No data available.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

**SECTION 14: Transport Information**

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Global inventory status**

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

**SECTION 16: Other information**

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 1 Flammability: 0 Instability: 1 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

<b>Document group:</b>	10-2472-8	<b>Version number:</b>	18.03
<b>Issue Date:</b>	2020/10/19	<b>Supersedes Date:</b>	2019/11/06

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**