

Safety Data Sheet

Copyright,2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group: | 10-2685-5 | Version number: | 18.01 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2023/03/28 | Supercedes Date: | 2022/10/06 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

| SECTION 1: Identification |
|---------------------------|
| |

1.1. Product identifier

... . ..

3M[™] Neoprene Contact Adhesive 10, Light Yellow

| Product Identificati | on Numbers | | | |
|----------------------|----------------|----------------|----------------|----------------|
| 62-2166-5320-4 | 62-2166-5520-9 | 62-2166-6520-8 | 62-2166-6530-7 | 62-2166-7520-7 |
| 62-2166-8520-6 | 62-2166-9520-5 | 62-2166-9535-3 | AS-0105-9121-7 | UU-0125-1345-1 |
| XD-0055-2979-2 | | | | |

1.2. Recommended use and restrictions on use

Intended Use Industrial use

Restrictions on use Adhesive

1.3. Supplier's details

| Company: | 3M Canada Company | |
|------------|--|---------|
| Division: | Industrial Adhesives and Tapes Division | |
| Address: | 1840 Oxford Street East, Post Office Box 5757, London, Ontario | N6A 4T1 |
| Telephone: | (800) 364-3577 | |
| Website: | www.3M.ca | |

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Flammable Liquid: Category 2. Serious Eye Damage/Irritation: Category 2A. Skin Corrosion/Irritation: Category 2. Reproductive Toxicity: Category 1B. Carcinogenicity: Category 2. Specific Target Organ Toxicity (single exposure): Category 3. Specific Target Organ Toxicity (repeated exposure): Category 1.

2.2. Label elements Signal word

Danger

Symbols

Flame | Exclamation mark | Health Hazard |

Pictograms



Hazard statements

Highly flammable liquid and vapour.

Causes serious eye irritation. Causes skin irritation. May cause drowsiness or dizziness. May damage fertility or the unborn child. Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure: nervous system | sensory organs |

Precautionary statements

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground and bond container and receiving equipment. Use non-sparking tools. Take action to prevent static discharges. Keep container tightly closed. Use explosion-proof electrical/ventilating/lighting equipment. Do not breathe dust/fume/gas/mist/vapours/spray. Use only outdoors or in a well-ventilated area. Wear protective gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling.

Response:

IF INHALED: Remove person to fresh air and keep comfortable for breathing. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/attention. In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

Storage:

Store in a well-ventilated place. Keep cool. Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Other hazards

None known.

10% of the mixture consists of ingredients of unknown acute inhalation toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt | Common Name |
|--|------------|------------------------|--|
| Petroleum Distillates | 64741-84-0 | 30 - 60 Trade Secret * | Naphtha, petroleum, solvent-refined light a solvent extraction process. It consists predominantly of aliphatic hydrocarbons having carbon numbers predominantly in the range of C5 through C11 and boiling in the range of approximately 35.degree.C to 190.degree.C |
| Acetone | 67-64-1 | 10 - 30 Trade Secret * | 2-Propanone |
| Hexane | 110-54-3 | 7 - 30 Trade Secret * | Hexane |
| Toluene | 108-88-3 | 7 - 30 Trade Secret * | No Data Available |
| Heptane | 142-82-5 | 4 - 15 | Heptane |
| Magnesium Resinate | 68037-42-3 | 7 - 13 | Formaldehyde, polymer with 4-(1,1- dimethylethyl)phenol, magnesium oxide complex |
| 2-CHLORO-1,3-BUTADIENE POLYMERS AND COPOLYMERS | None | 5 - 10 | Not Applicable |
| Polychloroprene | 9010-98-4 | 5 - 10 | 1,3-Butadiene, 2-chloro-, homopolymer |
| P-TERT-BUTYLPHENOL- FORMALDEHYDE RESIN | 25085-50-1 | 5 - 10 | Formaldehyde, polymer with 4-(1,1- dimethylethyl)phenol |
| 2-Methylpentane | 107-83-5 | 3 - 8 | Pentane, 2-methyl- |
| 3-Methylpentane | 96-14-0 | 3 - 8 | Pentane, 3-methyl- |
| Cyclohexane | 110-82-7 | < 5 | Cyclohexane |
| Magnesium Oxide | 1309-48-4 | < 5 | Magnesium oxide (MgO) |
| Zinc Oxide | 1314-13-2 | < 1 | Zinc oxide (ZnO) |
| Ethylbenzene | 100-41-4 | < 0.5 | Benzene, ethyl- |
| Methyl Alcohol | 67-56-1 | < 0.5 | Methanol |

2-CHLORO-1,3-BUTADIENE POLYMERS AND COPOLYMERS is a non-hazardous Trade Secret material according to WHMIS criteria.

Ethylbenzene is a hazardous Trade Secret material according to WHMIS criteria. Refer to Section 15 for further information.

*The actual concentration of this ingredient has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| Substance | Condition |
|---------------------------|-------------------|
| Aldehydes | During Combustion |
| Hydrocarbons | During Combustion |
| Carbon monoxide | During Combustion |
| Carbon dioxide | During Combustion |
| Hydrogen Chloride | During Combustion |
| Irritant Vapours or Gases | During Combustion |

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Do not handle until all safety precautions have been

read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (gloves, respirators, etc.) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|-----------------|------------|--------|----------------------------|--------------------------------|
| Ethylbenzene | 100-41-4 | ACGIH | TWA:20 ppm | |
| 2-Methylpentane | 107-83-5 | ACGIH | TWA:500 ppm;STEL:1000 | |
| | | | ppm | |
| Toluene | 108-88-3 | ACGIH | TWA:20 ppm | |
| Hexane | 110-54-3 | ACGIH | TWA:50 ppm | Danger of cutaneous absorption |
| Cyclohexane | 110-82-7 | ACGIH | TWA:100 ppm | |
| Magnesium Oxide | 1309-48-4 | ACGIH | TWA(inhalable fraction):10 | |
| - | | | mg/m3 | |
| Zinc Oxide | 1314-13-2 | ACGIH | TWA(respirable fraction):2 | |
| | | | mg/m3;STEL(respirable | |
| | | | fraction):10 mg/m3 | |
| Heptane | 142-82-5 | ACGIH | TWA:400 ppm;STEL:500 ppm | |
| Methyl Alcohol | 67-56-1 | ACGIH | TWA:200 ppm;STEL:250 ppm | Danger of cutaneous absorption |
| Acetone | 67-64-1 | ACGIH | TWA:250 ppm;STEL:500 ppm | |
| 3-Methylpentane | 96-14-0 | ACGIH | TWA:500 ppm;STEL:1000 | |
| | | | ppm | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety Glasses with side shields Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

Half facepiece or full facepiece supplied-air respirator

Organic vapor respirators may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Colour Yellow Odour Solvent Odour threshold No Data Available PH No Data Available PH No Data Available Melting point/Freezing point Not Applicable Boiling point >=80 °C [Details: Acetone] Flash Point >=25.6 °C [Test Method: Closed Cup] [Details: Acetone] Evaporation rate >=2 [Ref Std: ETHER=1] Flammability (solid, gas) Not Applicable Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Density and/or Relative Vapour Density 2 [Ref Std: AIR=1] Density 0.83 g/ml Relative density 0.83 [MI Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature Vo Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] | . Information on basic physical and chemical properties | |
|--|---|---|
| OdourSolventOdour thresholdNo Data AvailablepHNo Data AvailableMelting point/Freezing pointNot ApplicableBoiling point>=80 °C [Details: Acetone]Boiling point>=80 °C [Details: Acetone]Flash Point-25.6 °C [Test Method:Closed Cup] [Details: Acetone]Evaporation rate>=2 [Ref Std: ETHER=1]Flammability (solid, gas)Not ApplicableFlammabile Limits(LEL)1 % volumeFlammable Limits(UEL)12.8 % volumeVapour Pressure<=24,664.6 Pa [@ 20 °C]Vapour Density and/or Relative Vapour Density2 [Ref Std:AIR=1]Density0.83 g/mlRelative density0.83 [Ref Std:WATER=1]Water solubilitySlight (less than 10%)Solubility- non-waterNo Data AvailableAutoignition temperature465 °C [Details: Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content]Percent volatile70 - 80 % weight | Physical state | Liquid |
| Odour thresholdNo Data AvailablepHNo Data AvailableMelting point/Freezing pointNot ApplicableBoiling point>=80 °C [Details: Acetone]Flash Point-25.6 °C [Test Method:Closed Cup] [Details: Acetone]Evaporation rate>=2 [Ref Std: ETHER=1]Flammability (solid, gas)Not ApplicableFlammable Limits(LEL)1 % volumeFlammable Limits(UEL)12.8 % volumeVapour Pressure<=24,664.6 Pa [@ 20 °C] | Colour | Yellow |
| pHNo Data AvailableMelting point/Freezing pointNot ApplicableBoiling point>=80 °C [Details: Acetone]Flash Point-25.6 °C [Test Method: Closed Cup] [Details: Acetone]Evaporation rate>=2 [Ref Std:ETHER=1]Flammability (solid, gas)Not ApplicableFlammable Limits(LEL)1 % volumeFlammable Limits(UEL)12.8 % volumeVapour Pressure<=24,664.6 Pa [@ 20 °C]Vapour Density and/or Relative Vapour Density2 [Ref Std:AIR=1]Density0.83 g/mlRelative density0.83 [Ref Std:WATER=1]Water solubilitySlight (less than 10%)Solubility- non-waterNoPartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperature465 °C [Details:Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content]Percent volatile70 - 80 % weight | Odour | Solvent |
| Melting point/Freezing point Not Applicable Boiling point >=80 °C [Details: Acetone] Flash Point -25.6 °C [Test Method:Closed Cup] [Details: Acetone] Evaporation rate >=2 [Ref Std:ETHER=1] Flammability (solid, gas) Not Applicable Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@. 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std:AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std:WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Noi Partition coefficient: n-octanol/ water No Data Available Autoignition temperature Vo Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@. 23 °C] Volatile Organic Compounds <=684 g/l [Details: EU VOC content] Percent volatile 70 - 80 % weight | Odour threshold | No Data Available |
| Boiling point>=80 °C [Details: Acetone]Flash Point-25.6 °C [Test Method:Closed Cup] [Details: Acetone]Evaporation rate>=2 [Ref Std:ETHER=1]Flammability (solid, gas)Not ApplicableFlammable Limits(LEL)1 % volumeFlammable Limits(UEL)12.8 % volumeVapour Pressure<=24,664.6 Pa [@ 20 °C]Vapour Density and/or Relative Vapour Density2 [Ref Std:AIR=1]Density0.83 g/mlRelative density0.83 [Ref Std:WATER=1]Water solubilitySlight (less than 10%)Solubility- non-waterNilPartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content]Percent volatile70 - 80 % weight | рН | No Data Available |
| Flash Point -25.6 °C [Test Method:Closed Cup] [Details:Acetone] Evaporation rate >=2 [Ref Std:ETHER=1] Flammability (solid, gas) Not Applicable Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@ 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std:AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std:WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details:Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Melting point/Freezing point | Not Applicable |
| Evaporation rate >=2 [Ref Std:ETHER=1] Flammability (solid, gas) Not Applicable Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@. 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std:AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std:WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details:Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@. 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Boiling point | >=80 °C [Details: Acetone] |
| Flammability (solid, gas) Not Applicable Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@ 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std: AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std: WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Flash Point | -25.6 °C [Test Method:Closed Cup] [Details:Acetone] |
| Flammable Limits(LEL) 1 % volume Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@ 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std: AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std: WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details: Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details: EU VOC content] Percent volatile 70 - 80 % weight | Evaporation rate | >=2 [<i>Ref Std</i> :ETHER=1] |
| Flammable Limits(UEL) 12.8 % volume Vapour Pressure <=24,664.6 Pa [@ 20 °C] Vapour Density and/or Relative Vapour Density 2 [Ref Std:AIR=1] Density 0.83 g/ml Relative density 0.83 [Ref Std:WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details: Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Flammability (solid, gas) | Not Applicable |
| Vapour Pressure<=24,664.6 Pa [@ 20 °C] | Flammable Limits(LEL) | 1 % volume |
| Vapour Density and/or Relative Vapour Density2 [Ref Std:AIR=1]Density0.83 g/mlRelative density0.83 [Ref Std:WATER=1]Water solubilitySlight (less than 10%)Solubility- non-waterNilPartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperature465 °C [Details:Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content] | Flammable Limits(UEL) | 12.8 % volume |
| Density 0.83 g/ml Relative density 0.83 [Ref Std:WATER=1] Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details: Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Vapour Pressure | <=24,664.6 Pa [@ 20 °C] |
| Relative density0.83[Ref Std:WATER=1]Water solubilitySlight (less than 10%)Solubility- non-waterNilPartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperature465 °C [Details:Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content] | Vapour Density and/or Relative Vapour Density | |
| Water solubility Slight (less than 10%) Solubility- non-water Nil Partition coefficient: n-octanol/ water No Data Available Autoignition temperature 465 °C [Details: Acetone] Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details: EU VOC content] Percent volatile 70 - 80 % weight | Density | 0.83 g/ml |
| Solubility- non-waterNilPartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperature465 °C [Details: Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details: EU VOC content] | Relative density | 0.83 [<i>Ref Std</i> :WATER=1] |
| Partition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperature465 °C [Details: Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details: EU VOC content] | Water solubility | Slight (less than 10%) |
| Autoignition temperature465 °C [Details: Acetone]Decomposition temperatureNo Data AvailableViscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content] | Solubility- non-water | Nil |
| Decomposition temperature No Data Available Viscosity/Kinematic Viscosity 450 - 700 mPa-s [@ 23 °C] Volatile Organic Compounds <=684 g/l [Details:EU VOC content] Percent volatile 70 - 80 % weight | Partition coefficient: n-octanol/ water | No Data Available |
| Viscosity/Kinematic Viscosity450 - 700 mPa-s [@ 23 °C]Volatile Organic Compounds<=684 g/l [Details:EU VOC content] | Autoignition temperature | 465 °C [Details: Acetone] |
| Volatile Organic Compounds<=684 g/l [Details: EU VOC content] | Decomposition temperature | No Data Available |
| Percent volatile 70 - 80 % weight | Viscosity/Kinematic Viscosity | |
| | Volatile Organic Compounds | |
| VOC Less H2O & Exempt Solvents<=643 g/l [Test Method:calculated SCAQMD rule 443.1] | Percent volatile | 70 - 80 % weight |
| | VOC Less H2O & Exempt Solvents | <=643 g/l [<i>Test Method</i> :calculated SCAQMD rule 443.1] |

| Molecular weight | No Data Available |
|------------------|-------------------|
| Solids Content | 17 - 45 % |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat Sparks and/or flames

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

<u>Substance</u>

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching. May cause additional health effects (see below).

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

Condition

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central Nervous System (CNS) Depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Prolonged or repeated exposure may cause target organ effects:

Ocular Effects: Signs/symptoms may include blurred or significantly impaired vision. Auditory Effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Peripheral Neuropathy: Signs/symptoms may include tingling or numbness of the extremities, incoordination, weakness of the hands and feet, tremors and muscle atrophy. Olfactory Effects: Signs/symptoms may include decreased ability to detect odours and/or complete loss of smell. Neurological Effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and/or changes in blood pressure and heart rate.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient | CAS No. | Class Description | Regulation |
|--------------|----------|-------------------------------|---|
| Ethylbenzene | 100-41-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------------|-----------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation- Vapor(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Petroleum Distillates | Dermal | Rat | LD50 > 2,800 mg/kg |
| Petroleum Distillates | Inhalation- Vapor (4 hours) | Rat | LC50 > 25.2 mg/l |
| Petroleum Distillates | Ingestion | Rat | LD50 > 5,840 mg/kg |
| Acetone | Dermal | Rabbit | LD50 > 15,688 mg/kg |
| Acetone | Inhalation- | Rat | LC50 76 mg/l |
| | Vapor (4 hours) | | |
| Acetone | Ingestion | Rat | LD50 5,800 mg/kg |
| Hexane | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| Hexane | Inhalation- Vapor (4 hours) | Rat | LC50 170 mg/l |
| Hexane | Ingestion | Rat | LD50 > 28,700 mg/kg |
| Heptane | Dermal | Rabbit | LD50 3,000 mg/kg |
| Heptane | Inhalation- Vapor (4 hours) | Rat | LC50 103 mg/l |
| Heptane | Ingestion | Rat | LD50 > 15,000 mg/kg |
| Toluene | Dermal | Rat | LD50 12,000 mg/kg |
| Toluene | Inhalation- Vapor (4 hours) | Rat | LC50 30 mg/l |

| Toluene | Ingestion | Rat | LD50 5,550 mg/kg |
|---------------------------------------|---------------------------------------|-----------------------------------|--|
| Magnesium Resinate | Dermal | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Magnesium Resinate | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| 2-Methylpentane | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| 2-Methylpentane | Inhalation- Vapor | | LC50 estimated to be > 50 mg/l |
| 2-Methylpentane | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| 3-Methylpentane | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| 3-Methylpentane | Inhalation- Vapor | | LC50 estimated to be > 50 mg/l |
| 3-Methylpentane | Ingestion | | LD50 estimated to be > 5,000 mg/kg |
| P-TERT-BUTYLPHENOL-FORMALDEHYDE RESIN | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| P-TERT-BUTYLPHENOL-FORMALDEHYDE RESIN | Ingestion | Rat | LD50 5,660 mg/kg |
| Polychloroprene | Dermal | | LD50 estimated to be $> 5,000 \text{ mg/kg}$ |
| Polychloroprene | Ingestion | Rat | LD50 > 20,000 mg/kg |
| Cyclohexane | Dermal | Rat | LD50 > 2,000 mg/kg |
| Cyclohexane | Inhalation- Vapor (4 hours) | Rat | LC50 > 32.9 mg/l |
| Cyclohexane | Ingestion | Rat | LD50 6,200 mg/kg |
| Magnesium Oxide | Dermal | Professio nal judgeme nt | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Magnesium Oxide | Ingestion | Rat | LD50 3,870 mg/kg |
| Zinc Oxide | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Zinc Oxide | Inhalation- Dust/Mist (4 hours) | Rat | LC50 > 5.7 mg/l |
| Zinc Oxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Methyl Alcohol | Dermal | | LD50 estimated to be 1,000 - 2,000 mg/kg |
| Methyl Alcohol | Inhalation- Vapor | | LC50 estimated to be 10 - 20 mg/l |
| Methyl Alcohol | Ingestion | | LD50 estimated to be 50 - 300 mg/kg |
| Ethylbenzene | Dermal | Rabbit | LD50 15,433 mg/kg |
| Ethylbenzene | Inhalation- Vapor (4 hours) | Rat | LC50 17.4 mg/l |
| Ethylbenzene | Ingestion | Rat | LD50 4,769 mg/kg |

 \overline{ATE} = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-----------------------|-----------|---------------------------|
| | | |
| Petroleum Distillates | Rabbit | Irritant |
| Acetone | Mouse | Minimal irritation |
| Hexane | Human | Mild irritant |
| | and | |
| | animal | |
| Heptane | Human | Mild irritant |
| Toluene | Rabbit | Irritant |
| 2-Methylpentane | Professio | Mild irritant |
| | nal | |
| | judgeme | |
| | nt | |
| 3-Methylpentane | Professio | Mild irritant |
| | nal | |
| | judgeme | |
| | nt | |
| Polychloroprene | Human | No significant irritation |
| Cyclohexane | Rabbit | Mild irritant |
| Magnesium Oxide | Professio | No significant irritation |
| | nal | |

| | judgeme nt | |
|----------------|---------------|---------------------------|
| Zine Oxide | Human and | No significant irritation |
| | animal | |
| Methyl Alcohol | Rabbit | Mild irritant |
| Ethylbenzene | Rabbit | Mild irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|-----------------------|-----------|---------------------------|
| Petroleum Distillates | Rabbit | Mild irritant |
| Acetone | Rabbit | Severe irritant |
| | | |
| Hexane | Rabbit | Mild irritant |
| Heptane | Professio | Moderate irritant |
| | nal | |
| | judgeme | |
| | nt | |
| Toluene | Rabbit | Moderate irritant |
| 2-Methylpentane | Professio | Moderate irritant |
| | nal | |
| | judgeme | |
| | nt | |
| 3-Methylpentane | Professio | Moderate irritant |
| • • | nal | |
| | judgeme | |
| | nt | |
| Polychloroprene | Professio | No significant irritation |
| | nal | |
| | judgeme | |
| | nt | |
| Cyclohexane | Rabbit | Mild irritant |
| Zinc Oxide | Rabbit | Mild irritant |
| Methyl Alcohol | Rabbit | Moderate irritant |
| Ethylbenzene | Rabbit | Moderate irritant |

Skin Sensitization

| Name | Species | Value |
|---------------------------------------|---------|--|
| Petroleum Distillates | Guinea | Not classified |
| | pig | |
| Hexane | Human | Not classified |
| Toluene | Guinea | Not classified |
| | pig | |
| P-TERT-BUTYLPHENOL-FORMALDEHYDE RESIN | Human | Some positive data exist, but the data are not |
| | | sufficient for classification |
| Zinc Oxide | Guinea | Not classified |
| | pig | |
| Methyl Alcohol | Guinea | Not classified |
| | pig | |
| Ethylbenzene | Human | Not classified |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|---------|----------|--|
| | | |
| Acetone | In vivo | Not mutagenic |
| Acetone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Hexane | In Vitro | Not mutagenic |
| Hexane | In vivo | Not mutagenic |
| Heptane | In Vitro | Not mutagenic |
| Toluene | In Vitro | Not mutagenic |

| Toluene | In vivo | Not mutagenic |
|-----------------|----------|--|
| Cyclohexane | In Vitro | Not mutagenic |
| Cyclohexane | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Magnesium Oxide | In Vitro | Not mutagenic |
| Zinc Oxide | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Zinc Oxide | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Methyl Alcohol | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Methyl Alcohol | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Ethylbenzene | In vivo | Not mutagenic |
| Ethylbenzene | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------|------------------|-------------------------------|--|
| Acetone | Not Specified | Multiple animal species | Not carcinogenic |
| Hexane | Dermal | Mouse | Not carcinogenic |
| Hexane | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Magnesium Oxide | Not Specified | Human and animal | Some positive data exist, but the data are not sufficient for classification |
| Methyl Alcohol | Inhalation | Multiple animal species | Not carcinogenic |
| Ethylbenzene | Inhalation | Multiple animal species | Carcinogenic |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|-----------------------|------------|--------------------------------------|--------------------------|--------------------------|-----------------------------|
| Petroleum Distillates | Ingestion | Toxic to male reproduction | similar compoun ds | NOAEL not available | not available |
| Petroleum Distillates | Inhalation | Toxic to male reproduction | similar compoun ds | NOAEL not available | not available |
| Acetone | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,700 mg/kg/day | 13 weeks |
| Acetone | Inhalation | Not classified for development | Rat | NOAEL 5.2 mg/l | during organogenesi s |
| Hexane | Ingestion | Not classified for development | Mouse | NOAEL 2,200 mg/kg/day | during organogenesi s |
| Hexane | Inhalation | Not classified for development | Rat | NOAEL 0.7 mg/l | during gestation |
| Hexane | Ingestion | Toxic to male reproduction | Rat | NOAEL 1,140 mg/kg/day | 90 days |
| Hexane | Inhalation | Toxic to male reproduction | Rat | LOAEL 3.52 mg/l | 28 days |

| Toluene | Inhalation | Not classified for female reproduction | Human | NOAEL Not available | occupational exposure |
|----------------|------------|--|-------------------------------|--------------------------|------------------------------------|
| Toluene | Inhalation | Not classified for male reproduction | Rat | NOAEL 2.3 mg/l | 1 generation |
| Toluene | Ingestion | Toxic to development | Rat | LOAEL 520 mg/kg/day | during gestation |
| Toluene | Inhalation | Toxic to development | Human | NOAEL Not available | poisoning and/or abuse |
| Cyclohexane | Inhalation | Not classified for female reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| Cyclohexane | Inhalation | Not classified for male reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| Cyclohexane | Inhalation | Not classified for development | Rat | NOAEL 6.9 mg/l | 2 generation |
| Zinc Oxide | Ingestion | Not classified for reproduction and/or development | Multiple animal species | NOAEL 125 mg/kg/day | premating & during gestation |
| Methyl Alcohol | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,600 mg/kg/day | 21 days |
| Methyl Alcohol | Ingestion | Toxic to development | Mouse | LOAEL 4,000 mg/kg/day | during organogenesi s |
| Methyl Alcohol | Inhalation | Toxic to development | Mouse | NOAEL 1.3 mg/l | during organogenesi s |
| Ethylbenzene | Inhalation | Not classified for development | Rat | NOAEL 4.3 mg/l | premating & during gestation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------------|------------|--------------------------------------|--|--------------------------|------------------------|---------------------------|
| Petroleum Distillates | Inhalation | central nervous system depression | May cause drowsiness or dizziness | similar compoun ds | NOAEL not available | not available |
| Petroleum Distillates | Ingestion | central nervous system depression | May cause drowsiness or dizziness | similar compoun ds | NOAEL not available | not available |
| Acetone | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Acetone | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Acetone | Inhalation | immune system | Not classified | Human | NOAEL 1.19 mg/l | 6 hours |
| Acetone | Inhalation | liver | Not classified | Guinea pig | NOAEL Not available | |
| Acetone | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| Hexane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | not available |
| Hexane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rabbit | NOAEL Not available | 8 hours |
| Hexane | Inhalation | respiratory system | Not classified | Rat | NOAEL 24.6 mg/l | 8 hours |
| Heptane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Heptane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Heptane | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Toluene | Inhalation | central nervous | May cause drowsiness or | Human | NOAEL Not | |

| | | system depression | dizziness | | available | |
|-----------------|------------|--------------------------------------|--|-----------------------------------|------------------------|---------------------------|
| Toluene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL 0.004 mg/l | 3 hours |
| Toluene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| 2-Methylpentane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| 2-Methylpentane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| 2-Methylpentane | Inhalation | cardiac sensitization | Not classified | Dog | NOAEL Not available | |
| 2-Methylpentane | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| 3-Methylpentane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| 3-Methylpentane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
| 3-Methylpentane | Inhalation | cardiac sensitization | Not classified | Dog | NOAEL Not available | |
| 3-Methylpentane | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| Cyclohexane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Cyclohexane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human and animal | NOAEL Not available | |
| Cyclohexane | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |
| Magnesium Oxide | Inhalation | respiratory system | Not classified | Human | NOAEL Not available | |
| Methyl Alcohol | Inhalation | blindness | Causes damage to organs | Human | NOAEL Not available | occupational exposure |
| Methyl Alcohol | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | not available |
| Methyl Alcohol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL Not available | 6 hours |
| Methyl Alcohol | Ingestion | blindness | Causes damage to organs | Human | NOAEL Not available | poisoning and/or abuse |
| Methyl Alcohol | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| Ethylbenzene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Ethylbenzene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human and animal | NOAEL Not available | |
| Ethylbenzene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professio nal judgeme nt | NOAEL Not available | |

Name Route Target Organ(s) Value Species Test result Exposure Duration Petroleum Distillates Inhalation peripheral nervous May cause damage to organs similar NOAEL not not available though prolonged or repeated available system compoun exposure ds eyes Not classified NOAEL Not 3 weeks Acetone Dermal Guinea available pig Acetone Inhalation hematopoietic Not classified Human NOAEL 3 6 weeks mg/l system NOAEL 1.19 Inhalation immune system Not classified Human 6 days Acetone mg/l kidney and/or Guinea NOAEL 119 Acetone Inhalation Not classified not available bladder pig mg/l Inhalation heart | liver Not classified Rat NOAEL 45 8 weeks Acetone mg/l 13 weeks Rat NOAEL 900 kidney and/or Not classified Acetone Ingestion bladder mg/kg/day Rat NOAEL 13 weeks Acetone Ingestion heart Not classified 2,500 mg/kg/day Acetone hematopoietic Not classified Rat NOAEL 200 13 weeks Ingestion mg/kg/day system Mouse NOAEL 14 days liver Not classified Acetone Ingestion 3,896 mg/kg/day Acetone Ingestion Not classified Rat NOAEL 13 weeks eyes 3.400 mg/kg/day Not classified Rat NOAEL 13 weeks Acetone Ingestion respiratory system 2.500 mg/kg/day NOAEL Acetone Ingestion muscles Not classified Rat 13 weeks 2,500 mg/kg Acetone Ingestion skin | bone, teeth, Not classified Mouse NOAEL 13 weeks 11,298 nails, and/or hair mg/kg/day Inhalation Hexane peripheral nervous Causes damage to organs through Human NOAEL Not occupational prolonged or repeated exposure available exposure system Some positive data exist, but the LOAEL 1.76 13 weeks Hexane Inhalation respiratory system Mouse data are not sufficient for mg/l classification Rat NOAEL Not Hexane Inhalation liver Not classified 6 months available kidney and/or Hexane Inhalation Not classified Rat LOAEL 1.76 6 months bladder mg/l NOAEL 35.2 Hexane Inhalation hematopoietic Not classified Mouse 13 weeks system mg/l Hexane auditory system | Not classified Human NOAEL Not occupational Inhalation immune system | available exposure eyes Hexane Inhalation heart | skin | Not classified Rat NOAEL 1.76 6 months endocrine system mg/l Hexane Some positive data exist, but the Rat NOAEL 90 days Ingestion peripheral nervous data are not sufficient for 1,140 system classification mg/kg/day Hexane endocrine system | Not classified Rat NOAEL Not 13 weeks Ingestion hematopoietic available system | liver | immune system | kidney and/or bladder NOAEL 12 Heptane Inhalation liver | nervous Not classified Rat 26 weeks

system | kidney

and/or bladder

eyes | olfactory

auditory system |

Causes damage to organs through

prolonged or repeated exposure

Inhalation

Toluene

Specific Target Organ Toxicity - repeated exposure

poisoning

and/or abuse

mg/l

NOAEL Not

available

Human

| | | system | | | | |
|-----------------|------------|--|--|-------------------------------|-----------------------------|---------------------------|
| Toluene | Inhalation | nervous system | May cause damage to organs though prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| Toluene | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 2.3 mg/l | 15 months |
| Toluene | Inhalation | heart liver kidney and/or bladder | Not classified | Rat | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Inhalation | endocrine system | Not classified | Rat | NOAEL 1.1 mg/l | 4 weeks |
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL Not available | 20 days |
| Toluene | Inhalation | bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 1.1 mg/l | 8 weeks |
| Toluene | Inhalation | hematopoietic system vascular system | Not classified | Human | NOAEL Not available | occupational exposure |
| Toluene | Inhalation | gastrointestinal tract | Not classified | Multiple animal species | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Ingestion | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 625 mg/kg/day | 13 weeks |
| Toluene | Ingestion | heart | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | liver kidney and/or bladder | Not classified | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | hematopoietic system | Not classified | Mouse | NOAEL 600 mg/kg/day | 14 days |
| Toluene | Ingestion | endocrine system | Not classified | Mouse | NOAEL 105 mg/kg/day | 28 days |
| Toluene | Ingestion | immune system | Not classified | Mouse | NOAEL 105 mg/kg/day | 4 weeks |
| 2-Methylpentane | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 5.3 mg/l | 14 weeks |
| 2-Methylpentane | Ingestion | peripheral nervous system | Not classified | Rat | NOAEL Not available | 8 weeks |
| 2-Methylpentane | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 2,000 mg/kg | 28 days |
| 3-Methylpentane | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 5.3 mg/l | 14 weeks |
| 3-Methylpentane | Ingestion | peripheral nervous system | Not classified | Rat | NOAEL Not available | 8 weeks |
| 3-Methylpentane | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 2,000 mg/kg | 28 days |
| Cyclohexane | Inhalation | liver | Not classified | Rat | NOAEL 24 mg/l | 90 days |
| Cyclohexane | Inhalation | auditory system | Not classified | Rat | NOAEL 1.7 mg/l | 90 days |
| Cyclohexane | Inhalation | kidney and/or bladder | Not classified | Rabbit | NOAEL 2.7 mg/l | 10 weeks |
| Cyclohexane | Inhalation | hematopoietic system | Not classified | Mouse | NOAEL 24 mg/l | 14 weeks |
| Cyclohexane | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 8.6 mg/l | 30 weeks |
| Zinc Oxide | Ingestion | nervous system | Not classified | Rat | NOAEL 600 mg/kg/day | 10 days |
| Zinc Oxide | Ingestion | endocrine system hematopoietic system kidney and/or bladder | Not classified | Other | NOAEL 500 mg/kg/day | 6 months |
| Methyl Alcohol | Inhalation | liver | Not classified | Rat | NOAEL 6.55 mg/l | 4 weeks |
| Methyl Alcohol | Inhalation | respiratory system | Not classified | Rat | NOAEL 13.1 | 6 weeks |

| | | | | | mg/l | |
|----------------|------------|--|--|-------------------------------|-----------------------------|-----------|
| Methyl Alcohol | Ingestion | liver nervous system | Not classified | Rat | NOAEL 2,500 mg/kg/day | 90 days |
| Ethylbenzene | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1.1 mg/l | 2 years |
| Ethylbenzene | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Mouse | NOAEL 1.1 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 3.4 mg/l | 28 days |
| Ethylbenzene | Inhalation | auditory system | Not classified | Rat | NOAEL 2.4 mg/l | 5 days |
| Ethylbenzene | Inhalation | endocrine system | Not classified | Mouse | NOAEL 3.3 mg/l | 103 weeks |
| Ethylbenzene | Inhalation | gastrointestinal tract | Not classified | Rat | NOAEL 3.3 mg/l | 2 years |
| Ethylbenzene | Inhalation | bone, teeth, nails, and/or hair muscles | Not classified | Multiple animal species | NOAEL 4.2 mg/l | 90 days |
| Ethylbenzene | Inhalation | heart immune system respiratory system | Not classified | Multiple animal species | NOAEL 3.3 mg/l | 2 years |
| Ethylbenzene | Ingestion | liver kidney and/or bladder | Not classified | Rat | NOAEL 680 mg/kg/day | 6 months |

Aspiration Hazard

| Name | Value | |
|-----------------------|-------------------|--|
| Petroleum Distillates | Aspiration hazard | |
| Hexane | Aspiration hazard | |
| Heptane | Aspiration hazard | |
| Toluene | Aspiration hazard | |
| 2-Methylpentane | Aspiration hazard | |
| 3-Methylpentane | Aspiration hazard | |
| Cyclohexane | Aspiration hazard | |
| Ethylbenzene | Aspiration hazard | |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Trada Secret Information

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

| HMIRA Registry Number: 03449149 | Filing date: 10/02/2022 | Claim status: Claim for exemption has been filed. | Date of decision: | |
|------------------------------------|--------------------------------|--|-------------------|--|
| | | | | |

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 2 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| Document group: | 10-2685-5 | Version number: | 18.01 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2023/03/28 | Supercedes Date: | 2022/10/06 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca