

Safety Data Sheet

Copyright,2022, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| Document group: | 21-4586-0 | Version number: | 16.02 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2022/09/19 | Supercedes Date: | 2020/10/13 |

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

3MTM Screen Printing UV Ink Series 9805P Process Black

 Product Identification
 Numbers

 LK-T214-5860-A
 75-3470-6916-5
 75-3472-5660-6

1.2. Recommended use and restrictions on use

Intended Use Ink

Specific Use Screen Printing Ink

Restrictions on use Not applicable

1.3. Supplier's details

| Company: | 3M Canada Company | |
|------------|--|---------|
| Division: | Commercial Solutions Division | |
| Address: | 1840 Oxford Street East, Post Office Box 5757, London, Ontario | N6A 4T1 |
| Telephone: | (800) 364-3577 | |
| Website: | www.3M.ca | |

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Serious Eye Damage/Irritation: Category 2A. Skin Sensitizer: Category 1A. Reproductive Toxicity: Category 1B. Carcinogenicity: Category 2. Specific Target Organ Toxicity (repeated exposure): Category 1. **2.2. Label elements Signal word** Danger

Symbols Exclamation mark | Health Hazard |

Pictograms



Hazard statements

Causes serious eye irritation. May cause an allergic skin reaction. May damage fertility or the unborn child. Suspected of causing cancer.

Causes damage to organs through prolonged or repeated exposure: respiratory system

Precautionary statements

Prevention:

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves and eye/face protection. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling. Contaminated work clothing must not be allowed out of the workplace.

Response:

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. IF ON SKIN: Wash with plenty of soap and water. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Get medical advice/attention.

Storage:

Store locked up.

Disposal:

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

2.3. Other hazards

None known.

12% of the mixture consists of ingredients of unknown acute oral toxicity.12% of the mixture consists of ingredients of unknown acute dermal toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | C.A.S. No. | % by Wt | Common Name |
|---------------|------------|------------------------|--|
| PHENOXY ETHYL | 48145-04-6 | 30 - 40 Trade Secret * | 2-Propenoic acid, 2-phenoxyethyl ester |
| ACRYLATE | | | |

| METHACRYLATE POLYMER | Trade Secret | 10 - 20 | Not Applicable |
|-------------------------------|--------------|------------------------|---|
| VINYLCAPROLACTAM | 2235-00-9 | 10 - 20 Trade Secret * | 2H-Azepin-2-one, 1-ethenylhexahydro-; |
| | | | Vinylcaprolactam |
| ALIPHATIC URETHANE | Trade Secret | 7 - 13 | Not Applicable |
| ACRYLATE | | | |
| 1-BUTANONE, 2- | 119313-12-1 | 1 - 5 Trade Secret * | 1-Butanone, 2-(dimethylamino)-1-[4-(4- |
| (DIMETHYLAMINO)-1-[4-(4- | | | morpholinyl)p henyl]-2-(phenylmethyl)- |
| MORPHOLINYL)PHENYL]-2- | | | |
| (PHENYLMETHYL)- | | | |
| 1-PROPANONE, 2-METHYL- | 71868-10-5 | 1 - 5 Trade Secret * | 2-Methyl-4'-(methylthio)-2- |
| 1-[4- | | | morpholinopropiophenone |
| (METHYLTHIO)PHENYL]-2- | | | |
| (4-MORPHOLINYL)- | 100.00.6 | 1- 5 | |
| 2-PHENOXYETHANOL | 122-99-6 | 1 - 5 | Ethanol, 2-phenoxy-; Ethylene glycol |
| ALKYLOLAMONIUM SALT | Trade Secret | 1 - 5 | monophenyl ether Not Applicable |
| OF A LOWER MOLECULAR | Trade Secret | 1- 5 | Not Applicable |
| WEIGHT POLYCARBOXYLIC | | | |
| ACID | | | |
| Carbon Black | 1333-86-4 | 1 - 5 Trade Secret * | Carbon black |
| DIETHYLENE GLYCOL | 7328-17-8 | 1 - 5 Trade Secret * | 2-Propenoic acid, 2-(2-ethoxyethoxy)ethyl |
| ETHYL ETHER ACRYLATE | | | ester; Carbitol acrylate |
| PROPOXYLATED | 52408-84-1 | 1 - 5 Trade Secret * | glycerol, propoxylated, esters with Acrylic |
| GLYCEROL TRIACRYLATE | | | acid; Propoxylated glycerol triacrylate |
| Synthetic Amorphous Silica, | 112945-52-5 | 1 - 5 | Fumed amorphous silica, crystalline-free |
| Fumed, Crystalline Free | | | |
| 2,4,6- | 75980-60-8 | 0.1 - 1 Trade Secret * | 2,4,6-Trimethylbenzoyl diphenyl |
| Trimethylbenzoyldiphenylphosp | | | phosphine oxide; Phosphine oxide, |
| hine oxide | | | diphenyl(2,4,6-trimethylbenzoyl)- |
| OCTAMETHYLCYCLOTETR | 556-67-2 | 0.1 - 1 Trade Secret * | Octamethylcyclotetrasiloxane |
| ASILOXANE | | | |
| ТМРЕОТА | 28961-43-5 | < 1 | Poly(oxy-1,2-ethanediyl), .alpha |
| | | | hydroomega[(1-oxo-2-propenyl)oxy]-, |
| | | | ether with 2-ethyl-2-(hydroxymethyl)-1,3- |
| | 150.76.5 | | propanediol (3:1) |
| 4-Methoxyphenol | 150-76-5 | < 0.5 | 4-Methoxyphenol |

METHACRYLATE POLYMER is a non-hazardous Trade Secret material according to WHMIS criteria. ALKYLOLAMONIUM SALT OF A LOWER MOLECULAR WEIGHT POLYCARBOXYLIC ACID is a non-hazardous Trade Secret material according to WHMIS criteria.

ALIPHATIC URETHANE ACRYLATE is a non-hazardous Trade Secret material according to WHMIS criteria.

*The actual concentration of this ingredient has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye Contact:

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u> |
|------------------|-------------------|
| Formaldehyde | During Combustion |
| Carbon monoxide | During Combustion |
| Carbon dioxide | During Combustion |

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dikes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.) Use

personal protective equipment (gloves, respirators, etc.) as required.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep container tightly closed. Keep cool. Protect from sunlight. Store away from heat. Store away from areas where product may come into contact with food or pharmaceuticals.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | C.A.S. No. | Agency | Limit type | Additional Comments |
|----------------------|------------|--------------|---------------------------|---------------------|
| Carbon Black | 1333-86-4 | ACGIH | TWA(inhalable fraction):3 | |
| | | | mg/m3 | |
| 4-Methoxyphenol | 150-76-5 | ACGIH | TWA:5 mg/m3 | |
| VINYLCAPROLACTAM | 2235-00-9 | Manufacturer | TWA(8 hours):0.1 ppm(0.57 | |
| | | determined | mg/m3) | |
| OCTAMETHYLCYCLOTETRA | 556-67-2 | AIHA | TWA:10 ppm | |
| SILOXANE | | | | |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide local exhaust ventilation at transfer points.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect Vented Goggles

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| Physical state | Liquid | |
|---|--|--|
| Specific Physical Form: | Liquid | |
| | | |
| Colour | Black | |
| Odour | Acrylate | |
| Odour threshold | No Data Available | |
| рН | Not Applicable | |
| Melting point/Freezing point | Not Applicable | |
| Boiling point | > 148.9 °C | |
| Flash Point | > 93.3 °C [<i>Test Method</i> :Pensky-Martens Closed Cup] | |
| Evaporation rate | <1 [<i>Ref Std</i> :BUOAC=1] | |
| Flammability (solid, gas) | Not Applicable | |
| Flammable Limits(LEL) | No Data Available | |
| Flammable Limits(UEL) | No Data Available | |
| Vapour Pressure | < 160 Pa [@ 20 °C] | |
| Vapour Density and/or Relative Vapour Density | No Data Available | |
| Density | Approximately 1.3 g/ml | |
| Relative density | Approximately 1.3 [<i>Ref Std</i> :WATER=1] | |
| Water solubility | Negligible | |
| Solubility- non-water | No Data Available | |
| Partition coefficient: n-octanol/ water | No Data Available | |
| Autoignition temperature | No Data Available | |
| Decomposition temperature | No Data Available | |
| Viscosity/Kinematic Viscosity | No Data Available | |
| Volatile Organic Compounds | 4 g/l | |
| Percent volatile | 1 - 5 % weight | |
| VOC Less H2O & Exempt Solvents | 4 g/l | |

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization may occur. Upon loss of initiator or with exposure to heat.

10.4. Conditions to avoid

Sparks and/or flames

Heat

10.5. Incompatible materials

Strong oxidizing agents

10.6. Hazardous decomposition products

Substance None known. **Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin Contact:

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye Contact:

Severe Eye Irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion:

May be harmful if swallowed. Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea. May cause additional health effects (see below).

Additional Health Effects:

Prolonged or repeated exposure may cause target organ effects:

Respiratory Effects: Signs/symptoms may include cough, shortness of breath, chest tightness, wheezing, increased heart rate, bluish coloured skin (cyanosis), sputum production, changes in lung function tests, and/or respiratory failure.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

| Ingredient | CAS No. | Class Description | Regulation |
|--------------|-----------|-------------------------------|---|
| Carbon black | 1333-86-4 | Grp. 2B: Possible human carc. | International Agency for Research on Cancer |

Additional Information:

Persons previously sensitized to isocyanates may develop a cross-sensitization reaction to other isocyanates.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

| Name | Route | Species | Value |
|---|------------------------|-----------|---|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Ingestion | | No data available; calculated ATE $>2,000 - =5,000$ |
| L . | 0 | | mg/kg |
| PHENOXY ETHYL ACRYLATE | Dermal | Rat | LD50 > 2,000 mg/kg |
| PHENOXY ETHYL ACRYLATE | Ingestion | Rat | LD50 > 5,000 mg/kg |
| METHACRYLATE POLYMER | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| METHACRYLATE POLYMER | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| VINYLCAPROLACTAM | Dermal | Rabbit | LD50 1,700 mg/kg |
| VINYLCAPROLACTAM | Ingestion | Rat | LD50 1,049 mg/kg |
| Carbon Black | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Carbon Black | Ingestion | Rat | LD50 > 8,000 mg/kg |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Dermal | Rabbit | LD50 > 5,000 mg/kg |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Inhalation- | Rat | LC50 > 0.691 mg/l |
| | Dust/Mist | | |
| | (4 hours) | | |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Rat | LD50 > 5,110 mg/kg |
| PROPOXYLATED GLYCEROL TRIACRYLATE | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| PROPOXYLATED GLYCEROL TRIACRYLATE | Ingestion | Rat | LD50 > 2,000 mg/kg |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | Dermal | | LD50 estimated to be 1,000 - 2,000 mg/kg |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | Ingestion | Rat | LD50 1,860 mg/kg |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4- MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)- | Dermal | Rat | LD50 > 2,000 mg/kg |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4- | Ingestion | Rat | LD50 > 5,000 mg/kg |
| MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)- | ingestion | Kai | LD30 > 5,000 mg/kg |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]- | Dermal | Rat | LD50 > 2,000 mg/kg |
| 2-(4-MORPHOLINYL)- | | | |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]- 2-(4-MORPHOLINYL)- | Ingestion | Rat | LD50 967 mg/kg |
| 2-PHENOXYETHANOL | Dermal | Rabbit | LD50 > 2,000 mg/kg |
| 2-PHENOXYETHANOL | Inhalation- | Rat | LC50 > 1.5 mg/l |
| | Dust/Mist | rtut | |
| 2-PHENOXYETHANOL | Ingestion | Rat | LD50 1,394 mg/kg |
| TMPEOTA | Dermal | Rabbit | LD50 > 13,200 mg/kg |
| TMPEOTA | Ingestion | Rat | LD50 > 2,000 mg/kg |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Dermal | Professio | LD50 estimated to be > 5,000 mg/kg |
| | | nal | |
| | | judgeme | |
| | | nt | |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| OCTAMETHYLCYCLOTETRASILOXANE | Dermal | Rat | LD50 > 2,400 mg/kg |
| OCTAMETHYLCYCLOTETRASILOXANE | Inhalation- | Rat | LC50 36 mg/l |
| | Dust/Mist (4 hours) | | |
| OCTAMETHYLCYCLOTETRASILOXANE | (4 nours) Ingestion | Rat | LD50 > 5,000 mg/kg |
| 4-Methoxyphenol | Dermal | Rat | LD50 > 2,000 mg/kg |
| 4-Methoxyphenol | Ingestion | Rat | LD50 1,630 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|------------------------|---------|---------------------------|
| | | |
| PHENOXY ETHYL ACRYLATE | Rabbit | No significant irritation |
| VINYLCAPROLACTAM | Rabbit | Minimal irritation |
| Carbon Black | Rabbit | No significant irritation |

| Synthetic Amorphous Silica, Fumed, Crystalline Free | Rabbit | No significant irritation |
|--|--------|---------------------------|
| PROPOXYLATED GLYCEROL TRIACRYLATE | Rabbit | Minimal irritation |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | Rabbit | Irritant |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]- | Rabbit | No significant irritation |
| 2-(PHENYLMETHYL)- | | |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4- | Rabbit | No significant irritation |
| MORPHOLINYL)- | | |
| 2-PHENOXYETHANOL | Rabbit | No significant irritation |
| TMPEOTA | Rabbit | Minimal irritation |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Rabbit | No significant irritation |
| OCTAMETHYLCYCLOTETRASILOXANE | Rabbit | Minimal irritation |
| 4-Methoxyphenol | Rabbit | Mild irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|--|---------|---------------------------|
| | | |
| PHENOXY ETHYL ACRYLATE | Rabbit | No significant irritation |
| VINYLCAPROLACTAM | Rabbit | Severe irritant |
| Carbon Black | Rabbit | No significant irritation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Rabbit | No significant irritation |
| PROPOXYLATED GLYCEROL TRIACRYLATE | Rabbit | Severe irritant |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | Rabbit | Severe irritant |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]- | Rabbit | No significant irritation |
| 2-(PHENYLMETHYL)- | | |
| 1-PROPANONE, 2-METHYL-1-[4-(METHYLTHIO)PHENYL]-2-(4- | Rabbit | No significant irritation |
| MORPHOLINYL)- | | |
| 2-PHENOXYETHANOL | Rabbit | Corrosive |
| TMPEOTA | Rabbit | Severe irritant |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Rabbit | No significant irritation |
| OCTAMETHYLCYCLOTETRASILOXANE | Rabbit | No significant irritation |
| 4-Methoxyphenol | Rabbit | Severe irritant |

Skin Sensitization

| Name | Species | Value |
|--|---------|----------------|
| PHENOXY ETHYL ACRYLATE | Guinea | Sensitizing |
| | pig | - |
| VINYLCAPROLACTAM | Mouse | Sensitizing |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Human | Not classified |
| | and | |
| | animal | |
| PROPOXYLATED GLYCEROL TRIACRYLATE | Mouse | Sensitizing |
| DIETHYLENE GLYCOL ETHYL ETHER ACRYLATE | Guinea | Sensitizing |
| | pig | |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4-MORPHOLINYL)PHENYL]- | Guinea | Not classified |
| 2-(PHENYLMETHYL)- | pig | |
| 2-PHENOXYETHANOL | Guinea | Not classified |
| | pig | |
| TMPEOTA | Guinea | Sensitizing |
| | pig | |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Mouse | Sensitizing |
| OCTAMETHYLCYCLOTETRASILOXANE | Human | Not classified |
| | and | |
| | animal | |
| 4-Methoxyphenol | Guinea | Sensitizing |
| | pig | |

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|------------------|----------|---------------|
| VINYLCAPROLACTAM | In Vitro | Not mutagenic |

| Carbon Black | In Vitro | Not mutagenic |
|---|----------|--|
| Carbon Black | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | In Vitro | Not mutagenic |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4- MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)- | In Vitro | Not mutagenic |
| 1-BUTANONE, 2-(DIMETHYLAMINO)-1-[4-(4- MORPHOLINYL)PHENYL]-2-(PHENYLMETHYL)- | In vivo | Not mutagenic |
| 2-PHENOXYETHANOL | In Vitro | Not mutagenic |
| 2-PHENOXYETHANOL | In vivo | Not mutagenic |
| TMPEOTA | In vivo | Not mutagenic |
| ТМРЕОТА | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | In Vitro | Not mutagenic |
| OCTAMETHYLCYCLOTETRASILOXANE | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| 4-Methoxyphenol | In vivo | Not mutagenic |
| 4-Methoxyphenol | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|---|------------------|-------------------------------|--|
| Carbon Black | Dermal | Mouse | Not carcinogenic |
| Carbon Black | Ingestion | Mouse | Not carcinogenic |
| Carbon Black | Inhalation | Rat | Carcinogenic |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Not Specified | Mouse | Some positive data exist, but the data are not sufficient for classification |
| 2-PHENOXYETHANOL | Ingestion | Multiple animal species | Not carcinogenic |
| 4-Methoxyphenol | Dermal | Multiple animal species | Not carcinogenic |
| 4-Methoxyphenol | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---|-----------|--|---------|--------------------------|-----------------------------|
| PHENOXY ETHYL ACRYLATE | Ingestion | Not classified for male reproduction | Rat | NOAEL 800 mg/kg/day | 43 days |
| PHENOXY ETHYL ACRYLATE | Ingestion | Toxic to female reproduction | Rat | NOAEL 300 mg/kg/day | premating into lactation |
| PHENOXY ETHYL ACRYLATE | Ingestion | Toxic to development | Rat | NOAEL 300 mg/kg/day | premating into lactation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for female reproduction | Rat | NOAEL 509 mg/kg/day | 1 generation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for male reproduction | Rat | NOAEL 497 mg/kg/day | 1 generation |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Ingestion | Not classified for development | Rat | NOAEL 1,350 mg/kg/day | during organogenesi s |
| 1-BUTANONE, 2-(DIMETHYLAMINO)- 1-[4-(4-MORPHOLINYL)PHENYL]-2- (PHENYLMETHYL)- | Ingestion | Not classified for female reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| 1-BUTANONE, 2-(DIMETHYLAMINO)- 1-[4-(4-MORPHOLINYL)PHENYL]-2- (PHENYLMETHYL)- | Ingestion | Not classified for male reproduction | Rat | NOAEL 300 mg/kg/day | 1 generation |
| 1-BUTANONE, 2-(DIMETHYLAMINO)- 1-[4-(4-MORPHOLINYL)PHENYL]-2- (PHENYLMETHYL)- | Ingestion | Toxic to development | Rat | NOAEL 30 mg/kg/day | 1 generation |
| 1-PROPANONE, 2-METHYL-1-[4- | Ingestion | Toxic to female reproduction | Rat | LOAEL 40 | 1 generation |

| (METHYLTHIO)PHENYL]-2-(4- MORPHOLINYL)- | | | | mg/kg/day | |
|---|------------|--|--------|--------------------------|-----------------------------|
| I-PROPANONE, 2-METHYL-1-[4- (METHYLTHIO)PHENYL]-2-(4- MORPHOLINYL)- | Ingestion | Toxic to development | Rat | LOAEL 40 mg/kg/day | 1 generation |
| 2-PHENOXYETHANOL | Ingestion | Not classified for female reproduction | Mouse | NOAEL 3,700 mg/kg/day | 2 generation |
| 2-PHENOXYETHANOL | Ingestion | Not classified for male reproduction | Mouse | NOAEL 3,700 mg/kg/day | 2 generation |
| 2-PHENOXYETHANOL | Dermal | Not classified for development | Rabbit | NOAEL 600 mg/kg/day | during organogenesi s |
| 2-PHENOXYETHANOL | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | during gestation |
| ТМРЕОТА | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | premating into lactation |
| ТМРЕОТА | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 29 days |
| ТМРЕОТА | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | during organogenesi s |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Ingestion | Not classified for development | Rat | NOAEL 150 mg/kg/day | during gestation |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Ingestion | Toxic to female reproduction | Rat | NOAEL 200 mg/kg/day | premating into lactation |
| 2,4,6-Trimethylbenzoyldiphenylphosphine oxide | Ingestion | Toxic to male reproduction | Rat | NOAEL 60 mg/kg/day | 85 days |
| OCTAMETHYLCYCLOTETRASILOXA NE | Inhalation | Not classified for male reproduction | Rat | NOAEL 8.5 mg/l | 2 generation |
| OCTAMETHYLCYCLOTETRASILOXA NE | Ingestion | Toxic to female reproduction | Rabbit | NOAEL 50 mg/kg/day | during organogenesi s |
| OCTAMETHYLCYCLOTETRASILOXA NE | Inhalation | Toxic to female reproduction | Rat | NOAEL 3.6 mg/l | 2 generation |
| 4-Methoxyphenol | Ingestion | Not classified for female reproduction | Rat | NOAEL 300 mg/kg/day | premating into lactation |
| 4-Methoxyphenol | Ingestion | Not classified for male reproduction | Rat | NOAEL 300 mg/kg/day | 28 days |
| 4-Methoxyphenol | Ingestion | Not classified for development | Rat | NOAEL 200 mg/kg/day | during gestation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|------------------|------------|------------------------|--|--------------------------------|------------------------|----------------------|
| VINYLCAPROLACTAM | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL Not available | |
| 2-PHENOXYETHANOL | Inhalation | respiratory irritation | May cause respiratory irritation | official classifica tion | NOAEL Not available | |
| ТМРЕОТА | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL not available | |
| 4-Methoxyphenol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|------------------|------------|--|---|---------|---------------------|----------------------|
| VINYLCAPROLACTAM | Inhalation | respiratory system | Causes damage to organs through prolonged or repeated exposure | Rat | NOAEL 0.001 mg/l | 28 days |
| VINYLCAPROLACTAM | Inhalation | blood liver kidney and/or bladder | Not classified | Rat | NOAEL 0.18 mg/l | 90 days |

| | T C | eyes | | | NOATL 260 | 2 4 |
|---|------------|---|--|--------|-----------------------------|--------------------------|
| VINYLCAPROLACTAM | Ingestion | liver | Not classified | Rat | NOAEL 260 mg/kg/day | 3 months |
| Carbon Black | Inhalation | pneumoconiosis | Not classified | Human | NOAEL Not available | occupational exposure |
| Synthetic Amorphous Silica, Fumed, Crystalline Free | Inhalation | respiratory system silicosis | Not classified | Human | NOAEL Not available | occupational exposure |
| 1-BUTANONE, 2- (DIMETHYLAMINO)-1- [4-(4- MORPHOLINYL)PHENY L]-2- (PHENYLMETHYL)- | Ingestion | endocrine system hematopoietic system liver kidney and/or bladder | Not classified | Rat | NOAEL 500 mg/kg/day | 28 days |
| 1-PROPANONE, 2- METHYL-1-[4- (METHYLTHIO)PHENY L]-2-(4- MORPHOLINYL)- | Ingestion | peripheral nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 75 mg/kg/day | 90 days |
| 2-PHENOXYETHANOL | Dermal | skin hematopoietic system liver eyes | Not classified | Rabbit | NOAEL 500 mg/kg/day | 13 weeks |
| 2-PHENOXYETHANOL | Ingestion | heart endocrine system hematopoietic system liver immune system nervous system kidney and/or bladder respiratory system | Not classified | Rat | NOAEL 1,514 mg/kg/day | 13 weeks |
| ТМРЕОТА | Ingestion | gastrointestinal tract | Not classified | Rat | NOAEL 100 mg/kg/day | 29 days |
| TMPEOTA | Ingestion | endocrine system hematopoietic system liver immune system nervous system kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 29 days |
| 2,4,6- Trimethylbenzoyldiphenyl phosphine oxide | Ingestion | skin blood liver kidney and/or bladder nervous system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 90 days |
| OCTAMETHYLCYCLOT ETRASILOXANE | Dermal | hematopoietic system | Not classified | Rabbit | NOAEL 960 mg/kg/day | 3 weeks |
| OCTAMETHYLCYCLOT ETRASILOXANE | Inhalation | liver | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| OCTAMETHYLCYCLOT ETRASILOXANE | Inhalation | endocrine system immune system kidney and/or bladder | Not classified | Rat | NOAEL 8.5 mg/l | 2 generation |
| OCTAMETHYLCYCLOT ETRASILOXANE | Inhalation | hematopoietic system | Not classified | Rat | NOAEL 8.5 mg/l | 13 weeks |
| OCTAMETHYLCYCLOT ETRASILOXANE | Ingestion | liver | Not classified | Rat | NOAEL 1,600 mg/kg/day | 2 weeks |
| 4-Methoxyphenol | Ingestion | gastrointestinal tract | Not classified | Rat | LOAEL 300 mg/kg/day | 28 days |
| 4-Methoxyphenol | Ingestion | liver immune system | Not classified | Rat | NOAEL 300 mg/kg/day | 28 days |
| 4-Methoxyphenol | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 300 mg/kg/day | 28 days |
| 4-Methoxyphenol | Ingestion | heart endocrine system hematopoietic system nervous system respiratory system | Not classified | Rat | NOAEL 300 mg/kg/day | 28 days |

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 2 Flammability: 1 Instability: 1 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

| Document group: | 21-4586-0 | Version number: | 16.02 |
|-----------------|------------|------------------|------------|
| Issue Date: | 2022/09/19 | Supercedes Date: | 2020/10/13 |

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca