



Safety Data Sheet

Copyright, 2023, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	40-5574-5	Version number:	2.03
Issue Date:	2023/09/14	Supersedes Date:	2022/11/09

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

Scotchgard™ Protect & Shine Floor Protector

Product Identification Numbers

LK-T100-2740-5 75-0400-7400-9 75-0400-7401-7 HB-0046-8840-2 JN-3301-4901-2

1.2. Recommended use and restrictions on use

Intended Use

Coating

Restrictions on use

Not applicable

1.3. Supplier's details

Company:	3M Canada Company
Division:	Commercial Solutions Division
Address:	1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1
Telephone:	(800) 364-3577
Website:	www.3M.ca

1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

2.2. Label elements

Signal word

Not applicable.

Symbols

Not applicable.

Pictograms

Not applicable.

2.3. Other hazards

None known.

27% of the mixture consists of ingredients of unknown acute oral toxicity.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Water	7732-18-5	65 - 80	Water
Polymer Emulsion	Trade Secret	14 - 24	Not Applicable
Nanoscale Stabilizer	Trade Secret	1 - 10	Not Applicable
Ethoxydiglycol	111-90-0	< 5	Ethanol, 2-(2-ethoxyethoxy)-
Benzoate Esters	Trade Secret	< 1	Not Applicable
Glycol Ether containing Carboxylic Metal Salt	Trade Secret	< 1	Not Applicable
Alkoxy Glycol Ether	Trade Secret	< 0.5	Not Applicable
Alkyl Silyl containing Carboxylic Metal Salt	Trade Secret	< 0.5	Not Applicable
Dipropylene Glycol Methyl Ether	34590-94-8	< 0.5	Propanol, 1(or 2)-(2-methoxymethylethoxy)-
Glycol Ether modified Polydimethylsiloxane	Trade Secret	< 0.5	Not Applicable
Siloxane-based Defoamer	Trade Secret	< 0.01	Not Applicable
Methylchloroisothiazolinone	26172-55-4	< 0.0005	3(2H)-Isothiazolone, 5-chloro-2-methyl-
Methylisothiazolinone	2682-20-4	< 0.00005	3(2H)-Isothiazolone, 2-methyl-

Glycol Ether containing Carboxylic Metal Salt is a non-hazardous Trade Secret material according to WHMIS criteria.

Polymer Emulsion is a non-hazardous Trade Secret material according to WHMIS criteria.

Nanoscale Stabilizer is a non-hazardous Trade Secret material according to WHMIS criteria.

Siloxane-based Defoamer is a non-hazardous Trade Secret material according to WHMIS criteria.

Benzoate Esters is a non-hazardous Trade Secret material according to WHMIS criteria.

Alkoxy Glycol Ether is a non-hazardous Trade Secret material according to WHMIS criteria.

Alkyl Silyl containing Carboxylic Metal Salt is a non-hazardous Trade Secret material according to WHMIS criteria.

Glycol Ether modified Polydimethylsiloxane is a non-hazardous Trade Secret material according to WHMIS criteria.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

If exposed, wash with soap and water. If signs/symptoms develop, get medical attention.

Eye Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide

Carbon dioxide

Condition

During Combustion

During Combustion

5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Ethoxydiglycol	111-90-0	AIHA	TWA:140 mg/m3(25 ppm)	
Dipropylene Glycol Methyl Ether	34590-94-8	ACGIH	TWA:50 ppm;STEL:150 ppm	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	Liquid
Colour	Milky White
Odour	Acrylic
Odour threshold	No Data Available
pH	7.5 - 8.5
Melting point/Freezing point	Not Applicable
Boiling point	> 100 °C
Flash Point	No flash point
Evaporation rate	No Data Available
Flammability (solid, gas)	Not Applicable
Flammable Limits(LEL)	Not Applicable
Flammable Limits(UEL)	Not Applicable
Vapour Pressure	<=2,333.1 Pa [@ 20 °C]
Vapour Density and/or Relative Vapour Density	No Data Available
Density	Approximately [Ref Std:WATER=1]
Relative density	Approximately 1 [Ref Std:WATER=1]
Water solubility	Complete
Solubility- non-water	No Data Available

Partition coefficient: n-octanol/ water	No Data Available
Autoignition temperature	No Data Available
Decomposition temperature	No Data Available
Viscosity/Kinematic Viscosity	<=10 mPa-s
Volatile Organic Compounds	< 0.5 % weight [Test Method:calculated per CARB title 2]
Percent volatile	No Data Available
VOC Less H2O & Exempt Solvents	140 - 160 g/l [Test Method:calculated per CARB title 2]
Molecular weight	Not Applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Heat

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Contact with the skin during product use is not expected to result in significant irritation.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethoxydiglycol	Dermal	Rabbit	LD50 9,143 mg/kg
Ethoxydiglycol	Ingestion	Rat	LD50 5,400 mg/kg
Glycol Ether containing Carboxylic Metal Salt	Dermal	similar compounds	LD50 > 2,000 mg/kg
Glycol Ether containing Carboxylic Metal Salt	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 2.3 mg/l
Glycol Ether containing Carboxylic Metal Salt	Ingestion	similar compounds	LD50 > 5,000 mg/kg
Alkyl Silyl containing Carboxylic Metal Salt	Dermal	similar compounds	LD50 > 2,000 mg/kg
Alkyl Silyl containing Carboxylic Metal Salt	Inhalation-Dust/Mist (4 hours)	similar compounds	LC50 2.3 mg/l
Alkyl Silyl containing Carboxylic Metal Salt	Ingestion	similar compounds	LD50 > 5,000 mg/kg
Dipropylene Glycol Methyl Ether	Dermal	Rabbit	LD50 > 19,000 mg/kg
Dipropylene Glycol Methyl Ether	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 50 mg/l
Dipropylene Glycol Methyl Ether	Ingestion	Rat	LD50 5,180 mg/kg
Siloxane-based Defoamer	Dermal	Rabbit	LD50 > 19,400 mg/kg
Siloxane-based Defoamer	Ingestion	Rat	LD50 > 17,000 mg/kg
Methylchloroisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylchloroisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylchloroisothiazolinone	Ingestion	Rat	LD50 40 mg/kg
Methylisothiazolinone	Dermal	Rabbit	LD50 87 mg/kg
Methylisothiazolinone	Inhalation-Dust/Mist (4 hours)	Rat	LC50 0.171 mg/l
Methylisothiazolinone	Ingestion	Rat	LD50 40 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Ethoxydiglycol	Rabbit	No significant irritation
Dipropylene Glycol Methyl Ether	Human and animal	No significant irritation
Siloxane-based Defoamer	Rabbit	No significant irritation
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive

Serious Eye Damage/Irritation

Name	Species	Value
------	---------	-------

Ethoxydiglycol	Rabbit	Moderate irritant
Dipropylene Glycol Methyl Ether	Rabbit	Mild irritant
Siloxane-based Defoamer	Rabbit	No significant irritation
Methylchloroisothiazolinone	Rabbit	Corrosive
Methylisothiazolinone	Rabbit	Corrosive

Skin Sensitization

Name	Species	Value
Ethoxydiglycol	Human	Not classified
Dipropylene Glycol Methyl Ether	Human	Not classified
Methylchloroisothiazolinone	Human and animal	Sensitizing
Methylisothiazolinone	Human and animal	Sensitizing

Photosensitization

Name	Species	Value
Methylchloroisothiazolinone	Human and animal	Not sensitizing
Methylisothiazolinone	Human and animal	Not sensitizing

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethoxydiglycol	In Vitro	Not mutagenic
Ethoxydiglycol	In vivo	Not mutagenic
Dipropylene Glycol Methyl Ether	In Vitro	Not mutagenic
Methylchloroisothiazolinone	In vivo	Not mutagenic
Methylchloroisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification
Methylisothiazolinone	In vivo	Not mutagenic
Methylisothiazolinone	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Methylchloroisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylchloroisothiazolinone	Ingestion	Rat	Not carcinogenic
Methylisothiazolinone	Dermal	Mouse	Not carcinogenic
Methylisothiazolinone	Ingestion	Rat	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Dermal	Not classified for development	Rat	NOAEL 5,500 mg/kg/day	during organogenesis
Ethoxydiglycol	Ingestion	Not classified for development	Mouse	NOAEL 5,500 mg/kg/day	during organogenesis

Scotchgard™ Protect & Shine Floor Protector

Ethoxydiglycol	Inhalation	Not classified for development	Rat	NOAEL 0.6 mg/l	during organogenesis
Ethoxydiglycol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,200 mg/kg/day	2 generation
Dipropylene Glycol Methyl Ether	Inhalation	Not classified for development	Multiple animal species	NOAEL 1.82 mg/l	during organogenesis
Methylchloroisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylchloroisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis
Methylisothiazolinone	Ingestion	Not classified for female reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for male reproduction	Rat	NOAEL 10 mg/kg/day	2 generation
Methylisothiazolinone	Ingestion	Not classified for development	Rat	NOAEL 15 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Dipropylene Glycol Methyl Ether	Dermal	central nervous system depression	Not classified	Rabbit	NOAEL 2,850 mg/kg	
Dipropylene Glycol Methyl Ether	Inhalation	central nervous system depression	Not classified	Rat	LOAEL 3.07 mg/l	7 hours
Dipropylene Glycol Methyl Ether	Ingestion	central nervous system depression	Not classified	Rat	LOAEL 5,000 mg/kg	
Methylchloroisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	
Methylisothiazolinone	Inhalation	respiratory irritation	May cause respiratory irritation	similar health hazards	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethoxydiglycol	Dermal	kidney and/or bladder	Not classified	Rabbit	NOAEL 1,000 mg/kg/day	12 weeks
Ethoxydiglycol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Pig	NOAEL 167 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL 2,700 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	endocrine system	Not classified	Rat	NOAEL 2,500 mg/kg/day	90 days
Ethoxydiglycol	Ingestion	heart hematopoietic system nervous system	Not classified	Mouse	NOAEL 8,100 mg/kg/day	90 days
Dipropylene Glycol Methyl Ether	Dermal	kidney and/or bladder heart endocrine system	Not classified	Rabbit	NOAEL 9,500 mg/kg/day	90 days

		hematopoietic system liver respiratory system				
Dipropylene Glycol Methyl Ether	Inhalation	heart hematopoietic system liver immune system nervous system eyes kidney and/or bladder	Not classified	Rat	NOAEL 1.21 mg/l	90 days
Dipropylene Glycol Methyl Ether	Ingestion	liver heart endocrine system bone, teeth, nails, and/or hair hematopoietic system immune system nervous system kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

SECTION 14: Transport Information

For Transport Information, please visit <http://3M.com/Transportinfo> or call 1-800-364-3577 or 651-737-6501.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 1 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	40-5574-5	Version number:	2.03
Issue Date:	2023/09/14	Supersedes Date:	2022/11/09

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

3M Canada SDSs are available at www.3M.ca