



## Safety Data Sheet

Copyright, 2021, 3M Canada Company. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	08-5664-1	<b>Version number:</b>	1.00
<b>Issue Date:</b>	2021/09/22	<b>Supersedes Date:</b>	Initial Issue

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Abrasive Products, 900DZ, 970DZ: Cloth Discs - Stikit™, Hookit™; Clean Sanding Discs; Cloth Belts

##### Product Identification Numbers

44-0001-1939-4	44-0053-7254-3	44-0053-7255-0	44-0053-7256-8	44-0053-7257-6
44-0053-7258-4	44-0053-7259-2	44-0053-7260-0	44-0053-7262-6	44-0053-7263-4
44-0053-7264-2	44-0053-7265-9	44-0053-7266-7	44-0053-7267-5	44-0053-7268-3
44-0053-7269-1	44-0053-7271-7	60-0000-7826-5	60-0000-7827-3	60-0000-7828-1
60-0000-7829-9	60-0000-8658-1	60-0000-8659-9	60-0000-8660-7	60-0000-8661-5
60-0000-8662-3	60-0000-8663-1	60-0000-9069-0	60-0000-9320-7	60-0000-9334-8
60-0000-9335-5	60-0000-9336-3	60-0000-9682-0	60-0000-9871-9	60-0001-1583-6
60-0001-1584-4	60-0001-1585-1	60-0001-1586-9	60-0001-1587-7	60-0001-1588-5
60-0001-4317-6	60-0001-4319-2	60-0003-0637-7	60-0003-0638-5	60-0003-0639-3
60-0003-0640-1	60-0003-0641-9	60-0003-0642-7	60-0003-0643-5	60-0003-0833-2
60-0003-0834-0	60-0003-2713-4	60-0003-2714-2	60-0003-2756-3	60-0003-5862-6
60-0003-5863-4	60-0003-5864-2	60-0004-0581-5	60-0004-0582-3	60-0004-0583-1
60-0004-0584-9	60-0004-0585-6	60-0004-0586-4	60-0004-0587-2	60-0004-0621-9
60-0004-0622-7	60-0004-0623-5	60-0004-0624-3	60-0004-0625-0	60-0004-0626-8
60-0004-0627-6	60-0004-0628-4	60-0004-0629-2	60-0004-0630-0	60-0004-0631-8
60-0004-0735-7	60-0004-0736-5	60-0004-0737-3	60-0004-0738-1	60-0004-0739-9
60-0004-0740-7	60-0004-0741-5	60-0004-0742-3	60-0004-0743-1	60-0004-0744-9
60-0004-0745-6	60-0004-0746-4	60-0004-0747-2	60-0004-0748-0	60-0004-0749-8
60-0004-0750-6	60-0004-0751-4	60-0004-0752-2	60-0004-0753-0	60-0004-0754-8
60-0004-0755-5	60-0004-0756-3	60-0004-0757-1	60-0004-0758-9	60-0004-0829-8
60-0004-0830-6	60-0004-0831-4	60-0004-0832-2	60-0004-0833-0	60-0004-0834-8
60-0004-0835-5	60-0004-0836-3	60-0004-0837-1	60-0004-0838-9	60-0004-0839-7
60-0004-0840-5	60-0004-0841-3	60-0004-0842-1	60-0004-0866-0	60-0004-0867-8
60-0004-0868-6	60-0004-0869-4	60-0004-0870-2	60-0004-0871-0	60-0004-0872-8
60-0004-0873-6	60-0004-0874-4	60-0004-0875-1	60-0004-0876-9	60-0004-1052-6
60-0004-1053-4	60-0004-1054-2	60-0004-1055-9	60-0004-1056-7	60-0004-1057-5
60-0004-1058-3	60-0004-1059-1	60-0004-1060-9	60-0004-1061-7	60-0004-1062-5
60-0004-1063-3	60-0004-1064-1	60-0004-1065-8	60-0004-1095-5	60-0004-1096-3
60-0004-1097-1	60-0004-1098-9	60-0004-1099-7	60-0004-1100-3	60-0004-1101-1
60-0004-1102-9	60-0004-1103-7	60-0700-1425-7	60-0700-1430-7	60-0700-1444-8
60-0700-1445-5	60-0700-1446-3	60-0700-1453-9	60-0700-1455-4	60-0700-1467-9
60-0700-1468-7	60-0700-1469-5	60-0700-1470-3	60-0700-1474-5	60-0700-1475-2
60-0700-1476-0	60-0700-1477-8	60-0700-1478-6	60-0700-1479-4	60-0700-1482-8
60-0700-1483-6	60-0700-1484-4	60-0700-1487-7	60-0700-1488-5	60-0700-1489-3

60-0700-1491-9	60-4400-9837-8	60-4401-0554-6	60-4401-0571-0	60-4401-1990-1
60-4401-2076-8	60-4401-2116-2	60-4401-2184-0	60-4401-2258-2	60-4401-2341-6
60-4401-2382-0	60-4401-4443-8	60-4401-4447-9	60-4401-4452-9	60-4401-4456-0
60-4401-4569-0	60-4401-4600-3	60-4401-4748-0	60-4401-4758-9	60-4401-4797-7
60-4401-4798-5	60-4401-4804-1	60-4401-4820-7	60-4401-4834-8	60-4401-4892-6
60-4401-4896-7	60-4401-4926-2	60-4401-4934-6	60-4401-4959-3	60-4401-4986-6
60-4401-4988-2	60-4401-4993-2	60-4401-4997-3	60-4401-5019-5	60-4401-5027-8
60-4401-5170-6	60-4401-5236-5	60-4401-5266-2	60-4401-5273-8	60-4401-5372-8
60-4401-5376-9	60-4401-5409-8	60-4401-5440-3	60-4401-5451-0	60-4401-5522-8
60-4401-5547-5	60-4401-5568-1	60-4401-5612-7	60-4401-5626-7	60-4401-5652-3
60-4401-5665-5	60-4401-5666-3	60-4401-5716-6	60-4401-5741-4	60-4401-5762-0
60-4401-5763-8	60-4401-5977-4	60-4401-5994-9	60-4401-6000-4	60-4401-6008-7
60-4401-6022-8	60-4401-6025-1	60-4401-6027-7	60-4401-6086-3	60-4401-6088-9
60-4401-6094-7	60-4401-6101-0	60-4401-6108-5	60-4401-6109-3	60-4401-6120-0
60-4401-6136-6	60-4401-6180-4	60-4401-6196-0	60-4401-6220-8	60-4401-6252-1
60-4401-6282-8	60-4401-6299-2	60-4401-6305-7	60-4401-6364-4	60-4401-6389-1
60-4401-6395-8	60-4401-6406-3	60-4401-6453-5	60-4401-6454-3	60-4401-6457-6
60-4401-6473-3	60-4401-6508-6	60-4401-6511-0	60-4401-6526-8	60-4401-6536-7
60-4401-6537-5	60-4401-6555-7	60-4401-6580-5	60-4401-6596-1	60-4401-6600-1
60-4401-6628-2	60-4401-6655-5	60-4401-6666-2	60-4401-6782-7	60-4401-6792-6
60-4401-6798-3	60-4401-6841-1	60-4401-6845-2	60-4401-6849-4	60-4401-6857-7
60-4401-6871-8	60-4401-6903-9	60-4401-6904-7	60-4401-6974-0	60-4401-6992-2
60-4401-7046-6	60-4401-7174-6	60-4401-7195-1	60-4401-7196-9	60-4401-7215-7
60-4401-7228-0	60-4401-7266-0	60-4401-7329-6	60-4401-7330-4	60-4401-7349-4
60-4401-8545-6	60-4401-8560-5	60-4401-8567-0	60-4401-8570-4	60-4401-8592-8
60-4401-8606-6	60-4401-8607-4	60-4401-8611-6	60-4401-8620-7	60-4401-8622-3
60-4401-8626-4	60-4401-8629-8	60-4401-8647-0	60-4401-8679-3	60-4401-8694-2
60-4402-1919-8	60-4402-1920-6	60-4402-1945-3	60-4402-1946-1	60-4402-1947-9
60-4402-1948-7	60-4402-1949-5	60-4402-1950-3	60-4402-1951-1	60-4402-1952-9
60-4402-1953-7	60-4402-1954-5	60-4402-3444-5	60-4402-3445-2	60-4402-3446-0
60-4402-3447-8	60-4402-3448-6	60-4402-3449-4	60-4402-3450-2	60-4402-3451-0
60-4402-3472-6	60-4402-3473-4	60-4402-3474-2	60-4402-3475-9	60-4402-3476-7
60-4402-3477-5	60-4402-3478-3	60-4402-3480-9	60-4402-3481-7	60-4402-3482-5
60-4402-3483-3	60-4402-3484-1	60-4402-3485-8	60-4402-3486-6	60-4402-3489-0
60-4402-3490-8	60-4402-3491-6	60-4402-3492-4	60-4402-3493-2	60-4402-3494-0
60-4402-3495-7	60-4402-9718-6	60-4402-9719-4	60-4402-9720-2	60-4402-9721-0
60-4402-9722-8	60-4403-1819-8	60-4403-2067-3	60-4403-2068-1	60-4403-2266-1
60-4403-5282-5	60-4403-6630-4	60-4404-0024-4	60-4404-0025-1	60-4404-0026-9
60-4404-0089-7	60-4404-0143-2	60-4404-0144-0	60-4404-0145-7	60-4404-0146-5
60-4404-0147-3	60-4404-0153-1	60-4404-0283-6	60-4404-0284-4	60-4404-0285-1
60-4404-0286-9	60-4404-0287-7	60-4404-0307-3	60-4404-0355-2	60-4404-0501-1
60-4404-0893-2	60-4404-0894-0	60-5100-2443-7	60-5100-2444-5	60-5100-2446-0
60-5100-2449-4	60-5100-2450-2	60-5100-2451-0	60-5100-2452-8	60-5100-2453-6
60-5100-2454-4	60-5100-2455-1	60-5100-2456-9	60-5100-2457-7	60-5100-2458-5
60-6001-3686-9	60-6001-3687-7	60-6001-3689-3	60-6001-3697-6	60-6001-3698-4
60-6001-3699-2	60-6001-3705-7	60-6001-3707-3	60-6001-3708-1	60-6001-3712-3
60-6001-3713-1	60-6001-3714-9	60-6001-3715-6	60-6001-3718-0	60-6001-3719-8
60-6001-3721-4	60-6001-3725-5	60-6001-3727-1	60-6001-3729-7	60-6001-3730-5
60-6001-3739-6	60-6001-3747-9	60-6001-3749-5	60-6001-3750-3	60-6001-3752-9
60-6001-3753-7	60-6001-3756-0	60-6001-3757-8	60-6001-3760-2	60-6001-3761-0
60-6001-3762-8	60-6001-3764-4	60-6001-3765-1	60-6001-3769-3	60-6001-3770-1
60-6001-3772-7	60-6001-3777-6	60-6001-3778-4	60-6001-4224-8	60-6001-4226-3
60-6001-4227-1	60-6001-4228-9	60-6001-4229-7	60-6001-4230-5	60-6001-4387-3
60-6001-4388-1	60-6001-4390-7	60-6001-4391-5	60-6001-4392-3	60-6001-4393-1
60-6001-4394-9	60-6001-4395-6	60-6001-4396-4	60-6001-4397-2	60-6001-4398-0
60-6001-4399-8	60-6001-4400-4	60-6001-4401-2	60-6001-4402-0	60-6001-4404-6

60-6001-4405-3	60-6001-4406-1	60-6001-4407-9	60-6001-4456-6	60-6001-4595-1
60-6001-4745-2	60-6001-4747-8	60-6001-4748-6	60-6001-4749-4	60-6001-4751-0
60-6001-4752-8	60-6001-4754-4	60-6001-4966-4	60-6001-4967-2	60-6001-4968-0
60-6001-4969-8	60-6500-3361-0	60-6500-3362-8	60-6500-3363-6	60-6500-3364-4
60-6500-3365-1	60-6500-3366-9	CY-9987-1143-6	CY-9987-1448-9	CY-9987-1525-4
CY-9987-1527-0	CY-9987-9787-2	CY-9988-3253-9	CY-9988-5049-9	CY-9988-9104-8
CY-9988-9108-9	CY-9988-9282-2	CY-9988-9584-1	CY-9988-9833-2	CY-9988-9911-6
HB-0045-1017-6				

## 1.2. Recommended use and restrictions on use

### Intended Use

Abrasive Product

### Restrictions on use

Not applicable

## 1.3. Supplier's details

**Company:** 3M Canada Company  
**Division:** Abrasive Systems Division  
**Address:** 1840 Oxford Street East, Post Office Box 5757, London, Ontario N6A 4T1  
**Telephone:** (800) 364-3577  
**Website:** www.3M.ca

## 1.4. Emergency telephone number

Medical Emergency Telephone: 1-800-3M HELPS / 1-800-364-3577; Transportation Emergency Telephone (CANUTEC): (613) 996-6666

## SECTION 2: Hazard identification

### 2.1. Classification of the substance or mixture

Not classified according to the Canadian Hazardous Products Regulation.

### 2.2. Label elements

#### Signal word

Not applicable.

#### Symbols

Not applicable.

#### Pictograms

Not applicable.

### 2.3. Other hazards

None known.

42% of the mixture consists of ingredients of unknown acute oral toxicity.

## SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Cloth Backing	None	15 - 50	Not Applicable

Cured Resin	Mixture	15 - 50	Not Applicable
Aluminum Oxide Mineral (non-fibrous)	1344-28-1	10 - 35	Aluminum oxide (non-fibrous)
Filler	1317-65-3	3 - 15	Limestonests primarily of calcium carbonate.
Filler	471-34-1	2 - 15	Carbonic acid calcium salt (1:1)
Hookit™ Backing	Mixture	0 - 10	Not Applicable
PSA	Mixture	0 - 10	Not Applicable
Pigment	1332-37-2	0.2 - 1.5	Iron oxide
Titanium Dioxide	13463-67-7	0.1 - 1.5 Trade Secret *	Titanium oxide (TiO <sub>2</sub> )
Carbon Black	1333-86-4	0.1 - 0.5 Trade Secret *	Carbon black
Quartz Silica	14808-60-7	0 - 0.18 Trade Secret *	Quartz (SiO <sub>2</sub> )

Cured Resin is a non-hazardous Trade Secret material according to WHMIS criteria.

Cloth Backing is a non-hazardous Trade Secret material according to WHMIS criteria.

Hookit™ Backing is a non-hazardous Trade Secret material according to WHMIS criteria.

PSA is a non-hazardous Trade Secret material according to WHMIS criteria.

Carbon black is inextricably bound in this product. Exposure to carbon black is not expected during product use

\*The actual concentration of this ingredient has been withheld as a trade secret.

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If Swallowed:

No need for first aid is anticipated.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

## SECTION 5: Fire-fighting measures

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### Hazardous Decomposition or By-Products

#### Substance

Carbon monoxide

#### Condition

During Combustion

Carbon dioxide

During Combustion

### 5.3. Special protective actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Observe precautions from other sections.

### 6.2. Environmental precautions

Not applicable.

### 6.3. Methods and material for containment and cleaning up

Not applicable.

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial or professional use only. Not for consumer sale or use. Avoid breathing of dust created by sanding, grinding or machining. Damaged product can break apart during use and cause serious injury to face or eyes. Check product for damage such as cracks or nicks prior to use. Replace if damaged. Always wear eye and face protection when working at sanding or grinding operations or when near such operations. Avoid breathing dust/fume/gas/mist/vapours/spray. Combustible dust may form by action of this product on another material (substrate). Dust generated from the substrate during use of this product may be explosive if in sufficient concentration with an ignition source. Dust deposits should not be allowed to accumulate on surfaces because of the potential for secondary explosions.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## SECTION 8: Exposure controls/personal protection

### 8.1. Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Carbon Black	1333-86-4	ACGIH	TWA(inhalable fraction):3 mg/m3	
Aluminum, insoluble compounds	1344-28-1	ACGIH	TWA(respirable fraction):1 mg/m3	
Titanium Dioxide	13463-67-7	ACGIH	TWA:10 mg/m3	
Quartz Silica	14808-60-7	ACGIH	TWA(respirable fraction):0.025 mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Provide appropriate local exhaust ventilation for sanding, grinding or machining. Use general dilution ventilation and/or

local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide local exhaust at process emission sources to control exposure near the source and to prevent the escape of dust into the work area. Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment).

## 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

To minimize the risk of injury to face and eyes, always wear eye and face protection when working at sanding or grinding operations or when near such operations. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:  
Safety Glasses with side shields

### Skin/hand protection

Wear appropriate gloves to minimize risk of injury to skin from contact with dust or physical abrasion from grinding or sanding.

### Respiratory protection

Assess exposure concentrations of all materials involved in the work process. Consider material being abraded when determining the appropriate respiratory protection. Select and use appropriate respirators to prevent inhalation overexposure.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid
Colour	Purple
Odour	Slight Polymeric
Odour threshold	<i>Not Applicable</i>
pH	<i>Not Applicable</i>
Melting point/Freezing point	<i>Not Applicable</i>
Boiling point	<i>Not Applicable</i>
Flash Point	<i>Not Applicable</i>
Evaporation rate	<i>Not Applicable</i>
Flammability (solid, gas)	Not Classified
Flammable Limits(LEL)	<i>Not Applicable</i>
Flammable Limits(UEL)	<i>Not Applicable</i>
Vapour Pressure	<i>Not Applicable</i>
Vapour Density and/or Relative Vapour Density	<i>Not Applicable</i>
Relative density	<i>Not Applicable</i>
Water solubility	<i>Not Applicable</i>
Solubility- non-water	<i>Not Applicable</i>
Partition coefficient: n-octanol/ water	<i>Not Applicable</i>
Autoignition temperature	<i>Not Applicable</i>
Decomposition temperature	<i>Not Applicable</i>

Viscosity/Kinematic Viscosity	Not Applicable
Volatile Organic Compounds	Not Applicable
Percent volatile	Not Applicable
VOC Less H2O & Exempt Solvents	Not Applicable
Molecular weight	Not Applicable

#### Nanoparticles

This material contains nanoparticles.

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

### 10.2. Chemical stability

Stable.

### 10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

None known.

### 10.6. Hazardous decomposition products

#### Substance

#### Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1. Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation:

Dust from grinding, sanding or machining may cause irritation of the respiratory system. Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin Contact:

Mechanical Skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

#### Eye Contact:

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion. Dust created by grinding, sanding, or machining may cause eye irritation. Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

**Ingestion:**

No health effects are expected.

**Carcinogenicity:**

<b>Ingredient</b>	<b>CAS No.</b>	<b>Class Description</b>	<b>Regulation</b>
SILICA, CRYSTALLINE (RESPIRABLE SIZE)	14808-60-7	Known human carcinogen	National Toxicology Program Carcinogens
Carbon Black	1333-86-4	Grp. 2B: Possible human carc.	International Agency for Research on Cancer
SILICA DUST, CRYSTALLINE, IN THE FORM OF QUARTZ OR CRISTOBALITE	14808-60-7	Grp. 1: Carcinogenic to humans	International Agency for Research on Cancer
Titanium Dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

**Additional Information:**

This document covers only the 3M product. For complete assessment, when determining the degree of hazard, the material being abraded must also be considered. This product contains titanium dioxide and quartz (crystalline) silica. Cancer of the lungs has been associated with inhalation of high levels of titanium dioxide in animal studies, and occupational exposure to inhaled quartz silica has been associated with silicosis and lung cancer. No exposure to titanium dioxide or quartz silica is expected during the normal handling and use of this product. Titanium dioxide and quartz silica were not detected when air sampling was conducted during simulated use of similar products containing these substances. Therefore, the health effects associated with titanium dioxide and quartz (crystalline) silica are not expected during the normal use of this product.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

<b>Name</b>	<b>Route</b>	<b>Species</b>	<b>Value</b>
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Aluminum Oxide Mineral (non-fibrous)	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminum Oxide Mineral (non-fibrous)	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminum Oxide Mineral (non-fibrous)	Ingestion	Rat	LD50 > 5,000 mg/kg
Filler	Dermal	Rat	LD50 > 2,000 mg/kg
Filler	Inhalation-Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Filler	Ingestion	Rat	LD50 6,450 mg/kg
Filler	Dermal	Rat	LD50 > 2,000 mg/kg
Filler	Inhalation-Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Filler	Ingestion	Rat	LD50 6,450 mg/kg
Titanium Dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium Dioxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium Dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg
Pigment	Dermal	Not available	LD50 3,100 mg/kg
Pigment	Ingestion	Not available	LD50 3,700 mg/kg
Carbon Black	Dermal	Rabbit	LD50 > 3,000 mg/kg
Carbon Black	Ingestion	Rat	LD50 > 8,000 mg/kg
Quartz Silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz Silica	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate



### Skin Corrosion/Irritation

Name	Species	Value
Aluminum Oxide Mineral (non-fibrous)	Rabbit	No significant irritation
Filler	Rabbit	No significant irritation
Filler	Rabbit	No significant irritation
Titanium Dioxide	Rabbit	No significant irritation
Pigment	Rabbit	No significant irritation
Carbon Black	Rabbit	No significant irritation
Quartz Silica	Professional judgement	No significant irritation

### Serious Eye Damage/Irritation

Name	Species	Value
Aluminum Oxide Mineral (non-fibrous)	Rabbit	No significant irritation
Filler	Rabbit	No significant irritation
Filler	Rabbit	No significant irritation
Titanium Dioxide	Rabbit	No significant irritation
Pigment	Rabbit	No significant irritation
Carbon Black	Rabbit	No significant irritation

### Skin Sensitization

Name	Species	Value
Titanium Dioxide	Human and animal	Not classified
Pigment	Human	Not classified

### Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
Aluminum Oxide Mineral (non-fibrous)	In Vitro	Not mutagenic
Titanium Dioxide	In Vitro	Not mutagenic
Titanium Dioxide	In vivo	Not mutagenic
Pigment	In Vitro	Not mutagenic
Carbon Black	In Vitro	Not mutagenic
Carbon Black	In vivo	Some positive data exist, but the data are not sufficient for classification
Quartz Silica	In Vitro	Some positive data exist, but the data are not sufficient for classification
Quartz Silica	In vivo	Some positive data exist, but the data are not sufficient for classification

### Carcinogenicity

Name	Route	Species	Value
Aluminum Oxide Mineral (non-fibrous)	Inhalation	Rat	Not carcinogenic
Titanium Dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium Dioxide	Inhalation	Rat	Carcinogenic
Pigment	Inhalation	Human	Some positive data exist, but the data are not sufficient for classification
Carbon Black	Dermal	Mouse	Not carcinogenic
Carbon Black	Ingestion	Mouse	Not carcinogenic
Carbon Black	Inhalation	Rat	Carcinogenic
Quartz Silica	Inhalation	Human	Carcinogenic

		and animal	
--	--	---------------	--

## Reproductive Toxicity

### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Filler	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	premating & during gestation
Filler	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	premating & during gestation

## Target Organ(s)

### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Filler	Inhalation	respiratory system   respiratory system	Not classified	Rat	NOAEL 0.812 mg/l	90 minutes

### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Aluminum Oxide Mineral (non-fibrous)	Inhalation	pneumoconiosis	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available	occupational exposure
Aluminum Oxide Mineral (non-fibrous)	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Filler	Inhalation	respiratory system   respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Titanium Dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium Dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure
Pigment	Inhalation	pulmonary fibrosis   pneumoconiosis	Not classified	Human	NOAEL Not available	occupational exposure
Carbon Black	Inhalation	pneumoconiosis	Not classified	Human	NOAEL Not available	occupational exposure
Quartz Silica	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure

## Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## SECTION 12: Ecological information

No data available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. The substrate that was abraded must be considered as a factor in the disposal method for this product. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

## **SECTION 14: Transport Information**

Not regulated per U.S. DOT, IATA or IMO.

These transportation classifications are provided as a customer service. As the shipper YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling, or marking requirements. The original 3M package is certified for Canadian ground shipment only. If you are shipping by air or ocean, the package may not meet applicable regulatory requirements.

## **SECTION 15: Regulatory information**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

#### **Global inventory status**

Contact 3M for more information.

## **SECTION 16: Other information**

**National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.**

**Health: 0 Flammability: 1 Instability: 0 Special Hazards: None**

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### **HMIS Hazard Classification**

**Health: 0 Flammability: 1 Physical Hazard: 0 Personal Protection: X - See PPE section.**

Hazardous Material Identification System (HMIS® IV) hazard ratings are designed to inform employees of chemical hazards in the workplace. These ratings are based on the inherent properties of the material under expected conditions of normal use and are not intended for use in emergency situations. HMIS® IV ratings are to be used with a fully implemented HMIS® IV program. HMIS® is a registered mark of the American Coatings Association (ACA).

<b>Document group:</b>	08-5664-1	<b>Version number:</b>	1.00
<b>Issue Date:</b>	2021/09/22	<b>Supersedes Date:</b>	Initial Issue

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES

NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

**3M Canada SDSs are available at [www.3M.ca](http://www.3M.ca)**