

Safety Data Sheet

Copyright, 2024, Meguiar's (Canada) Inc. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing Meguiar's (Canada) Inc. products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from Meguiar's (Canada) Inc., and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 39-7158-7 Version number: 2.02 **Issue Date:** 2024/09/11 **Supercedes Date:** 2024/07/23

This Safety Data Sheet has been prepared in accordance with the Canadian Hazardous Products Regulations.

SECTION 1: Identification

1.1. Product identifier

Carpet & Upholstery Cleaner G1914 [G191419]

Product Identification Numbers

14-1001-3083-1

1.2. Recommended use and restrictions on use

Intended Use

Automotive

Restrictions on use

Not applicable

1.3. Supplier's details

Company: Meguiar's Canada Inc.

Division: Meguiar's

Address: 1840 Oxford Street East, Post Office Box 5790, London, Ontario N6A 0A9

Telephone: (800) 364-3577

Website:

1.4. Emergency telephone number

Medical Emergency Telephone:1-800-3M HELPS / 1800 364 3577

SECTION 2: Hazard identification

The following product identification number(s) are sold in the consumer market place: 14-1001-3083-1

2.1. Classification of the substance or mixture

Flammable Aerosol: Category 1. Gas Under Pressure: Dissolved gas. Skin Corrosion/Irritation: Category 2.

Specific Target Organ Toxicity (single exposure): Category 1.

2.2. Label elements

Signal word

Danger

Symbols

Flame | Gas cylinder | Exclamation mark | Health Hazard |

Pictograms



Hazard statements

Extremely flammable aerosol. Contains gas under pressure; may explode if heated.

Causes skin irritation.

Causes damage to organs: cardiovascular system

Precautionary statements

General:

Keep out of reach of children.

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Wear protective gloves. Do not eat, drink or smoke when using this product. Wash exposed skin thoroughly after handling.

Response:

IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. IF exposed or concerned: Call a POISON CENTRE or doctor/physician. Specific treatment (see Notes to Physician on this label).

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store in a well-ventilated place. Store locked up.

Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

Notes to Physician:

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt	Common Name
Butane	106-97-8	1 - 5 Trade Secret *	Butane
Propane	74-98-6	1 - 5 Trade Secret *	Propane
Sodium Metasilicate	6834-92-0	< 1	Silicic acid (H2SiO3), disodium salt
Sodium Nitrite	7632-00-0	< 0.1	Nitrous acid, sodium salt

Page: 2 of 10

*The actual concentration of this ingredient has been withheld as a trade secret.

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. Get medical attention.

Skin Contact:

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eve Contact:

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Target organ effects. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

5.2. Unsuitable extinguishing media

None Determined

5.3. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionCarbon monoxideDuring CombustionCarbon dioxideDuring Combustion

5.4. Special protection actions for fire-fighters

Wear full protective equipment (Bunker Gear) and a self-contained breathing apparatus (SCBA).

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully neutralize spill by adding appropriate dilute acid such as vinegar. Work slowly to avoid boiling or spattering. Continue to add neutralizing agent until reaction stops. Let cool before collecting. Or use a commercially available caustic (alkaline or basic) spill clean-up kit. Follow kit directions exactly. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorized person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and SDS. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Do not spray on an open flame or other ignition source. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidizing agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Protect from sunlight. Do not expose to temperatures exceeding 50C/122F. Store away from acids. Store away from oxidizing agents.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
Butane	106-97-8	ACGIH	STEL:1000 ppm	
Natural gas	106-97-8	ACGIH	Limit value not established:	simple asphyxiant
Propane	74-98-6	ACGIH	Limit value not established:	simple asphyxiant

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full Face Shield **Indirect Vented Goggles**

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece supplied-air respirator

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Colour Clear Colorless Odour Clear Colorless Odour Slight Clean Odour threshold No Data Available PH 11.5 - 12.5 Units not available or not applicable Melting point/Freezing point No Data Available Boiling point 100 °C Flash Point 100 °C [Test Method:Closed Cup] Evaporation rate No Data Available Flammabile Limits(LEL) Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density Relative density No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Partition temperature No Data Available Kinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile Vol CLess H2O & Exempt Solvents No Data Available Bulk density No Data Available	information on basic physical and chemical properties	·
Odour Slight Clean Odour threshold No Data Available pH 11.5 - 12.5 Units not available or not applicable Melting point/Freezing point No Data Available Boiling point 100 °C Flash Point 100 °C [Test Method:Closed Cup] Evaporation rate No Data Available Flammability Flammable Aerosol: Category 1. Flammable Limits(LEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density and/or Relative Vapour Density No Data Available Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Mo Data Available Volatile Organic Compounds 5 % weight [Test Method: Calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available	V	Liquid
Odour threshold No Data Available pH 11.5 - 12.5 Units not available or not applicable Melting point/Freezing point No Data Available Boiling point 100 °C Flash Point 100 °C (Test Method:Closed Cup) Evaporation rate No Data Available Flammability Flammable Aerosol: Category 1. Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density 1 kg/l Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Voolatie Organic Compounds 5 % weight [Test Method: calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available	Colour	Clear Colorless
Desiry D	Odour	
Melting point/Freezing point Boiling point 100 °C Flash Point 100 °C [Test Method:Closed Cup] Evaporation rate No Data Available Flammablity Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density Relative density 1 kg/l Relative density No Data Available No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available No Data Available Simematic Viscosity Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents No Data Available	Odour threshold	No Data Available
Boiling point Flash Point 100 °C [Test Method:Closed Cup] Evaporation rate No Data Available Flammability Flammable Limits(LEL) Flammable Limits(UEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility-non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Kinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	<u> </u>	11.5 - 12.5 Units not available or not applicable
Flash Point Evaporation rate No Data Available Flammability Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density I kg/l Relative density No Data Available No Data Available No Data Available Solubility No Data Available Partition coefficient: n-octanol/ water No Data Available Pecomposition temperature No Data Available No Data Available Kinematic Viscosity Volatile Organic Compounds S weight [Test Method: calculated per CARB] Percent volatile VOC Less H2O & Exempt Solvents Richards Viscosity No Data Available	Melting point/Freezing point	
Evaporation rate Flammability Flammable Aerosol: Category 1. Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density Available Vapour Density No Data Available Vapour Density Value Available Value Available Value Capour Density Value C	Boiling point	100 °C
Flammability Flammable Aerosol: Category 1. Flammable Limits(LEL) No Data Available Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density Relative density No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Finematic Viscosity Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available No Data Available	Flash Point	100 °C [Test Method:Closed Cup]
Flammable Limits(LEL) Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Vapour Density 1 kg/l Relative density 0.99 - 1.01 [Ref Std: WATER=1] Water solubility No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available No Data Available Winematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method: calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available No Data Available No Data Available		
Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density 1 kg/l Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility-non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Kinematic Viscosity Volatile Organic Compounds Percent volatile 97.72 % weight [Test Method: calculated per CARB] Percent volatile VOC Less H2O & Exempt Solvents No Data Available	Flammability	Flammable Aerosol: Category 1.
Flammable Limits(UEL) No Data Available Vapour Pressure No Data Available Vapour Density and/or Relative Vapour Density No Data Available Density 1 kg/l Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility-non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Kinematic Viscosity Volatile Organic Compounds Percent volatile 97.72 % weight [Test Method: calculated per CARB] Percent volatile VOC Less H2O & Exempt Solvents No Data Available		
Vapour PressureNo Data AvailableVapour Density and/or Relative Vapour DensityNo Data AvailableDensity1 kg/lRelative density0.99 - 1.01 [Ref Std: WATER=1]Water solubilityNo Data AvailableSolubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableKinematic Viscosity2 mm2/secVolatile Organic Compounds5 % weight [Test Method:calculated per CARB]Percent volatile97.72 % weight [Test Method:Estimated]VOC Less H2O & Exempt Solvents816.9 g/lAverage particle sizeNo Data AvailableBulk densityNo Data Available		
Vapour Density and/or Relative Vapour Density No Data Available Density 1 kg/l Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available Decomposition temperature No Data Available Kinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	` /	
Density1 kg/lRelative density0.99 - 1.01 [Ref Std:WATER=1]Water solubilityNo Data AvailableSolubility- non-waterNo Data AvailablePartition coefficient: n-octanol/ waterNo Data AvailableAutoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableKinematic Viscosity2 mm2/secVolatile Organic Compounds5 % weight [Test Method:calculated per CARB]Percent volatile97.72 % weight [Test Method:Estimated]VOC Less H2O & Exempt Solvents816.9 g/lAverage particle sizeNo Data AvailableBulk densityNo Data Available		
Relative density 0.99 - 1.01 [Ref Std:WATER=1] Water solubility No Data Available Solubility- non-water No Data Available Partition coefficient: n-octanol/ water No Data Available Winematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available No Data Available		
Water solubility No Data Available No Data Available Partition coefficient: n-octanol/ water No Data Available Vo Data Available Vo Data Available Sinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available No Data Available	· ·	
Solubility- non-water Partition coefficient: n-octanol/ water No Data Available Autoignition temperature No Data Available No Data Available No Data Available No Data Available Vo Data Available Sinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] Percent volatile 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	Relative density	0.99 - 1.01 [<i>Ref Std</i> :WATER=1]
Partition coefficient: n-octanol/ water Autoignition temperature No Data Available Vo Data Available Vo Data Available Simmatic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method: calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	Water solubility	
Autoignition temperatureNo Data AvailableDecomposition temperatureNo Data AvailableKinematic Viscosity2 mm2/secVolatile Organic Compounds5 % weight [Test Method: calculated per CARB]Percent volatile97.72 % weight [Test Method: Estimated]VOC Less H2O & Exempt Solvents816.9 g/lAverage particle sizeNo Data AvailableBulk densityNo Data Available	J.	No Data Available
Decomposition temperature No Data Available Kinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method: calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	Partition coefficient: n-octanol/ water	No Data Available
Kinematic Viscosity 2 mm2/sec Volatile Organic Compounds 5 % weight [Test Method: calculated per CARB] Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available		
Volatile Organic Compounds 5 % weight [Test Method:calculated per CARB] 97.72 % weight [Test Method:Estimated] VOC Less H2O & Exempt Solvents Average particle size No Data Available No Data Available	Decomposition temperature	No Data Available
Percent volatile 97.72 % weight [Test Method: Estimated] VOC Less H2O & Exempt Solvents 816.9 g/l Average particle size No Data Available Bulk density No Data Available	•	2 mm2/sec
VOC Less H2O & Exempt Solvents Average particle size No Data Available No Data Available		
Average particle size No Data Available No Data Available No Data Available		
Bulk density No Data Available		816.9 g/l
•	Average particle size	No Data Available
Molecular weight No Data Available	Bulk density	No Data Available
	Molecular weight	No Data Available

Softening point	No Data Available
-----------------	-------------------

* The values noted with an asterisk (*) in the above table are representative values based on testing of raw materials and selected products. Additionally, a material's characteristics may change depending upon the process and conditions of use at a facility, including further changes in particle size, or mixture with other materials. In order to obtain specific data for the material, we recommend the user conduct characterization testing based on the use factors at the specific facility.

Particle Characteristics

Not Applicable

SECTION 10: Stability and reactivity

10.1. Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid

Not determined

10.5. Incompatible materials

Strong acids

Strong oxidizing agents

No Data Available

10.6. Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin Contact:

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye Contact:

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion:

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Additional Health Effects:

Single exposure may cause target organ effects:

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

Carcinogenicity:

Ingredient	CAS No.	Class Description	Regulation
Nitrate or nitrite (ingested) under conditions	7632-00-0	Grp. 2A: Probable human carc.	International Agency for Research on Cancer
that result in endogenous nitrosation		-	

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Butane	Inhalation- Gas (4 hours)	Rat	LC50 277,000 ppm
Propane	Inhalation- Gas (4 hours)	Rat	LC50 > 200,000 ppm
Sodium Metasilicate	Dermal	Rabbit	LD50 > 4,640 mg/kg
Sodium Metasilicate	Ingestion	Rat	LD50 500 mg/kg
Sodium Nitrite	Ingestion	Rat	LD50 180 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Skiii Cullusiuii/1111tatiuii		
Name	Species	Value
	¥ .	.
Overall product	In vitro	Irritant
	data	
Butane	Professio	No significant irritation
	nal	
	judgeme	
	nt	
Propane	Rabbit	Minimal irritation
Sodium Metasilicate	Rabbit	Corrosive
Sodium Nitrite	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Schous Eye Damage/Hillation		
Name	Species	Value
	•	
Overall product	In vitro	No significant irritation
	data	
Butane	Rabbit	No significant irritation
Propane	Rabbit	Mild irritant
Sodium Metasilicate	In vitro	Corrosive
	data	
Sodium Nitrite	Rabbit	Severe irritant

Dagg. 7 of 10

Carpet & Upholstery Cleaner G1914 [G191419]

Skin Sensitization

Name	Species	Value
Sodium Metasilicate	Mouse	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Butane	In Vitro	Not mutagenic
Propane	In Vitro	Not mutagenic
Sodium Metasilicate	In Vitro	Not mutagenic
Sodium Metasilicate	In vivo	Not mutagenic
Sodium Nitrite	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
Sodium Nitrite	In vivo	Some positive data exist, but the data are not
		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Sodium Nitrite	Ingestion	Multiple	Some positive data exist, but the data are not
		animal	sufficient for classification
		species	

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Sodium Metasilicate	Ingestion	Not classified for development	Mouse	NOAEL 200 mg/kg/day	during gestation
Sodium Nitrite	Ingestion	Not classified for female reproduction	Mouse	NOAEL 425 mg/kg/day	2 generation
Sodium Nitrite	Ingestion	Not classified for male reproduction	Mouse	NOAEL 425 mg/kg/day	2 generation
Sodium Nitrite	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	gestation into lactation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Butane	Inhalation	cardiac sensitization	Causes damage to organs	Human	NOAEL Not available	
Butane	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available	
Butane	Inhalation	heart	Not classified	Dog	NOAEL 5,000 ppm	25 minutes
Butane	Inhalation	respiratory irritation	Not classified	Rabbit	NOAEL Not available	
Propane	Inhalation	cardiac sensitization	Causes damage to organs	Human	NOAEL Not available	
Propane	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available	
Propane	Inhalation	respiratory irritation	Not classified	Human	NOAEL Not available	
Sodium Metasilicate	Inhalation	respiratory irritation	May cause respiratory irritation	official classifica tion	NOAEL Not available	
Sodium Nitrite	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	

Carpet & Upholstery Cleaner G1914 [G191419]

			data are not sufficient for classification	health hazards	available	
Sodium Nitrite	Ingestion	methemoglobinemi	Causes damage to organs	Human	NOAEL Not	
		a			available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Butane	Inhalation	kidney and/or bladder blood	Not classified	Rat	NOAEL 4,489 ppm	90 days
Sodium Metasilicate	Ingestion	kidney and/or bladder	Some positive data exist, but the data are not sufficient for classification	Dog	LOAEL 2,400 mg/kg/day	4 weeks
Sodium Metasilicate	Ingestion	endocrine system blood	Not classified	Rat	NOAEL 804 mg/kg/day	3 months
Sodium Metasilicate	Ingestion	heart liver	Not classified	Rat	NOAEL 1,259 mg/kg/day	8 weeks
Sodium Nitrite	Ingestion	skin gastrointestinal tract hematopoietic system eyes kidney and/or bladder heart endocrine system bone, teeth, nails, and/or hair liver immune system muscles nervous system respiratory system	Not classified	Rat	NOAEL 310 mg/kg/day	14 weeks

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

No data available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

For Transport Information, please visit http://3M.com/Transportinfo or call 1-800-364-3577 or 651-737-6501.

Page: 9 of 10

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact manufacturer for more information The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

SECTION 16: Other information

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

Aerosol Storage Code: 1

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Document group:	39-7158-7	Version number:	2.02
Issue Date:	2024/09/11	Supercedes Date:	2024/07/23

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date issued. The manufacturer MAKES NO WARRANTIES, EXPRESS OR IMPLIED, STATUTORY OR OTHERWISE, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY OR CONDITION OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR ANY IMPLIED WARRANTY OR CONDITION ARISING OUT OF A COURSE OF PERFORMANCE, COURSE OF DEALING, CUSTOM OR USAGE OF TRADE. User is responsible for determining whether the product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluate the product to determine whether it is fit for a particular purpose and suitable for user's method of use or application.

Meguiar's, Inc. Canada SDSs are available at

Page: 10 of 10