

Safety Data Sheet

Copyright, 2024, 3M Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document Group:	10-4852-9	Version Number:	8.00
Issue Date:	15/02/2024	Supercedes Date:	26/02/2019

This Safety Data Sheet has been prepared in accordance with the Malaysia Occupational Safety and Health (Chemical Classification, Labelling and Safety Data Sheets) Regulations 2013.

SECTION 1: Identification

1.1. Product identifier

3M[™] Glass Bubbles, Types K and S

Product Identification Numbers

r rouuct fuentificatio	II Numbers			
70-0701-1952-7	70-0701-8213-7	70-0701-9409-0	70-0701-9423-1	70-0703-2625-4
70-0703-2736-9	70-0703-2737-7	70-0703-2749-2	70-0703-2815-1	70-0703-2816-9
70-0703-3031-4	70-0704-1615-4	70-0704-1616-2	70-0704-2949-6	70-0704-2950-4
70-0704-2956-1	70-0704-2959-5	70-0704-2962-9	70-0704-2966-0	70-0704-2967-8
70-0704-2968-6	70-0704-2971-0	70-0704-5810-7	70-0704-5811-5	70-0704-5816-4
70-0704-5822-2	70-0704-5908-9	70-0704-8401-2	70-0704-8402-0	70-0704-8403-8
70-0704-8404-6	70-0704-8405-3	70-0704-8406-1	70-0704-8408-7	70-0704-8409-5
70-0704-8410-3	70-0704-8764-3	70-0706-6017-3	70-0707-4394-6	98-0212-1022-8
98-0212-1024-4	98-0212-1025-1	98-0212-2726-3	98-0212-2743-8	98-0212-2744-6
98-0212-2972-3	98-0212-3053-1	98-0212-3072-1	98-0212-3206-5	98-0212-3207-3
98-0212-3208-1	98-0212-3210-7	98-0212-3281-8	98-0212-3315-4	98-0212-3316-2
98-0212-3317-0	98-0212-3320-4	98-0212-3323-8	98-0212-3366-7	98-0212-3520-9
98-0212-3522-5	98-0212-3532-4	98-0212-3579-5	98-0212-3587-8	98-0212-3590-2
98-0212-3591-0	98-0212-3604-1	98-0212-3622-3	98-0212-3640-5	FJ-9600-0081-0
FJ-9600-0082-8	FJ-9600-0083-6	FS-9000-2572-7	FS-9000-2590-9	FS-9100-0397-9
FS-9100-0398-7	FS-9100-0410-0	FS-9100-0411-8	FS-9100-0414-2	FS-9100-0437-3
FS-9100-0441-5	FS-9100-0444-9	FS-9100-0746-7	FS-9100-0846-5	FS-9100-0882-0
FS-9100-1029-7	FS-9100-1313-5	FS-9100-1717-7	FS-9100-1831-6	FS-9100-2037-9
FS-9100-2330-8	FS-9100-2363-9	FS-9100-2365-4	FS-9100-2366-2	FS-9100-2395-1
FS-9100-2396-9	FS-9100-2412-4	FS-9100-2438-9	FS-9100-2544-4	FS-9100-2590-7
FS-9100-2629-3	FS-9100-2708-5	FS-9100-2709-3	FS-9100-2711-9	FS-9100-2984-2
FS-9100-3027-9	FS-9100-3028-7	FS-9100-3325-7	FS-9100-3618-5	FS-9100-4083-1
FS-9100-4179-7	FS-9100-4216-7	FS-9100-4225-8	FS-9100-4227-4	FS-9100-4280-3
FS-9100-4300-9	FS-9100-4311-6	FS-9100-4324-9	FS-9100-4360-3	FS-9100-4439-5
FS-9100-4472-6	FS-9100-4561-6	FS-9100-5009-5	FS-9100-5010-3	FS-9100-5053-3
FS-9100-5065-7	FS-9100-5068-1	FS-9100-5121-8	FS-9100-5146-5	FS-9100-5183-8
FS-9100-5184-6	FS-9100-5192-9	FS-9100-5194-5	FS-9100-5198-6	FS-9100-5199-4
FS-9100-5250-5	FS-9100-5300-8	FS-9100-5304-0	FS-9100-5375-0	FS-9100-5392-5
FS-9100-5397-4	FS-9100-5415-4	H0-0021-5045-8	HB-0040-8050-1	HB-0041-0069-7
HB-0041-8096-2	HB-0041-8898-1	HB-0041-8905-4	HB-0041-8906-2	HB-0041-8907-0
HB-0041-8908-8	HB-0041-8909-6	HB-0041-8910-4	HB-0041-8911-2	HB-0041-8913-8
HB-0041-9053-2	HB-0041-9054-0	HB-0041-9055-7	HB-0041-9074-8	HB-0041-9077-1
HB-0041-9124-1	HB-0041-9125-8	HB-0041-9126-6	HB-0041-9127-4	HB-0041-9128-2

HB-0041-9131-6	HB-0041-9140-7	HB-0041-9142-3	HB-0041-9143-1	HB-0041-9146-4
HB-0041-9147-2	HB-0041-9190-2	HB-0041-9193-6	HB-0041-9194-4	HB-0041-9234-8
HB-0042-0876-3	HB-0042-0879-7	HB-0042-0881-3	HB-0042-0887-0	HB-0042-0888-8
HB-0042-3265-6	HB-0042-3909-9	HB-0042-4880-1	HB-0042-7100-1	HB-0042-7135-7
HC-0006-2403-7	HC-0006-2405-2	HC-0006-2407-8	HC-0006-2409-4	HC-0006-2417-7
HC-0006-2419-3	HC-0006-2629-7	HC-0006-2630-5	HC-0006-2632-1	HC-0006-2633-9
HC-0006-2634-7	HC-0006-2635-4	HC-0006-2636-2	HC-0006-2637-0	HC-0006-2638-8
HC-0006-4572-7	JF-1000-4245-2	JF-1000-4246-0	JF-1000-4247-8	JF-1000-4251-0
JF-1000-4252-8	JF-1000-4253-6	JF-1000-4254-4	JF-1000-4255-1	JF-1000-4257-7
JF-1000-4258-5	JF-1000-4259-3	JF-1000-4261-9	JF-1000-4398-9	JF-1000-4422-7
JF-1000-4423-5	WF-6001-0106-8	WF-6001-0107-6	WF-6001-0108-4	WF-6001-0109-2
WF-6001-0110-0	WF-6001-0111-8	WF-6001-0112-6	WF-6001-0113-4	WF-6001-0114-2
WF-6001-0115-9	WF-6001-0116-7	WF-6001-0117-5	WF-6001-0118-3	WF-6001-0119-1
WF-6001-0120-9	WF-6001-0121-7	WF-6001-0126-6	WF-6001-0127-4	WF-6001-0128-2
WF-6001-0129-0	WF-6001-0130-8	WF-6001-0131-6	WF-6001-0132-4	WF-6001-0134-0
WF-6001-0135-7	WF-6001-0136-5	WF-6001-0137-3	WF-6001-0138-1	WF-6001-0148-0
WF-6001-0150-6	WF-6001-0169-6	WF-6001-0170-4	WF-6001-1734-6	WF-6001-1814-6
WF-6009-0001-4	WF-6009-0002-2	WF-6009-0003-0	WF-6009-0004-8	WF-6009-0005-5
WF-6009-0006-3	WF-6009-0007-1	WF-6009-0009-7	WF-6009-0010-5	WF-6009-0028-7
WF-6009-0029-5	WF-6009-0038-6	WF-6009-0039-4	WF-6009-0053-5	WF-6009-0054-3
WF-6009-0055-0	WF-6009-0056-8	WF-6009-0057-6	WF-6009-0064-2	WF-6009-0065-9
WF-6009-0066-7	WF-6009-0070-9	WF-6009-0077-4	WF-6009-0087-3	WF-6009-0091-5
WF-6009-0128-5	WF-6009-0162-4	WF-6009-0163-2	WF-6009-0164-0	WF-6009-0210-1
WF-6009-0211-9	WF-6009-0366-1	WF-6009-0422-2	WF-6009-0423-0	WF-6009-0473-5
WF-6009-0633-4	WF-6009-0634-2	WF-6009-0932-0	WF-6009-1006-2	WF-6009-1008-8
WF-6009-1011-2	WF-6009-1012-0	WF-6009-1017-9	WF-6009-1023-7	WF-6009-1024-5
WF-6009-1025-2	WF-6009-1026-0	WF-6009-1029-4	WF-6009-1030-2	WF-6009-1034-4
WF-6009-1037-7	WF-6009-1040-1	WF-6009-1042-7	WF-6009-1050-0	WF-6009-1194-6
ZF-9100-1831-4				

1.2. Recommended use and restrictions on use

Recommended use

Lightweight Filler

For Industrial or Professional use only

1.3. Supplier's details

ADDRESS:3M Malaysia Sdn. Bhd., Level 8, Block F, Oasis Square, No.2, Jalan PJU 1A/7A, Ara Damansara 47301
Petaling, Jaya, SelangorTelephone:03-7884 2888E Mail:3mmyehsr@mmm.com
www.3M.com.my

1.4. Emergency telephone number

+60 03-7884 2888

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

Not classified as hazardous according to Occupational Safety and Health (Chemical Classification, Labelling and Safety Data Sheets) Regulations 2013.

2.2. Label elements Signal word

Not applicable

Symbols

Not applicable

Pictograms

Not applicable

2.3. Other hazards

None known

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	C.A.S. No.	% by Wt
Soda Lime Borosilicate Glass	65997-17-3	97 - 100
Synthetic Amorphous Crystalline-Free Silica	7631-86-9	0 - 3

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation:

Remove person to fresh air. If you feel unwell, get medical attention.

Skin Contact:

Wash with soap and water. If signs/symptoms develop, get medical attention.

Eve Contact:

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If Swallowed:

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

Non-combustible. Use a fire fighting agent suitable for surrounding fire.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Observe precautions from other sections.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Use wet sweeping compound or water to avoid dusting. Sweep up. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	C.A.S. No.	Agency	Limit type	Additional Comments
GLASS FILAMENTS	65997-17-3	Malaysia OELs	TWA(inhalable fraction)(8	
		-	hours):5 mg/m3;TWA(as	
			fiber)(8 hours):1 fibers/ml	
Soda Lime Borosilicate Glass	65997-17-3	Manufacturer	TWA(as non-fibrous,	
		determined	respirable)(8 hours):3	
			mg/m3;TWA(as non-fibrous,	
			inhalable fraction)(8 hours):10	
			mg/m3	

ACGIH : American Conference of Governmental Industrial Hygienists

CMRG : Chemical Manufacturer's Recommended Guidelines

Malaysia OELs : Malaysia. Occupational Safety and Health (Use and Standards of Exposure of Chemicals Hazardous to Health) Regulations

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapors/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety Glasses with side shields

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid Specific Physical Form: Low density fine powder (< 100 microns) Color White Odor Odorless Odor threshold Not Applicable pH No Data Available Boiling point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 g/cm3 Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Partition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Volatile Organic Compounds Not Applicable Volatile Organic Compounds Not Applicable Vot Less H2O & Exempt Solvents<	information on basic physical and chemical properties				
Color White Odor Odorless Odor threshold Not Applicable pH No Data Available Boiling point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 g/cm3 Relative Density Not Applicable Partition coefficient: n-octanol/ water Not Applicable Partition temperature Not Applicable Decomposition temperature Not Applicable Vatile Organic Compounds Not Applicable Voc Less H2O & Exempt Solvents Not Applicable	v				
Odor Odorless Odor threshold Not Applicable pH No Data Available Melting point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammabile Limits(LEL) Not Applicable Fammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 [Ref Std: WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Voitile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable	Specific Physical Form:	Low density fine powder (< 100 microns)			
Odor Odorless Odor threshold Not Applicable pH No Data Available Melting point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammabile Limits(LEL) Not Applicable Fammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 [Ref Std: WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Voitile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable					
Odor threshold Not Applicable pH No Data Available Melting point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammabile Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Pacomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable					
pH No Data Available Melting point/Freezing point No Data Available Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammabile Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std: WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Viscosity/Kinematic Viscosity Not Applicable Vocate Not Applicable Volatile Organic Compounds Not Applicable Voc Less H2O & Exempt Solvents Not Applicable		Odorless			
Melting point/Freezing pointNo Data AvailableBoiling point/Initial boiling point/Boiling rangeNot ApplicableFlash PointNot ApplicableEvaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density and/or Relative Vapor DensityNot ApplicableDensity0.1 - 0.6 g/cm3Relative DensityNot ApplicableSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicableVolatile Organic CompoundsNot ApplicableVoC Less H2O & Exempt SolventsNot Applicable	Odor threshold	Not Applicable			
Boiling point/Initial boiling point/Boiling range Not Applicable Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable	рН	No Data Available			
Flash Point Not Applicable Evaporation rate Not Applicable Flammability (solid, gas) Not Classified Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable VoC Less H2O & Exempt Solvents Not Applicable	Melting point/Freezing point	No Data Available			
Evaporation rateNot ApplicableFlammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density and/or Relative Vapor DensityNot ApplicableDensity0.1 - 0.6 g/cm3Relative Density0.1 - 0.6 [Ref Std: WATER=1]Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicableVOC Less H2O & Exempt SolventsNot Applicable		Not Applicable			
Flammability (solid, gas)Not ClassifiedFlammable Limits(LEL)Not ApplicableFlammable Limits(UEL)Not ApplicableVapor PressureNot ApplicableVapor Density and/or Relative Vapor DensityNot ApplicableDensity0.1 - 0.6 g/cm3Relative Density0.1 - 0.6 [Ref Std:WATER=1]Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableDecomposition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile< 0.5 % weight	Flash Point	Not Applicable			
Flammable Limits(LEL) Not Applicable Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Evaporation rate	Not Applicable			
Flammable Limits(UEL) Not Applicable Vapor Pressure Not Applicable Vapor Density and/or Relative Vapor Density Not Applicable Density 0.1 - 0.6 g/cm3 Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable					
Vapor PressureNot ApplicableVapor Density and/or Relative Vapor DensityNot ApplicableDensity0.1 - 0.6 g/cm3Relative Density0.1 - 0.6 [Ref Std:WATER=1]Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile< 0.5 % weight		Not Applicable			
Vapor Density and/or Relative Vapor DensityNot ApplicableDensity0.1 - 0.6 g/cm3Relative Density0.1 - 0.6 [Ref Std:WATER=1]Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile< 0.5 % weightVOC Less H2O & Exempt SolventsNot Applicable	Flammable Limits(UEL)	Not Applicable			
Density0.1 - 0.6 g/cm3Relative Density0.1 - 0.6 [Ref Std:WATER=1]Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile< 0.5 % weight	Vapor Pressure	Not Applicable			
Relative Density 0.1 - 0.6 [Ref Std:WATER=1] Water solubility Negligible Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable	Vapor Density and/or Relative Vapor Density	Not Applicable			
Water solubilityNegligibleSolubility- non-waterNot ApplicablePartition coefficient: n-octanol/ waterNot ApplicableAutoignition temperatureNot ApplicableDecomposition temperatureNot ApplicableViscosity/Kinematic ViscosityNot ApplicableVolatile Organic CompoundsNot ApplicablePercent volatile< 0.5 % weight	Density	0.1 - 0.6 g/cm3			
Solubility- non-water Not Applicable Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Relative Density	0.1 - 0.6 [<i>Ref Std</i> :WATER=1]			
Partition coefficient: n-octanol/ water Not Applicable Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Water solubility	Negligible			
Autoignition temperature Not Applicable Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Solubility- non-water	Not Applicable			
Decomposition temperature Not Applicable Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Partition coefficient: n-octanol/ water	Not Applicable			
Viscosity/Kinematic Viscosity Not Applicable Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight	Autoignition temperature	Not Applicable			
Volatile Organic Compounds Not Applicable Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable	Decomposition temperature	Not Applicable			
Percent volatile < 0.5 % weight VOC Less H2O & Exempt Solvents Not Applicable	Viscosity/Kinematic Viscosity	Not Applicable			
VOC Less H2O & Exempt Solvents Not Applicable	Volatile Organic Compounds				
	Percent volatile	< 0.5 % weight			
Molecular weight No Data Available	VOC Less H2O & Exempt Solvents	Not Applicable			
6		No Data Available			
Softening point >=600 °C	Softening point	>=600 °C			

SECTION 10: Stability and reactivity

10.1. Reactivity

This material is considered to be non reactive under normal use conditions.

10.2. Chemical stability

Stable.

10.3. Possibility of hazardous reactions

Hazardous polymerization will not occur.

10.4. Conditions to avoid None known.

10.5. Incompatible materials None known.

10.6. Hazardous decomposition products Substance

Oxides of Sulfur

Condition If Breakage Occurs

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labeling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1. Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation:

Respiratory Tract Irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin Contact:

Mechanical Skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

Eye Contact:

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

Ingestion:

May be harmful if swallowed.

Gastrointestinal Irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Soda Lime Borosilicate Glass	Dermal		LD50 estimated to be > 5,000 mg/kg
Soda Lime Borosilicate Glass	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Synthetic Amorphous Crystalline-Free Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Synthetic Amorphous Crystalline-Free Silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Soda Lime Borosilicate Glass	Professio nal judgemen t	No significant irritation
Synthetic Amorphous Crystalline-Free Silica	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Soda Lime Borosilicate Glass	Professio nal judgemen t	No significant irritation
Synthetic Amorphous Crystalline-Free Silica	Rabbit	No significant irritation

Sensitization:

Skin Sensitization

Name	Species	Value
Synthetic Amorphous Crystalline-Free Silica	Human and animal	Not classified

Respiratory Sensitization

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Soda Lime Borosilicate Glass	In Vitro	Some positive data exist, but the data are not sufficient for classification
Synthetic Amorphous Crystalline-Free Silica	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Soda Lime Borosilicate Glass	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Synthetic Amorphous Crystalline-Free Silica	Not Specified	Mouse	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test Result	Exposure Duration
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Synthetic Amorphous Crystalline-Free Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Name	Route	Target Organ(s)	Value	Species	Test Result	Exposure Duration
Soda Lime Borosilicate Glass	Inhalation	respiratory system	Not classified	Human	NOAEL not available	occupational exposure
Synthetic Amorphous Crystalline-Free Silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure

Specific Target Organ Toxicity - repeated exposure

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labeling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available

Material	Cas #	Organism	Туре	Exposure	Test Endpoint	Test Result
Soda Lime Borosilicate Glass	65997-17-3	Green algae	Experimental	72 hours	EC50	>1,000 mg/l
Soda Lime Borosilicate Glass	65997-17-3	Water flea	Experimental	72 hours	EC50	>1,000 mg/l
Soda Lime Borosilicate Glass	65997-17-3	Zebra Fish	Experimental	96 hours	LC50	>1,000 mg/l
Soda Lime Borosilicate Glass	65997-17-3	Green algae	Experimental	72 hours	NOEC	>=1,000 mg/l
Synthetic Amorphous Crystalline-Free Silica	7631-86-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

12.2. Persistence and degradability

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Soda Lime	65997-17-3	Data not availbl-	N/A	N/A	N/A	N/A
Borosilicate Glass		insufficient				

Synthetic	7631-86-9	Data not availbl-	N/A	N/A	N/A	N/A
Amorphous		insufficient				
Crystalline-Free						
Silica						

12.3. Bioaccumulative potential

Material	CAS No.	Test Type	Duration	Study Type	Test Result	Protocol
Soda Lime Borosilicate Glass	65997-17-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Synthetic Amorphous Crystalline-Free Silica	7631-86-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available

SECTION 13: Disposal considerations

13.1. Disposal methods

According to the Environmental Quality (Scheduled Wastes) Regulations 2005, scheduled waste has to be sent to a prescribed premise for recycling, treatment or disposal. Please approach Kualiti Alam for proper schedule waste classification and disposal.

SECTION 14: Transport Information

Not hazardous for transportation.

Marine Transport (IMDG)

UN Number:None assigned. Proper Shipping Name:None assigned. Technical Name:None assigned. Hazard Class/Division:None assigned. Subsidiary Risk:None assigned. Packing Group:None assigned. Limited Quantity:None assigned. Marine Pollutant: None assigned. Marine Pollutant Technical Name: None assigned. Other Dangerous Goods Descriptions: None assigned.

Air Transport (IATA)

UN Number:None assigned. Proper Shipping Name:None assigned. Technical Name:None assigned. Hazard Class/Division:None assigned. Subsidiary Risk:None assigned. Packing Group:None assigned. Limited Quantity:None assigned. Marine Pollutant: None assigned. Marine Pollutant Technical Name: None assigned. Other Dangerous Goods Descriptions: None assigned.

Transportation classifications are provided as a customer service. As for shipping, YOU remain responsible for complying with all applicable laws and regulations, including proper transportation classification and packaging. 3M's transportation classifications are based on product formulation, packaging, 3M policies and 3M's understanding of applicable current regulations. 3M does not guarantee the accuracy of this classification information. This information applies only to transportation classification and not the packaging, labeling or marking requirements. The above information is only for reference. If you are shipping by air or ocean, YOU are advised to check & meet applicable regulatory requirements.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the China "Measures on Environmental Management of New Chemical Substance". Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. The components of this product are in compliance with the chemical notification requirements of TSCA.

SECTION 16: Other information

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into Malaysia, you are responsible for all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

3M Malaysia SDSs are available at www.3M.com.my