

# Safety Data Sheet

© 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 20-9278-1
 Version number:
 3.00

 Issue Date:
 13/07/2022
 Supersedes date:
 22/04/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **IDENTIFICATION:**

#### 1.1. Product identifier

3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body (10778)

### **Product Identification Numbers**

70-2011-3771-1

#### 1.2. Recommended use and restrictions on use

### Recommended use

Dental Product, Dental impression material.

#### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the SDSs for components of this product are:

20-9277-3, 20-9276-5

One or more components of this KIT is classified as a hazardous substance in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

## TRANSPORT INFORMATION

NOT HAZARDOUS FOR TRANSPORT

### **Revision information:**

Complete document review.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# Safety Data Sheet

© 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 20-9277-3
 Version number:
 3.00

 Issue Date:
 29/11/2020
 Supersedes date:
 08/11/2017

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body Catalyst

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Impression material.

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

GHS	HSNO
No GHS Equivalent	9.4C Terrestrial invertebrate toxicity

# 2.2. Label elements SIGNAL WORD

Not applicable.

### 3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body Catalyst

### **Symbols:**

Not applicable.

#### **HAZARD STATEMENTS:**

H443 Harmful to terrestrial invertebrates.

### PRECAUTIONARY STATEMENTS

**Prevention:** 

P273 Avoid release to the environment.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Cristobalite	14464-46-1	40 - 50
Vinyl Polydimethysiloxane	68083-19-2	40 - 50
Silane Treated Silica	67762-90-7	1 - 5

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### **Eve contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

### **Hazardous Decomposition or By-Products**

Substance

Carbon monoxide. Carbon dioxide. Irritant vapours or gases.

### Condition

During combustion. During combustion. During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

# 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	<b>Additional comments</b>
Cristobalite	14464-46-1	ACGIH	TWA(respirable	A2: Suspected human
			fraction):0.025 mg/m3	carcin.
Glass filaments	14464-46-1	New Zealand	TWA(Respirable fibers)(8	
		WES	hours):1 f/mL;TWA(as	

respirable dust)(8 hours):1

f/mL;TWA(as inhalable dust)(8

hours):5 mg/m3

TWA(8 hours):10 mg/m3

Kieselguhr, soda ash flux-calcined 14464-46-1 New Zealand

WES

Silica, crystalline (airborne particles of respirable size)

14464-46-1 New Zealand WES

TWA(as respirable dust)(8

Class-subclass 6.7, care

hours):0.05 mg/m3

HCA

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million

mg/m3: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

### **8.2.1.** Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.	
Specific Physical Form:	Paste	
Colour	Yellow	
Odour	Odourless	
Odour threshold	No data available.	
pH	Not applicable.	
Melting point/Freezing point	ng point No data available.	
Boiling point/Initial boiling point/Boiling range	Not applicable.	
Flash point	Flash point > 93 °C (200 °F)	
Evaporation rate	Not applicable.	
Flammability (solid, gas)	Not classified	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Vapour pressure	Not applicable.	

Vapor Density and/or Relative Vapor Density	Not applicable.
Density	1.3 - 1.4 g/cm3
Relative density	1.3 - 1.4 [ <i>Ref Std:</i> WATER=1]
Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	Not applicable.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	Not applicable.
Percent volatile	Not applicable.
VOC less H2O & exempt solvents	Not applicable.
Molecular weight	No data available.

### Nanoparticles

This material contains nanoparticles.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Amines.

Strong acids.

Strong oxidising agents.

Strong bases.

### 10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

### Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

No health effects are expected.

### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

### Eve contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### **Additional Health Effects:**

## Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Vinyl Polydimethysiloxane	Dermal	Rabbit	LD50 > 15,440 mg/kg
Vinyl Polydimethysiloxane	Ingestion	Rat	LD50 > 15,440 mg/kg
Cristobalite	Dermal		LD50 estimated to be > 5,000 mg/kg
Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg
Silane Treated Silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Silane Treated Silica	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Silane Treated Silica	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Skiii Collosion/Il litation		
Name	Species	Value
Vinyl Polydimethysiloxane	Rabbit	No significant irritation
Cristobalite	Professio	No significant irritation
	nal	
	judgemen	
	t	
Silane Treated Silica	Rabbit	No significant irritation

**Serious Eye Damage/Irritation** 

Name	Species	Value
Vinyl Polydimethysiloxane	Rabbit	Mild irritant
Silane Treated Silica	Rabbit	No significant irritation

#### **Sensitisation:**

## 3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body Catalyst

### **Skin Sensitisation**

Name	Species	Value
Silane Treated Silica	Human and	Not classified
	animal	

## **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Cristobalite	In Vitro	Some positive data exist, but the data are not sufficient for classification
Cristobalite	In vivo	Some positive data exist, but the data are not sufficient for classification
Silane Treated Silica	In Vitro	Not mutagenic

Carcinogenicity

<u></u>			
Name	Route	Species	Value
Cristobalite	Inhalation	Human	Carcinogenic.
		and	
		animal	
Silane Treated Silica	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification

## **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Silane Treated Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

### Target Organ(s)

# **Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Cristobalite	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Silane Treated Silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

# **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

	<b>SECTION</b>	12:	Ecol	logical	inform	ation
--	----------------	-----	------	---------	--------	-------

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

### **Ecotoxic to terrestrial invertebrates**

9.4C Terrestrial invertebrate toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Cristobalite	14464-46-1		Data not			
			available or			
			insufficient for			
			classification			
Vinyl	68083-19-2		Data not			
Polydimethysil			available or			
oxane			insufficient for			
			classification			
Silane Treated	67762-90-7		Data not			
Silica			available or			
			insufficient for			
			classification			

## 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cristobalite	14464-46-1	Data not			N/A	
		availbl-				
		insufficient				
Vinyl	68083-19-2	Data not			N/A	
Polydimethysil		availbl-				
oxane		insufficient				
Silane Treated	67762-90-7	Data not			N/A	
Silica		availbl-				
		insufficient				

## 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cristobalite	14464-46-1	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				
Vinyl	68083-19-2	Data not	N/A	N/A	N/A	N/A
Polydimethysil		available or				
oxane		insufficient for				
		classification				
Silane Treated	67762-90-7	Data not	N/A	N/A	N/A	N/A
Silica		available or				
		insufficient for				

### 3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body Catalyst

			1
	lalaccitiontion		
	iciassification i		

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable.

**IERG:** Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.
Marine Pollutant: Not applicable.

# **SECTION 15: Regulatory information**

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017

HSNO Hazard classification Refer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

\_\_\_\_\_

### 3M<sup>TM</sup> Imprint<sup>TM</sup> 3 Light Body Catalyst

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

# Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required Location Compliance Certificate Not required Hazardous atmosphere zone Not required Fire extinguishers Not required Emergency response plan Not required Secondary containment Not required Tracking Not required Warning signage Not required

# **SECTION 16: Other information**

### **Revision information:**

Complete document review.

Document group:	20-9277-3	Version number:	3.00
Issue Date:	29/11/2020	Supersedes date:	08/11/2017

### Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013
HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



# **Safety Data Sheet**

© 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 20-9276-5
 Version number:
 3.00

 Issue Date:
 13/07/2022
 Supersedes date:
 22/04/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

# **SECTION 1: Identification**

### 1.1. Product identifier

3MTM IMPRINTTM 3 LIGHT BODY BASE

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Impression material.

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

**Telephone:** (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Not classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

### 2.1. Classification of the substance or mixture

Not classified as hazardous.

# 2.2. Label elements SIGNAL WORD

Not applicable.

### **Symbols:**

Not applicable.

### PRECAUTIONARY STATEMENTS

### Prevention

P280E Wear protective gloves.

# **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Vinyl Polydimethylsiloxane	68083-19-2	40 - 60
Cristobalite	14464-46-1	30 - 50
Dimethyl Methyl Hydrogen Silicone Fluid	68037-59-2	1 - 20
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1-	27306-78-1	1 - 10
(TrimethylSiloxy)Disiloxanyl]Propyl Ether		
Silane Treated Silica	67762-90-7	1 - 10

# **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.Irritant vapours or gases.During combustion.

### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus,

bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

## **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Observe precautions from other sections.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

#### 7.3. Certified handler

Not required

# **SECTION 8: Exposure controls/personal protection**

### 8.1 Control parameters

### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	<b>Additional comments</b>
Cristobalite	14464-46-1	ACGIH	TWA(respirable fraction):0.025 mg/m3	A2: Suspected human carcin.
Dust, inert or nuisance	14464-46-1	New Zealand WES	TWA(as respirable dust)(8 hours):3 mg/m3;TWA(as inhalable dust)(8 hours):10 mg/m3	
Glass filaments	14464-46-1	New Zealand WES	TWA(Respirable fibers)(8 hours):1 f/mL;TWA(as respirable dust)(8 hours):1 f/mL;TWA(as inhalable dust)(8 hours):5 mg/m3	
Kieselguhr, soda ash flux-calcined	1 14464-46-1	New Zealand WES	TWA(8 hours):10 mg/m3	

\_\_\_\_\_

### 3M<sup>TM</sup> IMPRINT<sup>TM</sup> 3 LIGHT BODY BASE

Silica, crystalline (airborne

14464-46-1 New Zealand WES

TWA(as respirable dust)(8 hours):0.05 mg/m3

Class-subclass 6.7, carc HCA

particles of respirable size)

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million mg/m³: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

information on basic physical and chemical properties					
Physical state	Solid.				
Specific Physical Form:	Paste				
Colour	White				
Odour	Odourless				
Odour threshold	No data available.				
pH	Not applicable.				
Melting point/Freezing point	No data available.				
Boiling point/Initial boiling point/Boiling range	Not applicable.				
Flash point	Flash point > 93 °C (200 °F)				
Evaporation rate	Not applicable.				
Flammability (solid, gas)	Not classified				
Flammable Limits(LEL)	Not applicable.				
Flammable Limits(UEL)	Not applicable.				
Vapour pressure	Not applicable.				
Vapor Density and/or Relative Vapor Density	Not applicable.				
Density	1.2 - 1.3 g/cm3				
Relative density	1.2 - 1.3 [ <i>Ref Std</i> :WATER=1]				
Water solubility	Negligible				

Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	Not applicable.
Percent volatile	Not applicable.
VOC less H2O & exempt solvents	Not applicable.
Molecular weight	No data available.

# **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

### 10.5 Incompatible materials

Amines.

Strong acids.

Strong bases.

Strong oxidising agents.

### 10.6 Hazardous decomposition products

Substance
None known.

**Condition** 

Refer to Section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

### Inhalation

No health effects are expected.

## 3MTM IMPRINTTM 3 LIGHT BODY BASE

### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

### **Additional Health Effects:**

### Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use:

Contains a chemical or chemicals which can cause cancer.

### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity** 

Route	Species	Value
Dermal		No data available; calculated ATE >5,000 mg/kg
Ingestion		No data available; calculated ATE >5,000 mg/kg
Dermal	Rabbit	LD50 > 15,440 mg/kg
Ingestion	Rat	LD50 > 15,440 mg/kg
Dermal		LD50 estimated to be > 5,000 mg/kg
Ingestion		LD50 estimated to be > 5,000 mg/kg
Dermal	Rabbit	LD50 > 2,000 mg/kg
Ingestion	Rat	LD50 > 2,000 mg/kg
Dermal	Rabbit	LD50 > 5,000 mg/kg
Inhalation-	Rat	LC50 > 0.691 mg/l
Dust/Mist		
(4 hours)		
Ingestion	Rat	LD50 > 5,110 mg/kg
Dermal	Rabbit	LD50 > 2,000 mg/kg
Inhalation-	Rat	LC50 2 mg/l
Dust/Mist		
(4 hours)		
Ingestion	Rat	LD50 > 2,000 mg/kg
	Dermal Ingestion Dermal Ingestion Dermal Ingestion Dermal Ingestion Dermal Ingestion Dermal Inhalation- Dust/Mist (4 hours) Ingestion Dermal Inhalation- Dust/Mist (4 hours)	Dermal Ingestion Dermal Rabbit Ingestion Rat Dermal Ingestion Dermal Rabbit Ingestion Rat Dermal Rabbit Ingestion Rat Dermal Rabbit Inhalation-Dust/Mist (4 hours) Ingestion Rat Dermal Rabbit Inhalation-Rat Dermal Rabbit

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Vinyl Polydimethylsiloxane	Rabbit	No significant irritation
Cristobalite	Professio	No significant irritation
	nal	
	judgemen	
	t	
Dimethyl Methyl Hydrogen Silicone Fluid	Rabbit	No significant irritation
Silane Treated Silica	Rabbit	No significant irritation
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1-	Rabbit	No significant irritation
(TrimethylSiloxy)Disiloxanyl]Propyl Ether		

Serious Eye Damage/Irritation

Name	Species	Value

Page: 6 of 11

# 3MTM IMPRINTTM 3 LIGHT BODY BASE

Vinyl Polydimethylsiloxane	Rabbit	Mild irritant
Dimethyl Methyl Hydrogen Silicone Fluid	Rabbit	Mild irritant
Silane Treated Silica	Rabbit	No significant irritation
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1-	Rabbit	Severe irritant
(TrimethylSiloxy)Disiloxanyl]Propyl Ether		

### **Sensitisation:**

## **Skin Sensitisation**

Name	Species	Value
Dimethyl Methyl Hydrogen Silicone Fluid	Guinea	Not classified
	pig	
Silane Treated Silica	Human	Not classified
	and	
	animal	
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1-	Guinea	Not classified
(TrimethylSiloxy)Disiloxanyl]Propyl Ether	pig	

## **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value		
Cristobalite	In Vitro	Some positive data exist, but the data are not sufficient for classification		
Cristobalite	In vivo	Some positive data exist, but the data are not sufficient for classification		
Dimethyl Methyl Hydrogen Silicone Fluid	In Vitro	Not mutagenic		
Silane Treated Silica	In Vitro	Not mutagenic		
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1- (TrimethylSiloxy)Disiloxanyl]Propyl Ether	In Vitro	Not mutagenic		
Glycols, Polyethylene, Methyl 3-[1,3,3,3-Tetramethyl-1- (TrimethylSiloxy)Disiloxanyl]Propyl Ether	In vivo	Not mutagenic		

Carcinogenicity

Name	Route	Species	Value
Cristobalite	Inhalation	Human	Carcinogenic.
		and	
		animal	
Silane Treated Silica	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification

# **Reproductive Toxicity**

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Silane Treated Silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Silane Treated Silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
Glycols, Polyethylene, Methyl 3-[1,3,3,3- Tetramethyl-1- (TrimethylSiloxy)Disiloxanyl]Propyl Ether	Ingestion	Not classified for reproduction and/or development	Rat	NOAEL 450 mg/kg/day	premating & during gestation

# Target Organ(s)

\_\_\_\_\_

## Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Cristobalite	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Silane Treated Silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

### 12.1. Toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Vinyl	68083-19-2		Data not			N/A
Polydimethylsil			available or			
oxane			insufficient for			
G : . 1 1::	14464 46 1		classification			27/4
Cristobalite	14464-46-1		Data not			N/A
			available or			
			insufficient for			
5: 1.1	 		classification			7.77
Dimethyl	68037-59-2		Data not			N/A
Methyl			available or			
Hydrogen			insufficient for			
Silicone Fluid	2-204		classification	0.61	D050	
Glycols,	27306-78-1	Green algae	Estimated	96 hours	EC50	32 mg/l
Polyethylene,						
Methyl 3-						
[1,3,3,3-						
Tetramethyl-1-						
(TrimethylSilo						
xy)Disiloxanyl]						
Propyl Ether						
Glycols,	27306-78-1	Rainbow trout	Estimated	96 hours	LC50	4.5 mg/l
Polyethylene,						
Methyl 3-						
[1,3,3,3-						
Tetramethyl-1-						
(TrimethylSilo						

# 3M<sup>TM</sup> IMPRINT<sup>TM</sup> 3 LIGHT BODY BASE

xy)Disiloxanyl]						
Propyl Ether						
Glycols,	27306-78-1	Water flea	Estimated	48 hours	LC50	23.4 mg/l
Polyethylene,						
Methyl 3-						
[1,3,3,3-						
Tetramethyl-1-						
(TrimethylSilo						
xy)Disiloxanyl]						
Propyl Ether						
Silane Treated	67762-90-7		Data not			N/A
Silica			available or			
			insufficient for			
			classification			

# 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Vinyl	68083-19-2	Data not	N/A	N/A	N/A	N/A
Polydimethylsil		availbl-				
oxane		insufficient				
Cristobalite	14464-46-1	Data not	N/A	N/A	N/A	N/A
		availbl-				
		insufficient				
Dimethyl	68037-59-2	Data not	N/A	N/A	N/A	N/A
Methyl		availbl-				
Hydrogen		insufficient				
Silicone Fluid						
Glycols,	27306-78-1	Modeled	28 days	BOD	1 %BOD/ThB	Catalogic <sup>TM</sup>
Polyethylene,		Biodegradation			OD	
Methyl 3-						
[1,3,3,3-						
Tetramethyl-1-						
(TrimethylSilo						
xy)Disiloxanyl]						
Propyl Ether						
Silane Treated	67762-90-7	Data not	N/A	N/A	N/A	N/A
Silica		availbl-				
		insufficient				

# 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Vinyl	68083-19-2	Data not	N/A	N/A	N/A	N/A
Polydimethylsil		available or				
oxane		insufficient for classification				
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl Methyl	68037-59-2	available or	N/A	N/A	N/A	N/A
Hydrogen Silicone Fluid		insufficient for classification				

Glycols,	27306-78-1	Modeled		Bioaccumulatio	331	Catalogic <sup>TM</sup>
Polyethylene,		Bioconcentrati		n factor		
Methyl 3-		on				
[1,3,3,3-						
Tetramethyl-1-						
(TrimethylSilo						
xy)Disiloxanyl]						
Propyl Ether						
Silane Treated	67762-90-7	Data not	N/A	N/A	N/A	N/A
Silica		available or				
		insufficient for				
		classification				

### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

# **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable.
Sub Risk: Not applicable.
Packing Group: Not applicable.

Hazchem Code: Not applicable.

**IERG:** Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

**UN No.:** Not applicable.

Proper Shipping Name: Not applicable.

Class/Division: Not applicable. Sub Risk: Not applicable.

### 3MTM IMPRINTTM 3 LIGHT BODY BASE

**Packing Group:** Not applicable. **Marine Pollutant:** Not applicable.

# **SECTION 15: Regulatory information**

HSNO Approval number Not applicable Group standard name Not applicable

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler Not required Location Compliance Certificate Not required Hazardous atmosphere zone Not required Fire extinguishers Not required Emergency response plan Not required Secondary containment Not required Tracking Not required Warning signage Not required

## **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	20-9276-5	Version number:	3.00
Issue Date:	13/07/2022	Supersedes date:	22/04/2018

### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz