

Safety Data Sheet

© 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	40-4251-1	Version number:	3.00
Issue Date:	02/05/2023	Supersedes date:	15/05/2019

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

SECTION 1: Identification

1.1. Product identifier

3MTM FiltekTM Universal Restorative - Shade Pink Opaquer

Product Identification Numbers 70-2014-0698-3

1.2. Recommended use and restrictions on use

Recommended use

Dental Product, Dental Restorative

For use only by dental professionals.

1.3. Supplier's details

Address:	3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland
Telephone:	(09) 477 4040
E Mail:	innovation@nz.mmm.com
Website:	3m.co.nz

1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

Skin Sensitizer: Category 1B. Carcinogenicity: Category 2 Reproductive Toxicity: Category 1B Chronic Aquatic Toxicity: Category 3

2.2. Label elements SIGNAL WORD

Danger

Symbols:

Exclamation mark |Health Hazard |

Pictograms



HAZARD STATEMENTS:	
H317	May cause an allergic skin reaction.
H351	Suspected of causing cancer.
H360	May damage fertility or the unborn child.
H412	Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention	
P201	Obtain special instructions before use.
P202	Do not handle until all safety precautions have been read and understood.
P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280E	Wear protective gloves.
Response	
P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P308 + P313	IF exposed or concerned: Get medical advice/attention.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
Storage	
P405	Store locked up.
Disposal	
P501	Dispose of contents/container in accordance with applicable
1 501	local/regional/national/international regulations.

2.3. Other hazards

Although titanium dioxide is classified as a carcinogen, exposures associated with this health effect are not expected during normal, intended use of this product.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	% by Weight
Silane Treated Ceramic	444758-98-9	40 - 70
Aromatic Urethane Dimethacrylate	1431303-59-1	10 - 30
Diurethane Dimethacrylate (UDMA)	72869-86-4	1 - 10
Ytterbium Fluoride (Ybf3)	13760-80-0	1 - 10
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	1 - 5
Silane Treated Silica	248596-91-0	1 - 5

Silane Treated Zirconia	None	1 - 5
Water	7732-18-5	1 - 5
Titanium dioxide	13463-67-7	< 0.5

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

If exposed, flush eyes with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms develop, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: Not applicable.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. Do not handle until all safety precautions have been read and understood. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

7.3. Certified handler

Not required

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Titanium dioxide	13463-67-7	ACGIH	TWA(Respirable nanoscale particles):0.2	A3: Confirmed animal carcinogen.
			mg/m3;TWA(Respirable	
			finescale particles):2.5 mg/m3	
Titanium dioxide	13463-67-7	New Zealand	TWA(8 hours):10 mg/m3	
		WES		
Fluorides	13760-80-0	ACGIH	TWA(as F):2.5 mg/m3	A4: Not class. as human
				carcinogin
Fluorides	13760-80-0	New Zealand	TWA(as F)(8 hours): 2.5	C
		WES	mg/m3	
ACGIH : American Conference of Govern	mental Industrial	Hygienists	8 -	
AIHA : American Industrial Hygiene Asso				
CMRG : Chemical Manufacturer's Recom		s		
New Zealand WES : New Zealand Workpl	ace Exposure Sta	ndards.		

8.2. Exposure controls

mg/m3: milligrams per cubic metre

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

ppm: parts per million

CEIL: Ceiling

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

information on basic physical and chemical properties			
Physical state Solid.			
Specific Physical Form:	Paste		
Colour	Tooth		
Odour	Slight Acrylate		
Odour threshold	No data available.		
рН	Not applicable.		
Melting point/Freezing point	No data available.		
Boiling point/Initial boiling point/Boiling range	Not applicable.		
Flash point	No flash point		
Evaporation rate	Not applicable.		
Flammability (solid, gas)	Not classified		
Flammable Limits(LEL)	Not applicable.		
Flammable Limits(UEL)	Not applicable.		
Vapour pressure	Not applicable.		
Vapor Density and/or Relative Vapor Density	Not applicable.		
Density	1.9 g/cm3		
Relative density	1.9		
Water solubility	Negligible		
Solubility- non-water	No data available.		
Partition coefficient: n-octanol/water	Not applicable.		
Autoignition temperature	No data available.		
Decomposition temperature	No data available.		
Viscosity/Kinematic Viscosity	No data available.		
Volatile organic compounds (VOC)	No data available.		
Percent volatile	No data available.		
VOC less H2O & exempt solvents	No data available.		

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid Heat. High shear and high temperature conditions

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products <u>Substance</u> None known.

Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Carcinogenicity:

Exposures needed to cause the following health effect(s) are not expected during normal, intended use: Contains a chemical or chemicals which can cause cancer.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Silane Treated Ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic Urethane Dimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic Urethane Dimethacrylate	Ingestion	Rat	LD50 > 2,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Ingestion	Rat	LD50 > 5,000 mg/kg
Ytterbium Fluoride (Ybf3)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Ytterbium Fluoride (Ybf3)	Ingestion	Rat	LD50 > 5,000 mg/kg
Silane Treated Silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Silica	Ingestion		LD50 estimated to be > 5,000 mg/kg
1,12-Dodecane Dimethycrylate (DDDMA)	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
1,12-Dodecane Dimethycrylate (DDDMA)	Ingestion	similar compoun ds	LD50 2000-5000 mg/kg
Silane Treated Zirconia	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Zirconia	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 6.82 mg/l
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane Treated Ceramic	similar	No significant irritation
	compoun	
	ds	
Aromatic Urethane Dimethacrylate	In vitro	No significant irritation
	data	
Silane Treated Silica	Professio	No significant irritation

	nal judgemen t	
Silane Treated Zirconia	Rabbit	No significant irritation
Titanium dioxide	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silane Treated Ceramic	similar	Mild irritant
	compoun	
	ds	
Aromatic Urethane Dimethacrylate	In vitro	No significant irritation
	data	
Ytterbium Fluoride (Ybf3)	Professio	Mild irritant
	nal	
	judgemen	
	t	
Silane Treated Silica	Professio	No significant irritation
	nal	
	judgemen	
	t	
Silane Treated Zirconia	Rabbit	Mild irritant
Titanium dioxide	Rabbit	No significant irritation

Sensitisation:

Skin Sensitisation

Name	Species	Value
Silane Treated Ceramic	similar compoun ds	Not classified
Aromatic Urethane Dimethacrylate	Professio nal judgemen t	Sensitising
Diurethane Dimethacrylate (UDMA)	Guinea pig	Sensitising
Titanium dioxide	Human and animal	Not classified

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Aromatic Urethane Dimethacrylate	In Vitro	Not mutagenic
Silane Treated Zirconia	In Vitro	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Silane Treated Ceramic	Inhalation	similar	Some positive data exist, but the data are not
		compoun	sufficient for classification
		ds	
Silane Treated Zirconia	Inhalation	Multiple	Some positive data exist, but the data are not
		animal	sufficient for classification
		species	

Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

Reproductive Toxicity

Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific	Target	Organ	Tox	icity	 repea 	ated ex	sposure	
			n		m			** *

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane Treated Ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
Silane Treated Zirconia	Inhalation	pulmonary fibrosis	Not classified	Multiple animal species	NOAEL Not available	
Silane Treated Zirconia	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity Ecotoxic to the aquatic environment. Acute Aquatic Toxicity: Category 2 Chronic Aquatic Toxicity: Category 3

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
Silane Treated	444758-98-9	N/A	Data not	N/A	N/A	N/A
Ceramic			available or			
			insufficient for			
			classification			

Aromatic	1431303-59-1	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Urethane			2	/ _ 110 010		100 1191
Dimethacrylate						
Aromatic	1431303-59-1	Water flea	Experimental	48 hours	EC50	>100 mg/l
Urethane						-
Dimethacrylate						
Aromatic	1431303-59-1	Green algae	Experimental	72 hours	ErC10	>100 mg/l
Urethane						
Dimethacrylate						
Diurethane	72869-86-4	Green algae	Endpoint not	72 hours	ErC50	>100 mg/l
Dimethacrylate			reached			
(UDMA)						
Diurethane	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Dimethacrylate						
(UDMA)				0.61		
Diurethane	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Dimethacrylate						
(UDMA) Diurethane	72869-86-4	C	Fully sint uset	70.1	E-010	> 100
	/2869-86-4	Green algae	Endpoint not	72 hours	ErC10	>100 mg/l
Dimethacrylate (UDMA)			reached			
Ytterbium	13760-80-0	Water flea	Experimental	48 hours	No tox obs at	>100 mg/l
Fluoride (Ybf3)		water nea	Experimental	48 110015	lmt of water sol	
	72829-09-5	Green algae	Experimental	72 hours	ErC50	0.017 mg/l
Dimethycrylate	12829-09-5	Oreen algae	Experimental	72 110015		0.017 mg/1
(DDDMA)						
1,12-Dodecane	72829-09-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
Dimethycrylate		, uter neu	Emperimental	To notify	Leve	100 mg/l
(DDDMA)						
1,12-Dodecane	72829-09-5	Green algae	Experimental	72 hours	ErC10	0.0064 mg/l
Dimethycrylate			1			C C
(DDDMA)						
Silane Treated	248596-91-0	N/A	Data not	N/A	N/A	N/A
Silica			available or			
			insufficient for			
			classification			
	None	N/A	Data not	N/A	N/A	N/A
Zirconia			available or			
			insufficient for			
			classification			
Titanium	13463-67-7	Activated	Experimental	3 hours	NOEC	>=1,000 mg/l
dioxide		sludge				
Titanium	13463-67-7	Diatom	Experimental	72 hours	EC50	>10,000 mg/l
dioxide					1.050	100 //
Titanium	13463-67-7	Fathead	Experimental	96 hours	LC50	>100 mg/l
dioxide		minnow		40.1	E C C C	. 100 /1
Titanium	13463-67-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
dioxide	12462 67 7			70.1	NOFO	5 (00 /1
Titanium	13463-67-7	Diatom	Experimental	72 hours	NOEC	5,600 mg/l
dioxide	<u> </u>	1				

12.2. Persistence and degradability

Silane Treated Ceramic	444758-98-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Aromatic Urethane Dimethacrylate	1431303-59-1	Experimental Biodegradation	28 days	CO2 evolution	4.88 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Diurethane Dimethacrylate (UDMA)	72869-86-4	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Ytterbium Fluoride (Ybf3)	13760-80-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Experimental Biodegradation	28 days	CO2 evolution	97.3 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Silane Treated Silica	248596-91-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Silane Treated Zirconia	None	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Titanium dioxide	13463-67-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aromatic Urethane Dimethacrylate	1431303-59-1	Experimental Bioconcentrati on		Log Kow	6.9	OECD 117 log Kow HPLC method
Diurethane Dimethacrylate (UDMA)	72869-86-4	Experimental Bioconcentrati on		Log Kow	3.39	
Ytterbium Fluoride (Ybf3)	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Modeled Bioconcentrati on		Bioaccumulatio n factor	6.6	Catalogic™
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Experimental Bioconcentrati on		Log Kow	>6.5	830.7570 Part. Coef by LC
Silane Treated Silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

Silane Treated	None	Data not	N/A	N/A	N/A	N/A
Zirconia		available or				
		insufficient for				
		classification				
Titanium	13463-67-7	Experimental	42 days	Bioaccumulatio	9.6	
dioxide		BCF - Fish		n factor		

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

SECTION 14: Transport Information

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable. IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport

UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

International Maritime Dangerous Goods Code (IMDG) - Marine Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable. Marine Pollutant: Not applicable.

SECTION 15: Regulatory information

HSNO Approval number	HSR002560
Group standard name	Dental Products (Carcinogenic) Group Standard 2020
HSNO Hazard classification	Refer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

2017	
Certified handler	Not required
Location Compliance Certificate	Not required
Hazardous atmosphere zone	Not required
Fire extinguishers	Not required
Emergency response plan	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for all other substances)
Secondary containment	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for all other substances)
Tracking	Not required
Warning signage	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)

SECTION 16: Other information

Revision information:

Complete document review.

Document group:	40-4251-1	Version number:	3.00
Issue Date:	02/05/2023	Supersedes date:	15/05/2019

Key to abbreviations and acronyms

GHS refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz