

Safety Data Sheet

© 2020, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 09-1628-8
 Version number:
 4.00

 Issue Date:
 28/06/2020
 Supersedes date:
 06/12/2016

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

SECTION 1: Identification

1.1. Product identifier

3M AvagardTM Antiseptic CHG Surgical Hand Rub, Chlorhexidine Gluconate 1% w/w in Ethanol 61% w/w, 9200

Product Identification Numbers

AH-0107-8446-2 NH-0700-0706-5

1.2. Recommended use and restrictions on use

Recommended use

Hand Cleanser

For Professional use only

1.3. Supplier's details

Address: 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland

Telephone: (09) 477 4040

E Mail: innovation@nz.mmm.com

Website: 3m.co.nz

1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

2.1. Classification of the substance or mixture

GHS	HSNO		
Flammable Liquid: Category 2	3.1B Flammable Liquid		
Serious Eye Damage/Irritation: Category 2	6.4A Irritating to the eye		
Specific Target Organ Toxicity (single exposure):	6.9B Narcotic effects		
Category 3			

Acute Aquatic Toxicity: Category 2	9.1D Aquatic toxicity (acute)
Chronic Aquatic Toxicity: Category 3	9.1C Aquatic toxicity (chronic)
No GHS Equivalent	9.4C Terrestrial invertebrate toxicity

2.2. Label elements SIGNAL WORD

DANGER!

Symbols:

Flame | Exclamation mark |







HAZARD STATEMENTS:

H225 Highly flammable liquid and vapour.

H319 Causes serious eye irritation.
H336 May cause drowsiness or dizziness.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

H443 Harmful to terrestrial invertebrates.

PRECAUTIONARY STATEMENTS

Prevention:

P210A Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P240B Ground and bond container and receiving equipment.

P242A Use non-sparking tools.
P233 Keep container tightly closed.

P243A Take action to prevent static discharges.

P241 Use explosion-proof electrical/ventilating/lighting equipment.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.
P271 Use only outdoors or in a well-ventilated area.

P280A Wear eye/face protection.

P280B Wear protective gloves and eye/face protection.

P273 Avoid release to the environment.

P264B Wash exposed skin thoroughly after handling.

Response:

P304 + P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing. P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact

lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

P312 Call a POISON CENTRE or doctor/physician if you feel unwell.

P370 + P378G In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry

chemical or carbon dioxide to extinguish.

P303 + P361 + P353A IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin

with water or shower.

Storage:

P403 + P233 Store in a well-ventilated place. Keep container tightly closed.

P403 + P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

SECTION 3: Composition/information on ingredients

Ingredient	CAS Nbr	% by Weight
Ethanol	64-17-5	55 - 65
Water	7732-18-5	20 - 35
Docosyl alcohol	661-19-8	< 2
C18-unsatd. fatty acids	103213-20-3	< 2
Glycols, polyethylene, monodocosyl ether	26636-40-8	< 2
Ethylene glycol polymer	25322-68-3	< 2
Squalane	111-01-3	< 2
Chlorhexidine Digluconate	18472-51-0	0.15 - 0.3

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

No need for first aid is anticipated.

Eve contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide. Carbon dioxide.

Condition

During combustion.

During combustion.

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

5.4. Hazchem code: 2YE

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with detergent and water. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

7.1. Precautions for safe handling

Keep out of reach of children. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes. Wear low static or properly grounded shoes. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidising agents.

7.3. Certified handler

Not required

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient **CAS Nbr Additional comments** Limit type Agency Ethylene glycol polymer 25322-68-3 AIHA TWA(as aerosol):10 mg/m3 Ethanol 64-17-5 **ACGIH** STEL:1000 ppm A3: Confirmed animal carcinogen. Ethanol 64-17-5 New Zealand TWA(8 hours):1880 WES mg/m3(1000 ppm)

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines New Zealand WES: New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit ppm: parts per million

mg/m³: milligrams per cubic metre

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Under normal use conditions, eye exposure is not expected to be significant enough to require eye protection.

Indirect vented goggles.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

Skin/hand protection

No protective gloves required.

Respiratory protection

Under normal use conditions, airborne exposures are not expected to be significant enough to require respiratory protection. An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapors and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Refer AS/NZS 1715 - Selection, use and maintenance of respiratory protective equipment and AS/NZS 1716 - Respiratory protective devices.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

information on basic physical and chemical properties		
Physical state	Liquid.	
Colour	White	
Odour	Slight Alcohol	
Odour threshold	No data available.	
pH	6	
Melting point/Freezing point	Not applicable.	
Boiling point/Initial boiling point/Boiling range	77.8 °C	
Flash point	21 °C [Test Method:Closed Cup] [Details:]	
Evaporation rate	1.4 [Ref Std:BUOAC=1]	
Flammability (solid, gas)	Not applicable.	
Flammable Limits(LEL)	3.28 % volume	
Flammable Limits(UEL)	19 % volume	
Vapour pressure	186158.4 Pa [@ 55 °C]	
Vapor Density and/or Relative Vapor Density	1.6 [<i>Ref Std</i> :AIR=1]	
Density	0.83 g/ml	
Relative density	0.83 [Ref Std:WATER=1]	
Water solubility	Moderate	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	
Autoignition temperature	799 °C	
Decomposition temperature	No data available.	
Viscosity/Kinematic Viscosity	50,000 - 250,000 mPa-s [@ 23 °C]	
Volatile organic compounds (VOC)	496 g/l	
Percent volatile	90 % weight	
VOC less H2O & exempt solvents	630 g/l	
Molecular weight	No data available.	
	ı .	

Nanoparticles

This material does not contain nanoparticles.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat

Sparks and/or flames.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg

Ethanol	Dermal	Rabbit	LD50 > 15,800 mg/kg
Ethanol	Inhalation-	Rat	LC50 124.7 mg/l
	Vapor (4 hours)		
Ethanol	Ingestion	Rat	LD50 17,800 mg/kg
Glycols, polyethylene, monodocosyl ether	Dermal	Professio	LD50 estimated to be 2,000 - 5,000 mg/kg
		nal	
		judgeme	
Character as hardwalenes are an element	In a setion	nt similar	I D50
Glycols, polyethylene, monodocosyl ether	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
		ds	
Ethylene glycol polymer	Dermal	Rabbit	LD50 > 20,000 mg/kg
Ethylene glycol polymer	Ingestion	Rat	LD50 32,770 mg/kg
Docosyl alcohol	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg
		nal	
		judgeme	
	ļ	nt	
Docosyl alcohol	Ingestion	Rat	LD50 > 2,000 mg/kg
C18-unsatd. fatty acids	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg
		nal	
		judgeme nt	
Squalane	Dermal	Professio	LD50 estimated to be > 5,000 mg/kg
Square	Berman	nal	BB50 estimated to be 5,000 mg/kg
		judgeme	
		nt	
Chlorhexidine Digluconate	Dermal	Rabbit	LD50 > 5,000 mg/kg
Chlorhexidine Digluconate	Ingestion	Rat	LD50 2,000 mg/kg
C18-unsatd. fatty acids	Ingestion	Rat	LD50 > 5,000 mg/kg
Squalane	Ingestion	Rat	LD50 > 2,000 mg/kg

 $[\]overline{ATE}$ = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	Rabbit	No significant irritation
Ethanol	Rabbit	No significant irritation
Ethylene glycol polymer	Rabbit	Minimal irritation
Chlorhexidine Digluconate	Rabbit	No significant irritation
C18-unsatd. fatty acids	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Ethanol	Rabbit	Severe irritant
Ethylene glycol polymer	Rabbit	Mild irritant
Chlorhexidine Digluconate	Rabbit	Corrosive
C18-unsatd. fatty acids	Rabbit	No significant irritation

Sensitisation:

Skin Sensitisation

Name	Species	Value
Overall product	Guinea pig	Not classified
Ethanol	Human	Not classified
Ethylene glycol polymer	Guinea pig	Not classified
Chlorhexidine Digluconate	Human and animal	Some positive data exist, but the data are not sufficient for classification

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Ethanol	In Vitro	Some positive data exist, but the data are not sufficient for classification
Ethanol	In vivo	Some positive data exist, but the data are not sufficient for classification
Ethylene glycol polymer	In Vitro	Not mutagenic
Ethylene glycol polymer	In vivo	Not mutagenic
Chlorhexidine Digluconate	In Vitro	Not mutagenic
Chlorhexidine Digluconate	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Ethanol	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
Ethylene glycol polymer	Ingestion	Rat	Not carcinogenic
Chlorhexidine Digluconate	Ingestion	Multiple animal species	Not carcinogenic

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	Not classified for development	Rat	NOAEL 38 mg/l	during gestation
Ethanol	Ingestion	Not classified for development	Rat	NOAEL 5,200 mg/kg/day	premating & during gestation
Ethylene glycol polymer	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Ethylene glycol polymer	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/-1341 mg/kg/day	5 days
Ethylene glycol polymer	Not specified.	Not classified for reproduction and/or development		NOEL N/A	
Ethylene glycol polymer	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/da y	during gestation
Chlorhexidine Digluconate	Ingestion	Not classified for development	Rat	NOAEL 30 mg/kg/day	during gestation

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	LOAEL 2.6 mg/l	30 minutes
Ethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	LOAEL 9.4 mg/l	not available
Ethanol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Multiple animal species	NOAEL not available	

Ethanol	Ingestion	kidney and/or	Not classified	Dog	NOAEL	
		bladder			3,000 mg/kg	
Ethylene glycol polymer	Inhalation	respiratory irritation	Not classified	Rat	NOAEL	2 weeks
					1.008 mg/l	
Chlorhexidine Digluconate	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not	
_			data are not sufficient for	health	available	
			classification	hazards		

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethanol	Inhalation	liver	Some positive data exist, but the data are not sufficient for classification	Rabbit	LOAEL 124 mg/l	365 days
Ethanol	Inhalation	hematopoietic system immune system	Not classified	Rat	NOAEL 25 mg/l	14 days
Ethanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 8,000 mg/kg/day	4 months
Ethanol	Ingestion	kidney and/or bladder	Not classified	Dog	NOAEL 3,000 mg/kg/day	7 days
Ethylene glycol polymer	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
Ethylene glycol polymer	Ingestion	kidney and/or bladder heart endocrine system hematopoietic system liver nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Chlorhexidine Digluconate	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Dog	NOAEL 0.89 mg/kg/day	1 years
Chlorhexidine Digluconate	Ingestion	immune system	Not classified	Rabbit	NOAEL 71 mg/kg/day	2 years
Chlorhexidine Digluconate	Ingestion	hematopoietic system kidney and/or bladder	Not classified	Rat	NOAEL 71 mg/kg/day	2 years

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Ecotoxic to the aquatic environment.

Acute Aquatic Toxicity: Category 2 (HSNO 9.1D Aquatic toxicity) Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

Ecotoxic to terrestrial invertebrates

9.4C Terrestrial invertebrate toxicity

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Ethanol	64-17-5	Rainbow trout	Experimental	96 hours	LC50	42 mg/l
Ethanol	64-17-5	Water flea	Experimental	48 hours	LC50	5,012 mg/l
Ethanol	64-17-5	Algae other	Experimental	96 hours	NOEC	1,580 mg/l
Ethanol	64-17-5	Water flea	Experimental	10 days	NOEC	9.6 mg/l
Docosyl	661-19-8	Rainbow trout	Experimental	96 hours	LC50	>100 mg/l
alcohol						
C18-unsatd.	103213-20-3	Common Carp	Experimental	96 hours	LC50	>100 mg/l
fatty acids						
Glycols,	26636-40-8		Data not			
polyethylene,			available or			
monodocosyl			insufficient for			
ether			classification			
Ethylene glycol	25322-68-3	Atlantic	Experimental	96 hours	LC50	>1,000 mg/l
polymer		Salmon				
Squalane	111-01-3	Green Algae	Experimental	72 hours	EC50	>100 mg/l
Squalane	111-01-3	Water flea	Experimental	48 hours	LC50	>100 mg/l
Squalane	111-01-3	Zebra Fish	Experimental	96 hours	LC50	>100 mg/l
Squalane	111-01-3	Green Algae	Experimental	72 hours	NOEC	>100 mg/l
Chlorhexidine	18472-51-0	Green algae	Experimental	72 hours	EC50	0.081 mg/l
Digluconate						
Chlorhexidine	18472-51-0	Water flea	Experimental	48 hours	EC50	0.087 mg/l
Digluconate						
Chlorhexidine	18472-51-0	Zebra Fish	Experimental	96 hours	LC50	2.08 mg/l
Digluconate						
Chlorhexidine	18472-51-0	Green algae	Experimental	72 hours	NOEC	0.007 mg/l
Digluconate		_				
Chlorhexidine	18472-51-0	Water flea	Experimental	21 days	NOEC	0.021 mg/l
Digluconate						

12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Ethanol	64-17-5	Experimental	14 days	BOD	89 %	OECD 301C - MITI
		Biodegradation			BOD/ThBOD	test (I)
Docosyl	661-19-8	Experimental	28 days	BOD	37 % weight	OECD 301B - Modified
alcohol		Biodegradation				sturm or CO2
C18-unsatd.	103213-20-3	Experimental	28 days	CO2 evolution	5.5 % weight	OECD 301B - Modified
fatty acids		Biodegradation			_	sturm or CO2
Glycols,	26636-40-8	Data not			N/A	
polyethylene,		availbl-				
monodocosyl		insufficient				
ether						
Ethylene glycol	25322-68-3	Experimental	28 days	BOD	53 %	OECD 301C - MITI
polymer		Biodegradation			BOD/ThBOD	test (I)
Squalane	111-01-3	Experimental	28 days	CO2 evolution	77 % weight	OECD 301B - Modified
		Biodegradation				sturm or CO2
Chlorhexidine	18472-51-0	Experimental	28 days	Dissolv.	71 % weight	OECD 301A - DOC
Digluconate		Biodegradation		Organic		Die Away Test
				Carbon Deplet		

12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Ethanol	64-17-5	Experimental Bioconcentrati on		Log Kow	-0.35	Other methods
Docosyl alcohol	661-19-8	Estimated Bioconcentrati on		Bioaccumulatio n factor	10	Other methods
C18-unsatd. fatty acids	103213-20-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glycols, polyethylene, monodocosyl ether	26636-40-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Ethylene glycol polymer	25322-68-3	Estimated Bioconcentrati on		Bioaccumulatio n factor	2.3	Estimated: Bioconcentration factor
Squalane	111-01-3	Estimated Bioconcentrati on		Bioaccumulatio n factor	7.4	Estimated: Bioconcentration factor
Chlorhexidine Digluconate	18472-51-0	Experimental Bioconcentrati on		Log Kow	-1.81	Other methods

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

SECTION 14: Transport Information

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN1170

Proper Shipping Name: ETHANOL SOLUTION

Class/Division: 3

Sub Risk: Not applicable. **Packing Group:** II

Special Instructions: Limited quantity may apply

Hazchem Code: 2YE

IERG: 14

International Air Transport Association (IATA) - Air Transport

UN No.: UN1170

Proper Shipping Name: ETHANOL SOLUTION

Class/Division: 3
Sub Risk: Not applicable.
Packing Group: II

Special Instructions: Forbidden packaging does not meet requirements for this mode of transport

International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN1170

Proper Shipping Name: ETHANOL SOLUTION

Class/Division: 3

Sub Risk: Not applicable. **Packing Group:** II

Marine Pollutant: Not applicable.

Special Instructions: Limited quantity may apply

SECTION 15: Regulatory information

HSNO Approval number HSR002552

Group standard name Cosmetic Products Group Standard 2017 HSNO Hazard classification Refer to Section 2: Hazard identification

NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017

Certified handler Not required

Location Compliance Certificate 100 L (closed containers greater than 5 L) 250 L (closed containers up to and

including 5 L) 50 L (open containers)

Hazardous atmosphere zone 100 L (closed containers) 25 L (decanting) 5 L (open occasionally) 1 L

(open containers in continuous use)

Fire extinguishers

Two required for 250 L

Emergency response plan 100 L (for a HSNO 9.1A substance); or 1,000 L (for all other HSNO 3.1B

substances)

Secondary containment 100 L (for a HSNO 9.1A substance); or 1,000 L (for all other HSNO 3.1B

substances)

Tracking Not required

Warning signage 100 L (for a HSNO 9.1A substance); or 250 L (for all other HSNO 3.1B

substances)

SECTION 16: Other information

Revision information:

Update to product identification numbers.

Document group:	09-1628-8	Version number:	4.00
Issue Date:	28/06/2020	Supersedes date:	06/12/2016

Key to abbreviations and acronyms

GHS means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013 HSNO means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz