



## Safety Data Sheet

© 2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 39-3531-9 **Version number:** 2.00  
**Issue Date:** 15/05/2019 **Supersedes date:** 10/04/2019

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer

#### Product Identification Numbers

70-2014-0689-2	70-2014-0690-0	70-2014-0691-8	70-2014-0692-6	70-2014-0693-4
70-2014-0694-2	70-2014-0695-9	70-2014-0696-7	70-2014-0697-5	70-2014-0719-7
70-2014-0720-5	70-2014-0721-3	70-2014-0722-1	70-2014-0723-9	70-2014-0724-7
70-2014-0725-4	70-2014-0726-2	70-2014-0727-0	70-2014-0749-4	70-2014-0752-8
70-2014-0765-0	70-2014-0768-4			

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental Product, Dental Restorative

For use only by dental professionals.

#### 1.3. Supplier's details

**Address:** 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland  
**Telephone:** (09) 477 4040  
**E Mail:** innovation@nz.mmm.com  
**Website:** 3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

### SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996, the Hazardous Substances (Classification) Notice 2017 and Hazardous Substances (Minimum Degrees of Hazard) Notice 2017.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

GHS	HSNO
Acute Toxicity (oral): Category 5	6.1E Acute toxicity (oral)
Skin Sensitiser: Category 1	6.5B Skin sensitiser
Acute Aquatic Toxicity: Category 2	9.1D Aquatic toxicity (acute)
Chronic Aquatic Toxicity: Category 3	9.1C Aquatic toxicity (chronic)

**2.2. Label elements****SIGNAL WORD**

WARNING!

**Symbols:**

Exclamation mark |

**Pictograms****HAZARD STATEMENTS:**

H303	May be harmful if swallowed.
H317	May cause an allergic skin reaction.
H401	Toxic to aquatic life.
H412	Harmful to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS****Prevention:**

P261	Avoid breathing dust/fume/gas/mist/vapours/spray.
P280E	Wear protective gloves.
P272A	Contaminated work clothing must not be allowed out of the workplace.

**Response:**

P302 + P352	IF ON SKIN: Wash with plenty of soap and water.
P333 + P313	If skin irritation or rash occurs: Get medical advice/attention.
P362 + P364	Take off contaminated clothing and wash it before reuse.
P321	Specific treatment (see Notes to Physician on this label).
P312	Call a POISON CENTRE or doctor/physician if you feel unwell.

**Disposal:**

P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.
------	--

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Silane treated ceramic	444758-98-9	40 - 70
Aromatic Urethane Dimethacrylate	1431303-59-1	10 - 30
Diurethane dimethacrylate	72869-86-4	1 - 10
Ytterbium fluoride (YbF <sub>3</sub> )	13760-80-0	1 - 10
1,12-Dodecane Dimethacrylate (DDDMA)	72829-09-5	1 - 5

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

Ceramic powder	None	1 - 5
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	248596-91-0	1 - 5
Water	7732-18-5	1 - 5

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

**Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

**Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

See Section 11.1 Information on toxicological effects

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable.

**SECTION 5: Fire-fighting measures****5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products****Substance**

Carbon monoxide.

Carbon dioxide.

**Condition**

During combustion.

During combustion.

**5.3. Special protective actions for fire-fighters**

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for

## 3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer

information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## SECTION 7: Handling and storage

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes.

### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

### 7.3. Certified handler

Not required

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Fluorides	13760-80-0	ACGIH	TWA(as F):2.5 mg/m <sup>3</sup>	A4: Not class. as human carcinogen
Fluorides	13760-80-0	New Zealand WES	TWA(as F)(8 hours): 2.5 mg/m <sup>3</sup>	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:  
Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Appearance/Odour	Slight acrylate odour, tooth coloured
Odour threshold	<i>No data available.</i>
pH	<i>Not applicable.</i>
Melting point/Freezing point	<i>No data available.</i>
Boiling point/Initial boiling point/Boiling range	<i>Not applicable.</i>
Flash point	No flash point
Evaporation rate	<i>Not applicable.</i>
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Vapour pressure	<i>Not applicable.</i>
Vapour density	<i>Not applicable.</i>
Density	1.9 g/cm <sup>3</sup>
Relative density	1.9
Water solubility	Negligible
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>Not applicable.</i>
Autoignition temperature	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
Viscosity	<i>No data available.</i>

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

Heat.  
High shear and high temperature conditions

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

**Substance**

**Condition**

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE 2,000 - 5,000 mg/kg
Silane treated ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane treated ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
YTTERBIUM FLUORIDE (YbF3)	Dermal	Professional	LD50 estimated to be > 5,000 mg/kg

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

		judgement	
YTTERBIUM FLUORIDE (YbF3)	Ingestion	Rat	LD50 > 5,000 mg/kg
Diurethane dimethacrylate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Diurethane dimethacrylate	Ingestion	Rat	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal		LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion		LD50 estimated to be > 5,000 mg/kg
1,12-DODECANE DIMETHACRYLATE (DDDMA)	Dermal	Professional judgement	LD50 estimated to be 2,000 - 5,000 mg/kg
1,12-DODECANE DIMETHACRYLATE (DDDMA)	Ingestion	similar compounds	LD50 2000-5000 mg/kg
Ceramic powder	Dermal		LD50 estimated to be > 5,000 mg/kg
Ceramic powder	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Silane treated ceramic	similar compounds	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Professional judgement	No significant irritation
Ceramic powder	Rabbit	No significant irritation

**Serious Eye Damage/Irritation**

Name	Species	Value
Silane treated ceramic	similar compounds	Mild irritant
YTTERBIUM FLUORIDE (YbF3)	Professional judgement	Mild irritant
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Professional judgement	No significant irritation
Ceramic powder	Rabbit	Mild irritant

**Skin Sensitisation**

Name	Species	Value
Silane treated ceramic	similar compounds	Not classified
Diurethane dimethacrylate	Guinea pig	Sensitising

**Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer****Germ Cell Mutagenicity**

Name	Route	Value
Ceramic powder	In Vitro	Some positive data exist, but the data are not sufficient for classification

**Carcinogenicity**

Name	Route	Species	Value
Silane treated ceramic	Inhalation	similar compounds	Some positive data exist, but the data are not sufficient for classification
Ceramic powder	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane treated ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compounds	NOAEL Not available	
Ceramic powder	Inhalation	pulmonary fibrosis	Not classified	Multiple animal species	NOAEL Not available	
Ceramic powder	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

**Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.**

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Ecotoxic to the aquatic environment.**

Acute Aquatic Toxicity: Category 2 (HSNO 9.1D Aquatic toxicity)

Chronic Aquatic Toxicity: Category 3 (HSNO 9.1C Aquatic toxicity)

No product test data available.



**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Silane treated ceramic	444758-98-9		Data not available or insufficient for classification			
AROMATIC URETHANE DIMETHACRYLATE	1431303-59-1		Data not available or insufficient for classification			
Diurethane dimethacrylate	72869-86-4	Green algae	Endpoint not reached	72 hours	Effect Growth Rate Conc 50%	>100 mg/l
Diurethane dimethacrylate	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diurethane dimethacrylate	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Diurethane dimethacrylate	72869-86-4	Green algae	Endpoint not reached	72 hours	Effect Conc. 10% - Growth Rate	>100 mg/l
YTTERBIUM FLUORIDE (YbF3)	13760-80-0		Data not available or insufficient for classification			
1,12-DODECANE DIMETHYCRYLATE (DDDMA)	72829-09-5	Green Algae	Experimental	72 hours	EC50	17 ug/l
1,12-DODECANE DIMETHYCRYLATE (DDDMA)	72829-09-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
1,12-DODECANE DIMETHYCRYLATE (DDDMA)	72829-09-5	Green Algae	Experimental	72 hours	Effect Concentration 10%	6.4 ug/l
Ceramic powder	None		Data not available or insufficient for classification			
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl) propyl ester, hydrolysis products with silica	248596-91-0		Data not available or insufficient for classification			

**12.2. Persistence and degradability**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Silane treated ceramic	444758-98-9	Data not availbl-			N/A	

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

		insufficient				
AROMATIC URETHANE DIMETHACRYLATE	1431303-59-1	Data not available- insufficient			N/A	
Diurethane dimethacrylate	72869-86-4	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
YTTERBIUM FLUORIDE (YbF3)	13760-80-0	Data not available- insufficient			N/A	
1,12-DODECANE DIMETHYCRYLATE (DDDMA)	72829-09-5	Experimental Biodegradation	28 days	CO2 evolution	97.3 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Ceramic powder	None	Data not available- insufficient			N/A	
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl) propyl ester, hydrolysis products with silica	248596-91-0	Data not available- insufficient			N/A	

**12.3 : Bioaccumulative potential**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Silane treated ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
AROMATIC URETHANE DIMETHACRYLATE	1431303-59-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Diurethane dimethacrylate	72869-86-4	Experimental Bioconcentration		Log Kow	3.39	Other methods
YTTERBIUM FLUORIDE (YbF3)	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,12-DODECANE DIMETHYCRYLATE (DDDMA)	72829-09-5	Estimated Bioconcentration		Bioaccumulation factor	6.6	Estimated: Bioconcentration factor
Ceramic	None	Data not	N/A	N/A	N/A	N/A

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

powder		available or insufficient for classification				
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl) propyl ester, hydrolysis products with silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5 Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1. Disposal methods**

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

**SECTION 14: Transport Information****New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Hazchem Code:** Not applicable.

**IERG:** Not applicable.

**International Air Transport Association (IATA) - Air Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**International Maritime Dangerous Goods Code (IMDG) - Marine Transport**

**UN No.:** Not applicable.

**Proper Shipping Name:** Not applicable.

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** Not applicable.

**Marine Pollutant:** Not applicable.

**SECTION 15: Regulatory information**

HSNO Approval number HSR002558  
Group standard name Dental Products (Subsidiary Hazard) Group Standard 2017  
HSNO Hazard classification Refer to Section 2: Hazard identification

**NZ Inventory of Chemicals (NZIoC) Status**

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

**Controls in accordance with the Health and Safety at Work (Hazardous Substances) Regulations 2017**

Certified handler Not required  
Location Compliance Certificate Not required  
Hazardous atmosphere zone Not required  
Fire extinguishers Not required  
Emergency response plan 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)  
Secondary containment 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a HSNO 6.1D, 6.5A, 6.5B, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg (for a HSNO 6.6A, 6.8A, 6.9A, 8.3A, 9.1D substance)  
Tracking Not required  
Warning signage 100 L or 100 kg (for a HSNO 9.1A substance); or 1,000 L or 1,000 kg (for a HSNO 8.3A, 9.1B or 9.1C substance); or 10,000 L or 10,000 kg (for a HSNO 6.1D or 9.1D substance)

**SECTION 16: Other information**

**Revision information:**

Update to product identification numbers.

<b>Document group:</b>	39-3531-9	<b>Version number:</b>	2.00
<b>Issue Date:</b>	15/05/2019	<b>Supersedes date:</b>	10/04/2019

**Key to abbreviations and acronyms**

**GHS** means the Globally Harmonised System of Classification and Labelling of Chemicals, 5th revised edition 2013

**HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic

**3M™ Filtek™ Universal Restorative - All shades except Pink Opaquer**

transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

**3M New Zealand SDS are available at 3M New Zealand Website: <http://solutions.3mnz.co.nz>**