

## Safety Data Sheet

© 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	31-6604-8	Version number:	3.00
Issue Date:	12/02/2023	Supersedes date:	03/12/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **IDENTIFICATION:**

## 1.1. Product identifier

3M<sup>TM</sup> Imprint<sup>TM</sup> 4 Light Refill (71488)

**Product Identification Numbers** 70-2011-4143-2

#### 1.2. Recommended use and restrictions on use

#### **Recommended use**

Dental Product, Impression Material

**Restrictions on use** For use by dental professionals only.

#### 1.3. Supplier's details

Address:3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, AucklandTelephone:(09) 477 4040E Mail:innovation@nz.mmm.comWebsite:3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

# This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the SDSs for components of this product are:

31-4863-2, 31-4872-3

One or more components of this KIT is classified as a hazardous substance in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

## **TRANSPORT INFORMATION**

#### NOT HAZARDOUS FOR TRANSPORT

#### **Revision information:**

Complete document review.

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



## **Safety Data Sheet**

© 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	31-4863-2	Version number:	3.00
Issue Date:	12/02/2023	Supersedes date:	03/12/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> Imprint<sup>TM</sup> 4 Light Base

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Impression Material

#### **Restrictions on use**

For use by dental professionals only.

#### 1.3. Supplier's details

Address:3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, AucklandTelephone:(09) 477 4040E Mail:innovation@nz.mmm.comWebsite:3m.co.nz

1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Chronic Aquatic Toxicity: Category 3

**2.2. Label elements SIGNAL WORD** Not applicable.

**Symbols:** Not applicable.

HAZARD STATEMENTS: H412	Harmful to aquatic life with long lasting effects.
PRECAUTIONARY STATEMEN	ITS
<b>Prevention</b> P273	Avoid release to the environment.
<b>Disposal</b> P501	Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

#### 2.3. Other hazards

The silicosis target organ toxicity classification is not applied because there is no potential for inhalation exposure.

## **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Cristobalite	14464-46-1	20 - 40
Vinyl-polydimethyl siloxane	68083-19-2	30 - 40
Dimethyl methyl hydrogen silicone fluid	68037-59-2	10 - 20
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis	67762-90-7	1 - 10
products with silica		
Allyltrimethylsilane	762-72-1	< 5
Polyethyleneglycol, siloxane terminated	27306-78-1	< 5
Fluorinated polyether	Trade Secret	< 5
Quartz	14808-60-7	< 0.5

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### **4.3. Indication of any immediate medical attention and special treatment required** Not applicable

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

Substance	<u>Condition</u>
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

#### **5.4. Hazchem code:** Not applicable.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2.** Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

#### 7.3. Certified handler

Not required

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CA	AS Nbr	Agency	Limit type	Additional comments
---------------	--------	--------	------------	---------------------

#### 3М<sup>тм</sup> Imprint<sup>тм</sup> 4 Light Base

Cristobalite	14464-46-1	ACGIH	TWA(respirable fraction):0.025 mg/m3	A2: Suspected human carcin.
Dust, inert or nuisance	14464-46-1	New Zealand WES	TWA(as respirable dust)(8 hours):3 mg/m3;TWA(as inhalable dust)(8 hours):10 mg/m3	
Glass filaments	14464-46-1	New Zealand WES	TWA(Respirable fibers)(8 hours):1 f/mL;TWA(as respirable dust)(8 hours):1 f/mL;TWA(as inhalable dust)(8 hours):5 mg/m3	
Kieselguhr, soda ash flux-calcined	14464-46-1	New Zealand WES	TWA(8 hours):10 mg/m3	
Silica, crystalline (airborne particles of respirable size)	14464-46-1	New Zealand WES	TWA(as respirable dust)(8 hours):0.05 mg/m3	Class-subclass 6.7, carc HCA
Quartz	14808-60-7	ACGIH	TWA(respirable fraction):0.025 mg/m3	A2: Suspected human carcin.
Silica, crystalline (airborne particles of respirable size) ACGIH : American Conference of Governm AIHA : American Industrial Hygiene Assoc		New Zealand WES Hygienists	TWA(as respirable dust)(8 hours):0.05 mg/m3	Class-subclass 6.7, carc HCA

CMRG : Chemical Manufacturer's Recommended Guidelines

New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million mg/m<sup>3</sup>: milligrams per cubic metre CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

Safety glasses with side silicitas.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### **Respiratory protection**

None required.

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical state S	Solid.
Specific Physical Form:	aste

Colour	White	
Odour	Minty	
Odour threshold	No data available.	
рН	No data available.	
Melting point/Freezing point	Not applicable.	
Boiling point/Initial boiling point/Boiling range	Not applicable.	
Flash point	No flash point	
Evaporation rate	No data available.	
Flammability (solid, gas)	Not classified	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Vapour pressure	No data available.	
Vapor Density and/or Relative Vapor Density	No data available.	
Density	1.1 g/cm3 - 1.3 g/cm3	
Relative density	1.1 - 1.3 [ <i>Ref Std</i> :WATER=1]	
Water solubility	Negligible	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	nol/water Not applicable.	
Autoignition temperature	No data available.	
Decomposition temperature	No data available.	
Viscosity/Kinematic Viscosity	No data available.	
Volatile organic compounds (VOC)	Not applicable.	
Percent volatile	Not applicable.	
VOC less H2O & exempt solvents	Not applicable.	
Molecular weight	Not applicable.	

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

#### **10.3** Possibility of hazardous reactions

Hazardous polymerisation will not occur.

## **10.4 Conditions to avoid** Heat.

#### **10.5 Incompatible materials**

Amines. Strong acids. Strong bases. Strong oxidising agents.

#### **10.6 Hazardous decomposition products**

<u>Substance</u>

None known.

**Condition** 

Refer to Section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects** 

Signs and Symptoms of Exposure

#### Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### Additional Health Effects:

#### **Carcinogenicity:**

Exposures needed to cause the following health effect(s) are not expected during normal, intended use: Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Vinyl-polydimethyl siloxane	Dermal	Rabbit	LD50 > 15,440 mg/kg
Vinyl-polydimethyl siloxane	Ingestion	Rat	LD50 > 15,440 mg/kg
Cristobalite	Dermal		LD50 estimated to be > 5,000 mg/kg
Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg
Dimethyl methyl hydrogen silicone fluid	Dermal	Rabbit	LD50 > 2,000 mg/kg
Dimethyl methyl hydrogen silicone fluid	Ingestion	Rat	LD50 > 2,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Polyethyleneglycol, siloxane terminated	Dermal	Rabbit	LD50 > 2,000 mg/kg
Polyethyleneglycol, siloxane terminated	Inhalation- Dust/Mist (4 hours)	Rat	LC50 2 mg/l
Polyethyleneglycol, siloxane terminated	Ingestion	Rat	LD50 > 2,000 mg/kg

#### **3M<sup>TM</sup>** Imprint<sup>TM</sup> 4 Light Base

Allyltrimethylsilane	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Allyltrimethylsilane	Ingestion	similar compoun ds	LD50 estimated to be 2,000 - 5,000 mg/kg
Fluorinated polyether	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Fluorinated polyether	Ingestion	Rat	LD50 > 1,000 mg/kg
Quartz	Dermal		LD50 estimated to be > 5,000 mg/kg
Quartz	Ingestion		LD50 estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Vinyl-polydimethyl siloxane	Rabbit	No significant irritation
Cristobalite	Professio	No significant irritation
	nal	
	judgemen	
	t	
Dimethyl methyl hydrogen silicone fluid	Rabbit	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	Rabbit	No significant irritation
with silica		
Polyethyleneglycol, siloxane terminated	Rabbit	No significant irritation
Allyltrimethylsilane	Not	Irritant
	available	
Quartz	Professio	No significant irritation
	nal	
	judgemen	
	t	

#### Serious Eye Damage/Irritation

Name	Species	Value
Vinyl-polydimethyl siloxane	Rabbit	Mild irritant
Dimethyl methyl hydrogen silicone fluid	Rabbit	Mild irritant
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Polyethyleneglycol, siloxane terminated	Rabbit	Severe irritant
Allyltrimethylsilane	Not	Severe irritant
	available	

#### Sensitisation:

#### **Skin Sensitisation**

Name	Species	Value
Dimethyl methyl hydrogen silicone fluid	Guinea	Not classified
	pig	
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products	Human	Not classified
with silica	and	
	animal	
Polyethyleneglycol, siloxane terminated	Guinea	Not classified
	pig	

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

Name	Route	Value
Cristobalite	In Vitro	Some positive data exist, but the data are not sufficient for classification
Cristobalite	In vivo	Some positive data exist, but the data are not sufficient for classification
Dimethyl methyl hydrogen silicone fluid	In Vitro	Not mutagenic
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	In Vitro	Not mutagenic
Polyethyleneglycol, siloxane terminated	In Vitro	Not mutagenic
Polyethyleneglycol, siloxane terminated	In vivo	Not mutagenic
Allyltrimethylsilane	In Vitro	Not mutagenic
Quartz	In Vitro	Some positive data exist, but the data are not sufficient for classification
Quartz	In vivo	Some positive data exist, but the data are not sufficient for classification

#### Carcinogenicity

Name	Route	Species	Value
Cristobalite	Inhalation	Human	Carcinogenic.
		and	
		animal	
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester,	Not	Mouse	Some positive data exist, but the data are not
hydrolysis products with silica	specified.		sufficient for classification
Quartz	Inhalation	Human	Carcinogenic.
		and	
		animal	

## **Reproductive Toxicity**

## **Reproductive and/or Developmental Effects**

Name Route Value		Value	Species	Test result	Exposure Duration	
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation	
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation	
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis	
Polyethyleneglycol, siloxane terminated	Ingestion	Not classified for reproduction and/or development	Rat	NOAEL 450 mg/kg/day	premating & during gestation	
Fluorinated polyether	Ingestion	Not classified for reproduction and/or development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation	
Fluorinated polyether	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation	
Fluorinated polyether	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation	

## Target Organ(s)

## Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Allyltrimethylsilane	Inhalation	respiratory irritation	May cause respiratory irritation	Not available	NOAEL Not available	

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Cristobalite	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
2-Propenoic acid, 2- methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
Fluorinated polyether	Ingestion	auditory system   heart   endocrine system   hematopoietic system   liver   immune system   muscles   nervous system   eyes	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Quartz	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity Ecotoxic to the aquatic environment.** Acute Aquatic Toxicity: Category 3 Chronic Aquatic Toxicity: Category 3

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
Cristobalite	14464-46-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Vinyl- polydimethyl siloxane	68083-19-2	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Dimethyl methyl hydrogen silicone fluid	68037-59-2	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)		N/A	Data not available or insufficient for classification	N/A	N/A	N/A

propyl ester, hydrolysis products with silica					27/4	
Allyltrimethyls ilane	762-72-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Fluorinated polyether	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Polyethylenegl ycol, siloxane terminated	27306-78-1	Green algae	Estimated	96 hours	EC50	32 mg/l
Polyethylenegl ycol, siloxane terminated	27306-78-1	Rainbow trout	Estimated	96 hours	LC50	4.5 mg/l
Polyethylenegl ycol, siloxane terminated	27306-78-1	Water flea	Estimated	48 hours	LC50	23.4 mg/l
Quartz	14808-60-7	Green algae	Estimated	72 hours	EC50	440 mg/l
Quartz	14808-60-7	Water flea	Estimated	48 hours	EC50	7,600 mg/l
Quartz	14808-60-7	Zebra Fish	Estimated	96 hours	LC50	5,000 mg/l
Quartz	14808-60-7	Green algae	Estimated	72 hours	NOEC	60 mg/l

## 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cristobalite	14464-46-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Vinyl- polydimethyl siloxane	68083-19-2	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Dimethyl methyl hydrogen silicone fluid	68037-59-2	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica		Data not availbl- insufficient	N/A	N/A	N/A	N/A
Allyltrimethyls ilane	762-72-1	Estimated Biodegradation	28 days	BOD	9 %BOD/ThO D	OECD 301F - Manometric respirometry
Fluorinated polyether	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Polyethylenegl ycol, siloxane	27306-78-1	Modeled Biodegradation	28 days	BOD	1 %BOD/ThO D	Catalogic™

terminated					
Quartz	Data not availbl- insufficient	N/A	N/A	N/A	N/A

#### 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Cristobalite	14464-46-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Vinyl- polydimethyl siloxane	68083-19-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Dimethyl methyl hydrogen silicone fluid	68037-59-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica		Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Allyltrimethyls ilane	762-72-1	Estimated Bioconcentrati on		Bioaccumulatio n factor	269	
Fluorinated polyether	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Polyethylenegl ycol, siloxane terminated	27306-78-1	Modeled Bioconcentrati on		Bioaccumulatio n factor	331	Catalogic™
Quartz	14808-60-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

#### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerized may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable. IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

#### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable. Marine Pollutant: Not applicable.

## **SECTION 15: Regulatory information**

HSNO Approval numberHSR002558Group standard nameDental Products (Subsidiary Hazard) Group Standard 2020HSNO Hazard classificationRefer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

# Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handlerNot requiredLocation Compliance CertificateNot requiredHazardous atmosphere zoneNot requiredFire extinguishersNot requiredEmergency response plan100 L or 100 kg (for Hazardous to the aquatic environment Category 1<br/>substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin<br/>sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to<br/>the aquatic environment Category 2 or Hazardous to the aquatic environment<br/>Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity

Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
100 L or 100 kg (for Hazardous to the aquatic environment Category 1
substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to
the aquatic environment Category 2 or Hazardous to the aquatic environment
Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity
Category 1, Reproductive toxicity Category 1, Specific target organ toxicity
Category 1, Serious eye damage Category 1, Hazardous to the aquatic
environment Category 4 substances)
Not required
100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)

## **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	31-4863-2	Version number:	3.00
Issue Date:	12/02/2023	Supersedes date:	03/12/2018

#### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

#### 3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz



## **Safety Data Sheet**

© 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	31-4872-3	Version number:	3.00
Issue Date:	14/06/2023	Supersedes date:	03/12/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

## **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> IMPRINT<sup>TM</sup> 4 LIGHT Catalyst

#### 1.2. Recommended use and restrictions on use

#### **Recommended use**

Dental Product, Impression Material

For use only by dental professionals.

#### **Restrictions on use**

For use only by dental professionals in approved indications.

#### 1.3. Supplier's details

Address:	3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland
Telephone:	(09) 477 4040
E Mail:	innovation@nz.mmm.com
Website:	3m.co.nz

#### **1.4. Emergency telephone number**

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

## **SECTION 2: Hazard identification**

Not classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020. Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

## 2.1. Classification of the substance or mixture

Not classified as hazardous.

**2.2. Label elements SIGNAL WORD** Not applicable.

Symbols:

Not applicable.

## **SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Vinyl terminated polydimethylsiloxane	68083-19-2	40 - 60
Cristobalite	14464-46-1	20 - 40
Poly(dimethylsiloxane)	63148-62-9	1 - 10
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis	67762-90-7	1 - 10
products with silica		

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### **4.3. Indication of any immediate medical attention and special treatment required** Not applicable

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

Substance	<u>Condition</u>
Carbon monoxide.	During combustion.
Carbon dioxide.	During combustion.
Irritant vapours or gases.	During combustion.

#### 5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code:** Not applicable.

## **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

## **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

#### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

#### 7.3. Certified handler

Not required

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Cristobalite	14464-46-1	ACGIH	TWA(respirable	A2: Suspected human
			fraction):0.025 mg/m3	carcin.
Dust, inert or nuisance	14464-46-1	New Zealand	TWA(as respirable dust)(8	
		WES	hours):3 mg/m3;TWA(as	
			inhalable dust)(8 hours):10	
	1 1 4 4 6 4 4 6 1	NT 77 1 1	mg/m3	
Kieselguhr, soda ash flux-calcined	1 14464-46-1		TWA(8 hours):10 mg/m3	
C'1' ( 11' ( 1 1	1 4 4 6 4 4 6 1	WES		
Silica, crystalline (airborne	14464-46-1	New Zealand	TWA(as respirable dust)(8	Class-subclass 6.7, carc
particles of respirable size)		WES	hours):0.05 mg/m3	HCA
ACGIH : American Conference of Governme	nental Industrial	Hygienists		
AIHA : American Industrial Hygiene Asso				
CMRG : Chemical Manufacturer's Recomm				
New Zealand WES : New Zealand Workpla	ace Exposure Sta	ndards.		
TWA: Time-Weighted-Average				
STEL: Short Term Exposure Limit				
ppm: parts per million				
mg/m <sup>3</sup> : milligrams per cubic metre				

CEIL: Ceiling

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

#### **Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

### **Respiratory protection**

None required.

## **SECTION 9: Physical and chemical properties**

Physical state	Solid.	
Specific Physical Form:	Paste	
Colour	Pink	
Odour	Slight Odour, Characteristic Odour	
Odour threshold	No data available.	
рН	No data available.	
Melting point/Freezing point	Not applicable.	
Boiling point/Initial boiling point/Boiling range	Not applicable.	
Flash point	No flash point	
Evaporation rate	No data available.	
Flammability (solid, gas)	Not classified	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Vapour pressure	No data available.	
Vapor Density and/or Relative Vapor Density	No data available.	
Density	1.2 g/cm3 - 1.4 g/cm3	
Relative density	1.2 - 1.4 [ <i>Ref Std</i> :WATER=1]	
Water solubility	Negligible	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	Not applicable.	
Autoignition temperature	No data available.	
Decomposition temperature	No data available.	
Viscosity/Kinematic Viscosity	No data available.	
Volatile organic compounds (VOC)	Not applicable.	
Percent volatile	Not applicable.	
VOC less H2O & exempt solvents	Not applicable.	

#### 9.1. Information on basic physical and chemical properties

Molecular weight

Not applicable.

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### **10.2** Chemical stability

Stable.

#### **10.3 Possibility of hazardous reactions**

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

#### **10.5 Incompatible materials**

Amines. Strong acids. Strong bases. Strong oxidising agents.

#### 10.6 Hazardous decomposition products

<u>Substance</u>

None known.

Condition

Refer to Section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects** 

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

This product may have a characteristic odour; however, no adverse health effects are anticipated.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Additional Health Effects:**

#### **Carcinogenicity:**

Exposures needed to cause the following health effect(s) are not expected during normal, intended use: Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Vinyl terminated polydimethylsiloxane	Dermal	Rabbit	LD50 > 15,440 mg/kg
Vinyl terminated polydimethylsiloxane	Ingestion	Rat	LD50 > 15,440 mg/kg
Cristobalite	Dermal		LD50 estimated to be > 5,000 mg/kg
Cristobalite	Ingestion		LD50 estimated to be > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
Poly(dimethylsiloxane)	Dermal	Rabbit	LD50 > 19,400 mg/kg
Poly(dimethylsiloxane)	Ingestion	Rat	LD50 > 17,000 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Vinyl terminated polydimethylsiloxane	Rabbit	No significant irritation
Cristobalite	Professio nal judgemen t	No significant irritation
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Poly(dimethylsiloxane)	Rabbit	No significant irritation

#### Serious Eye Damage/Irritation

Name	Species	Value
Vinyl terminated polydimethylsiloxane	Rabbit	Mild irritant
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Rabbit	No significant irritation
Poly(dimethylsiloxane)	Rabbit	No significant irritation

#### Sensitisation:

#### Skin Sensitisation

Name	Species	Value
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	Human and animal	Not classified

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

Name	Route	Value
Cristobalite	In Vitro	Some positive data exist, but the data are not sufficient for classification
Cristobalite	In vivo	Some positive data exist, but the data are not sufficient for classification
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester, hydrolysis products with silica	In Vitro	Not mutagenic

#### Carcinogenicity

Name	Route	Species	Value
Cristobalite	Inhalation	Human	Carcinogenic.
		and	
		animal	
2-Propenoic acid, 2-methyl-, 3-(trimetoxysilyl)propyl ester,	Not	Mouse	Some positive data exist, but the data are not
hydrolysis products with silica	specified.		sufficient for classification

#### **Reproductive Toxicity**

#### **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

#### Target Organ(s)

#### **Specific Target Organ Toxicity - single exposure**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Cristobalite	Inhalation	silicosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
2-Propenoic acid, 2- methyl-, 3- (trimetoxysilyl)propyl ester, hydrolysis products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

## **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in

Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

#### 12.1. Toxicity

No product test data available.

Material	CAS Number	Organism	Туре	Exposure	Test endpoint	Test result
Vinyl terminated polydimethylsil oxane	68083-19-2	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Cristobalite	14464-46-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Poly(dimethyls iloxane)	63148-62-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica	67762-90-7	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

#### 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Vinyl	68083-19-2	Data not	N/A	N/A	N/A	N/A
terminated		availbl-				
polydimethylsil		insufficient				
oxane						
Cristobalite	14464-46-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Poly(dimethyls iloxane)	63148-62-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, 3- (trimetoxysilyl) propyl ester, hydrolysis products with silica		Data not availbl- insufficient	N/A	N/A	N/A	N/A

#### **12.3 : Bioaccumulative potential**

Vinyl	68083-19-2	Data not	N/A	N/A	N/A	N/A
terminated		available or				
polydimethylsil		insufficient for				
oxane		classification				
Cristobalite	14464-46-1	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				
Poly(dimethyls	63148-62-9	Data not	N/A	N/A	N/A	N/A
iloxane)		available or				
		insufficient for				
		classification				
2-Propenoic	67762-90-7	Data not	N/A	N/A	N/A	N/A
acid, 2-methyl-,		available or				
3-		insufficient for				
(trimetoxysilyl)		classification				
propyl ester,						
hydrolysis						
products with						
silica						

#### 12.4. Mobility in soil

Please contact manufacturer for more details

#### 12.5 Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## **SECTION 14: Transport Information**

New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

Hazchem Code: Not applicable. IERG: Not applicable.

International Air Transport Association (IATA) - Air Transport UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable.

#### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: Not applicable. Proper Shipping Name: Not applicable. Class/Division: Not applicable. Sub Risk: Not applicable. Packing Group: Not applicable. Marine Pollutant: Not applicable.

## **SECTION 15: Regulatory information**

HSNO Approval numberNot applicableGroup standard nameNot applicableHSNO Hazard classificationRefer to Section 2: Hazard identification

#### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler	Not required
Location Compliance Certificate	Not required
Hazardous atmosphere zone	Not required
Fire extinguishers	Not required
Emergency response plan	Not required
Secondary containment	Not required
Tracking	Not required
Warning signage	Not required

## **SECTION 16: Other information**

#### **Revision information:**

Complete document review.

Document group:	31-4872-3	Version number:	3.00
Issue Date:	14/06/2023	Supersedes date:	03/12/2018

#### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017 **HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

## 3M New Zealand SDS are available at 3M New Zealand Website: http://solutions.3mnz.co.nz