



## Safety Data Sheet

© 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	31-1081-4	<b>Version number:</b>	3.00
<b>Issue Date:</b>	01/02/2023	<b>Supersedes date:</b>	27/11/2018

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Cavit™-G (44313)

#### Product Identification Numbers

70-2011-0466-1

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental product, Temporary restorative

##### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

**Address:** 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland  
**Telephone:** (09) 477 4040  
**E Mail:** innovation@nz.mmm.com  
**Website:** 3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

### SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Acute Aquatic Toxicity: Category 1

Chronic Aquatic Toxicity: Category 1

#### 2.2. Label elements

##### SIGNAL WORD

Warning

**Symbols:**

Environment |

**Pictograms****HAZARD STATEMENTS:**

H410 Very toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS****Prevention**

P273 Avoid release to the environment.

**Response**

P391 Collect spillage.

**Disposal**

P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**2.3. Other hazards**

A similar mixture has been tested for eye damage/irritation and the test results do not meet the criteria for classification.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Zinc oxide	1314-13-2	30 - 50
Talc	14807-96-6	10 - 30
Barium sulphate	7727-43-7	10 - 20
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	10 - 20
Zinc sulphate	7733-02-0	1 - 20
Poly(vinyl acetate)	9003-20-7	1 - 10
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	1 - 10

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

No need for first aid is anticipated. If symptoms develop, remove the affected person to fresh air. Get medical attention.

**Skin contact**

No need for first aid is anticipated.

**Eye contact**

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

**If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

**4.2. Most important symptoms and effects, both acute and delayed**

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

**4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

**SECTION 5: Fire-fighting measures**

**5.1. Suitable extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

**5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

**Hazardous Decomposition or By-Products**

**Substance**

Carbon monoxide.

Carbon dioxide.

Irritant vapours or gases.

**Condition**

During combustion.

During combustion.

During combustion.

**5.3. Special protective actions for fire-fighters**

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

**5.4. Hazchem code: 2Z**

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

**6.2. Environmental precautions**

Avoid release to the environment.

**6.3. Methods and material for containment and cleaning up**

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

**SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

**7.1. Precautions for safe handling**

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

**7.2. Conditions for safe storage including any incompatibilities**

No special storage requirements.

**7.3. Certified handler**

Not required

**SECTION 8: Exposure controls/personal protection****8.1 Control parameters****Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

<b>Ingredient</b>	<b>CAS Nbr</b>	<b>Agency</b>	<b>Limit type</b>	<b>Additional comments</b>
Sulfuric acid, calcium salt (1:1)	10034-76-1	New Zealand WES	TWA(8 hours):10 mg/m <sup>3</sup>	
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	ACGIH	TWA(inhalable fraction):10 mg/m <sup>3</sup>	
Zinc oxide	1314-13-2	ACGIH	TWA(respirable fraction):2 mg/m <sup>3</sup> ;STEL(respirable fraction):10 mg/m <sup>3</sup>	
Zinc oxide	1314-13-2	New Zealand WES	TWA(respirable)(8 hours):0.1 mg/m <sup>3</sup> ;TWA(8 hours):2 mg/m <sup>3</sup> ;STEL(respirable)(15 minutes):0.5 mg/m <sup>3</sup> ;STEL(15 minutes):5 mg/m <sup>3</sup>	
Talc	14807-96-6	ACGIH	TWA(respirable fraction):2 mg/m <sup>3</sup>	A4: Not class. as human carcinogen
Talc	14807-96-6	New Zealand WES	Limit value not established:	
Talc	14807-96-6	New Zealand WES	TWA(as respirable dust)(8 hours):2 mg/m <sup>3</sup>	
Barium sulphate	7727-43-7	ACGIH	TWA(inhalable fraction):5 mg/m <sup>3</sup>	
Barium sulphate	7727-43-7	New Zealand WES	TWA(8 hours):10 mg/m <sup>3</sup>	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CEIL: Ceiling

**8.2. Exposure controls****8.2.1. Engineering controls**

Use in a well-ventilated area.

**8.2.2. Personal protective equipment (PPE)****Eye/face protection**

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS 1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Colour	Grey
Odour	Slight Acetic Acid
Odour threshold	<i>No data available.</i>
pH	<i>Not applicable.</i>
Melting point/Freezing point	<i>No data available.</i>
Boiling point/Initial boiling point/Boiling range	<i>Not applicable.</i>
Flash point	Flash point > 93 °C (200 °F)
Evaporation rate	<i>No data available.</i>
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Vapour pressure	<i>Not applicable.</i>
Vapor Density and/or Relative Vapor Density	<i>Not applicable.</i>
Density	2.6 g/cm <sup>3</sup> - 3 g/cm <sup>3</sup>
Relative density	2.6 - 2.8 [ <i>Ref Std: WATER=1</i> ]
Water solubility	Nil
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>Not applicable.</i>
Autoignition temperature	<i>Not applicable.</i>
Decomposition temperature	<i>No data available.</i>
Viscosity/Kinematic Viscosity	<i>No data available.</i>
Volatile organic compounds (VOC)	<i>Not applicable.</i>
Percent volatile	<i>Not applicable.</i>
VOC less H <sub>2</sub> O & exempt solvents	<i>Not applicable.</i>

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products****Substance****Condition**

None known.

Refer to Section 5.2 for hazardous decomposition products during combustion.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects****Signs and Symptoms of Exposure**

**Based on test data and/or information on the components, this material may produce the following health effects:**

**Inhalation**

This product may have a characteristic odour; however, no adverse health effects are anticipated.

**Skin contact**

Contact with the skin during product use is not expected to result in significant irritation.

**Eye contact**

Contact with the eyes during product use is not expected to result in significant irritation.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Zinc oxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Zinc oxide	Inhalation-Dust/Mist (4 hours)	Rat	LC50 > 5.7 mg/l
Zinc oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Barium sulphate	Dermal		LD50 estimated to be > 5,000 mg/kg
Barium sulphate	Ingestion	Rat	LD50 > 15,000 mg/kg
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	Dermal	Rabbit	LD50 9,040 mg/kg
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	Ingestion	Rat	LD50 15,594 mg/kg
Talc	Dermal		LD50 estimated to be > 5,000 mg/kg
Talc	Ingestion		LD50 estimated to be > 5,000 mg/kg
Zinc sulphate	Dermal	Rat	LD50 > 2,000 mg/kg

Zinc sulphate	Ingestion	Rat	LD50 920 mg/kg
Sulfuric Acid, Calcium Salt, Hydrate	Dermal	Professional judgement	LD50 estimated to be > 5,000 mg/kg
Sulfuric Acid, Calcium Salt, Hydrate	Ingestion	similar compounds	LD50 estimated to be > 5,000 mg/kg
Poly(vinyl acetate)	Dermal		LD50 estimated to be > 5,000 mg/kg
Poly(vinyl acetate)	Ingestion	Rat	LD50 > 9,700 mg/kg

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

Name	Species	Value
Zinc oxide	Human and animal	No significant irritation
Talc	Rabbit	No significant irritation
Zinc sulphate	Rabbit	No significant irritation
Poly(vinyl acetate)	Rabbit	Mild irritant

**Serious Eye Damage/Irritation**

Name	Species	Value
Zinc oxide	Rabbit	Mild irritant
Barium sulphate	Rabbit	No significant irritation
Talc	Rabbit	No significant irritation
Zinc sulphate	Rabbit	Corrosive
Poly(vinyl acetate)	similar health hazards	Moderate irritant

**Sensitisation:****Skin Sensitisation**

Name	Species	Value
Zinc oxide	Guinea pig	Not classified
Zinc sulphate	Multiple animal species	Not classified
Poly(vinyl acetate)	Human	Not classified

**Respiratory Sensitisation**

Name	Species	Value
Talc	Human	Not classified

**Germ Cell Mutagenicity**

Name	Route	Value
Zinc oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Zinc oxide	In vivo	Some positive data exist, but the data are not sufficient for classification
Talc	In Vitro	Not mutagenic
Talc	In vivo	Not mutagenic
Zinc sulphate	In Vitro	Some positive data exist, but the data are not sufficient for classification

Zinc sulphate	In vivo	Some positive data exist, but the data are not sufficient for classification
---------------	---------	--

### Carcinogenicity

Name	Route	Species	Value
Talc	Inhalation	Rat	Some positive data exist, but the data are not sufficient for classification
Zinc sulphate	Ingestion	Mouse	Not carcinogenic
Poly(vinyl acetate)	Not specified.	Multiple animal species	Not carcinogenic

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Zinc oxide	Ingestion	Not classified for reproduction and/or development	Multiple animal species	NOAEL 125 mg/kg/day	prematuring & during gestation
Talc	Ingestion	Not classified for development	Rat	NOAEL 1,600 mg/kg	during organogenesis
Zinc sulphate	Ingestion	Not classified for development	Rat	NOAEL 42.5 mg/kg/day	during organogenesis
Zinc sulphate	Ingestion	Not classified for female reproduction	similar compounds	NOAEL 7.2 mg zinc/kg/day	
Zinc sulphate	Ingestion	Not classified for male reproduction	Rat	LOAEL 240 mg zinc/kg/day	30 days

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Zinc sulphate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL not available	

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Zinc oxide	Ingestion	nervous system	Not classified	Rat	NOAEL 600 mg/kg/day	10 days
Zinc oxide	Ingestion	endocrine system   hematopoietic system   kidney and/or bladder	Not classified	Other	NOAEL 500 mg/kg/day	6 months
Barium sulphate	Inhalation	pneumoconiosis	Not classified	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Talc	Inhalation	pulmonary fibrosis   respiratory system	Not classified	Rat	NOAEL 18 mg/m <sup>3</sup>	113 weeks
Zinc sulphate	Inhalation	heart   respiratory system	Not classified	Rat	NOAEL 100 ug zinc/m <sup>3</sup>	16 weeks
Zinc sulphate	Ingestion	endocrine system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 53.5 mg zinc/kg/day	13 weeks
Zinc sulphate	Ingestion	hematopoietic system   liver   kidney and/or bladder   heart   gastrointestinal tract	Not classified	Rat	NOAEL 564 mg zinc/kg/day	13 weeks



		bone, teeth, nails, and/or hair   immune system   muscles   nervous system   respiratory system				
--	--	--	--	--	--	--

**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Ecotoxic to the aquatic environment.**

Acute Aquatic Toxicity: Category 1

Chronic Aquatic Toxicity: Category 1

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Zinc oxide	1314-13-2	Activated sludge	Estimated	3 hours	EC50	6.5 mg/l
Zinc oxide	1314-13-2	Green algae	Estimated	72 hours	EC50	0.052 mg/l
Zinc oxide	1314-13-2	Rainbow trout	Estimated	96 hours	LC50	0.21 mg/l
Zinc oxide	1314-13-2	Water flea	Estimated	48 hours	EC50	0.07 mg/l
Zinc oxide	1314-13-2	Green algae	Estimated	72 hours	NOEC	0.006 mg/l
Zinc oxide	1314-13-2	Water flea	Estimated	7 days	NOEC	0.02 mg/l
Talc	14807-96-6	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Barium sulphate	7727-43-7	Green algae	Analogous Compound	72 hours	No tox obs at lmt of water sol	>100 mg/l
Barium sulphate	7727-43-7	Sheepshead Minnow	Analogous Compound	96 hours	LC50	>849.7 mg/l
Barium sulphate	7727-43-7	Water flea	Analogous Compound	48 hours	No tox obs at lmt of water sol	>100 mg/l
Barium sulphate	7727-43-7	Zebra Fish	Analogous Compound	96 hours	No tox obs at lmt of water sol	>100 mg/l
Barium sulphate	7727-43-7	Green algae	Analogous Compound	72 hours	No tox obs at lmt of water sol	>100 mg/l
Barium sulphate	7727-43-7	Water flea	Analogous Compound	21 days	NOEC	4.9 mg/l
Barium sulphate	7727-43-7	Zebra Fish	Analogous Compound	33 days	No tox obs at lmt of water sol	>100 mg/l
Barium	7727-43-7	Activated	Analogous	3 hours	EC50	>622 mg/l

sulphate		sludge	Compound			
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Fathead minnow	Experimental	96 hours	LC50	185 mg/l
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Green algae	Experimental	72 hours	EC50	>100 mg/l
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Water flea	Experimental	48 hours	EC50	>100 mg/l
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Green algae	Experimental	72 hours	NOEC	100 mg/l
Zinc sulphate	7733-02-0	Rainbow trout	Estimated	96 hours	LC50	0.42 mg/l
Zinc sulphate	7733-02-0	N/A	Experimental	48 hours	EC50	0.099 mg/l
Zinc sulphate	7733-02-0	Activated sludge	Experimental	3 hours	EC50	12.8 mg/l
Zinc sulphate	7733-02-0	Green algae	Experimental	72 hours	EC50	0.104 mg/l
Zinc sulphate	7733-02-0	Water flea	Experimental	48 hours	EC50	0.15 mg/l
Zinc sulphate	7733-02-0	Diatom	Experimental	72 hours	NOEC	0.05 mg/l
Zinc sulphate	7733-02-0	Green algae	Experimental	72 hours	NOEC	0.012 mg/l
Zinc sulphate	7733-02-0	Water flea	Experimental	7 days	NOEC	0.032 mg/l
Poly(vinyl acetate)	9003-20-7	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Bluegill	Analogous Compound	96 hours	LC50	>2,980 mg/l
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Diatom	Analogous Compound	96 hours	EC50	3,200 mg/l
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Water flea	Analogous Compound	48 hours	EC50	>1,970 mg/l
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Water flea	Analogous Compound	21 days	NOEC	1,600 mg/l
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Activated sludge	Analogous Compound	3 hours	NOEC	1,000 mg/l

## 12.2. Persistence and degradability

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Zinc oxide	1314-13-2	Data not available - insufficient	N/A	N/A	N/A	N/A
Talc	14807-96-6	Data not available -	N/A	N/A	N/A	N/A

		insufficient				
Barium sulphate	7727-43-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Experimental Biodegradation	28 days	BOD	60 %BOD/ThO D	OECD 301C - MITI test (I)
Zinc sulphate	7733-02-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Poly(vinyl acetate)	9003-20-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A

### 12.3 : Bioaccumulative potential

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Zinc oxide	1314-13-2	Experimental BCF - Fish	56 days	Bioaccumulation factor	≤217	OECD305-Bioconcentration
Talc	14807-96-6	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Barium sulphate	7727-43-7	Analogous Compound BCF - Fish		Bioaccumulation factor	74.4	
2,2'-[Ethane-1,2-diylbis(oxy)]bisethyl diacetate	111-21-7	Experimental Bioconcentration		Log Kow	0.03	
Zinc sulphate	7733-02-0	Experimental BCF - Fish	56 days	Bioaccumulation factor	242	
Poly(vinyl acetate)	9003-20-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Sulfuric Acid, Calcium Salt, Hydrate	10034-76-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other adverse effects

No information available.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## SECTION 14: Transport Information

### New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN3077

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , ( Zinc oxide )

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** III

**Special Instructions:** Not restricted, environmentally hazardous substance exception.

**Hazchem Code:** 2Z

**IERG:** 47

### International Air Transport Association (IATA) - Air Transport

UN No.: UN3077

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , ( Zinc oxide )

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** III

**Special Instructions:** Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN3077

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. , ( Zinc oxide )

**Class/Division:** Not applicable.

**Sub Risk:** Not applicable.

**Packing Group:** III

**Marine Pollutant:** Not applicable.

**Special Instructions:** Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

## SECTION 15: Regulatory information

HSNO Approval number	HSR002558
Group standard name	Dental Products (Subsidiary Hazard) Group Standard 2020
HSNO Hazard classification	Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

### Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler	Not required
Location Compliance Certificate	Not required
Hazardous atmosphere zone	Not required

Fire extinguishers	Not required
Emergency response plan	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
Secondary containment	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
Tracking	Not required
Warning signage	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)

## SECTION 16: Other information

### Revision information:

Complete document review.

<b>Document group:</b>	31-1081-4	<b>Version number:</b>	3.00
<b>Issue Date:</b>	01/02/2023	<b>Supersedes date:</b>	27/11/2018

### Key to abbreviations and acronyms

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017

**HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: <http://solutions.3mnz.co.nz>