



## Safety Data Sheet

© 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

<b>Document group:</b>	30-5907-8	<b>Version number:</b>	3.00
<b>Issue Date:</b>	19/09/2024	<b>Supersedes date:</b>	06/09/2020

This Safety Data Sheet has been prepared in accordance with the New Zealand, Hazardous Substances (Safety Data Sheets) Notice 2017.

### SECTION 1: Identification

#### 1.1. Product identifier

3M™ Lava™ Plus High Translucency Zirconia Dyeing Liquid B2, C1, C2, D2 (69209, 69212, 69213, 69216)

#### Product Identification Numbers

70-2011-3811-5      70-2011-3814-9      70-2011-3815-6      70-2011-3818-0

#### 1.2. Recommended use and restrictions on use

##### Recommended use

Dental Product, Dyeing solution

##### Restrictions on use

For use by dental professionals only.

#### 1.3. Supplier's details

**Address:** 3M New Zealand Ltd, 94 Apollo Drive, Rosedale 0632, Auckland  
**Telephone:** (09) 477 4040  
**E Mail:** innovation@nz.mmm.com  
**Website:** 3m.co.nz

#### 1.4. Emergency telephone number

24 hr Medical Emergency, National Poisons Centre, 0800 764 766 (0800 POISON)

### SECTION 2: Hazard identification

Classified as hazardous in accordance with the relevant criteria of the HSNO Act 1996 and the Hazardous Substances (Hazard Classification) Notice 2020.

Refer to Section 14 of this Safety Data Sheet for product Dangerous Goods Classification.

#### 2.1. Classification of the substance or mixture

Skin irritation: Category 2

Serious eye damage: Category 1

Hazardous to the aquatic environment chronic: Category 1

#### 2.2. Label elements

**SIGNAL WORD**

Danger

**Symbols:**

Corrosion | Environment |

**Pictograms**



**HAZARD STATEMENTS:**

- H315 Causes skin irritation.
- H318 Causes serious eye damage.
- H410 Very toxic to aquatic life with long lasting effects.

**PRECAUTIONARY STATEMENTS**

**Prevention**

- P264 Wash thoroughly after handling.
- P273 Avoid release to the environment.
- P280B Wear protective gloves and eye/face protection.

**Response**

- P302 + P352 IF ON SKIN: Wash with plenty of soap and water.
- P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER or doctor/physician.
- P332 + P313 If skin irritation occurs: Get medical advice/attention.
- P362 + P364 Take off contaminated clothing and wash it before reuse.
- P391 Collect spillage.

**Disposal**

- P501 Dispose of contents/container in accordance with applicable local/regional/national/international regulations.

**SECTION 3: Composition/information on ingredients**

Ingredient	CAS Nbr	% by Weight
Water	7732-18-5	> 80
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	25322-68-3	5 - 10
Erbium trichloride hydrate	19423-85-9	1 - 5
Ferric chloride, hexahydrate	10025-77-1	< 5
Hydrogen chloride.	7647-01-0	< 0.5

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

#### **Skin contact**

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### **Eye contact**

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

A product risk assessment is recommended to determine if eye wash facilities may be required when using this product in the workplace.

#### **If swallowed**

Rinse mouth. If you feel unwell, get medical attention.

#### **4.2. Most important symptoms and effects, both acute and delayed**

The most important symptoms and effects based on the CLP classification include:

#### **4.3. Indication of any immediate medical attention and special treatment required**

Not applicable

### **SECTION 5: Fire-fighting measures**

#### **5.1. Suitable extinguishing media**

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

#### **5.2. Special hazards arising from the substance or mixture**

None inherent in this product.

#### **5.3. Special protective actions for fire-fighters**

No special protective actions for fire-fighters are anticipated.

#### **5.4. Hazchem code:** Not applicable.

### **SECTION 6: Accidental release measures**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### **6.2. Environmental precautions**

Avoid release to the environment.

#### **6.3. Methods and material for containment and cleaning up**

Contain spill. For large spills, if necessary, get assistance from professional spill clean up team. For small spills, carefully cover the spill with soda ash (sodium carbonate) or sodium bicarbonate. Work from around the perimeter inward. Avoid splashing. Add enough water to ease mixing and stir. Continue stirring and adding water and neutralizing agent until the reaction stops. Let cool before collecting. Or use a commercially available 'Acid spill' clean-up kit. Follow the kit directions exactly, as specified. Collect as much of the spilled material as possible. Place in a metal container approved for use in transportation by appropriate authorities. The container must be lined with polyethylene plastic or contain a plastic drum liner made of polyethylene. Clean up residue with water. Cover, but do not seal for 48 hours. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

### **SECTION 7: Handling and storage**

Refer to Section 15 - Controls for more information

### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Do not get in eyes. Keep away from reactive metals (eg. Aluminum, zinc etc.) to avoid the formation of hydrogen gas that could create an explosion hazard.

### 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

### 7.3. Certified handler

Not required

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
Iron salts, soluble	10025-77-1	ACGIH	TWA(as Fe):1 mg/m <sup>3</sup>	
Iron salts, soluble	10025-77-1	New Zealand WES	TWA(as Fe)(8 hours): 1 mg/m <sup>3</sup>	
Poly(oxy-1,2-ethanediyl),alpha- hydro-omega-hydroxy-ethane-1,2- diol, ethoxylated	25322-68-3	AIHA	TWA:10 mg/m <sup>3</sup>	
Hydrogen chloride.	7647-01-0	ACGIH	CEIL:2 ppm	A4: Not class. as human carcinogin
Hydrogen chloride.	7647-01-0	New Zealand WES	CEIL: 7.5 mg/m <sup>3</sup> (5 ppm)	

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

New Zealand WES : New Zealand Workplace Exposure Standards.

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

ppm: parts per million

mg/m<sup>3</sup>: milligrams per cubic metre

CEIL: Ceiling

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Refer AS/NZS 1336 - Recommended practices for occupational eye protection and for performance specifications AS/NZS

1337, Parts 1 - 6 - Personal eye-protection.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### Respiratory protection

None required.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	Liquid.
Specific Physical Form:	Liquid.
Colour	Yellow-Orange
Odour	Characteristic odour
Odour threshold	<i>No data available.</i>
pH	1 - 1.5
Melting point/Freezing point	<i>Not applicable.</i>
Boiling point/Initial boiling point/Boiling range	± 100 °C
Flash point	No flash point
Evaporation rate	<i>No data available.</i>
Flammability	Not applicable.
Flammable Limits(LEL)	<i>Not applicable.</i>
Flammable Limits(UEL)	<i>Not applicable.</i>
Vapour pressure	<i>No data available.</i>
Vapor Density and/or Relative Vapor Density	<i>No data available.</i>
Density	1.03 g/cm <sup>3</sup> - 1.07 g/cm <sup>3</sup>
Relative density	1.03 - 1.07 [Ref Std: WATER=1]
Water solubility	Complete
Solubility- non-water	<i>No data available.</i>
Partition coefficient: n-octanol/water	<i>No data available.</i>
Autoignition temperature	<i>No data available.</i>
Decomposition temperature	<i>No data available.</i>
Kinematic Viscosity	<i>No data available.</i>
Volatile organic compounds (VOC)	<i>No data available.</i>
Percent volatile	<i>No data available.</i>
VOC less H <sub>2</sub> O & exempt solvents	<i>No data available.</i>
Molecular weight	<i>No data available.</i>

Particle Characteristics	<i>Not applicable.</i>
--------------------------	------------------------

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

**10.4 Conditions to avoid**

None known.

**10.5 Incompatible materials**

None known.

**10.6 Hazardous decomposition products**

<u>Substance</u>	<u>Condition</u>
Carbon monoxide.	Not specified.
Carbon dioxide.	Not specified.

**SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects****Signs and Symptoms of Exposure**

Based on test data and/or information on the components, this material may produce the following health effects:

**Inhalation**

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

**Skin contact**

Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, dryness, cracking, blistering, and pain.

**Eye contact**

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

**Ingestion**

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

**Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

<b>Name</b>	<b>Route</b>	<b>Species</b>	<b>Value</b>
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Dermal	Rabbit	LD50 > 20,000 mg/kg
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	Rat	LD50 32,770 mg/kg
Ferric chloride, hexahydrate	Dermal	Rat	LD50 > 2,000 mg/kg
Ferric chloride, hexahydrate	Ingestion	Rat	LD50 1,800 mg/kg
Hydrogen chloride.	Dermal	Rabbit	LD50 > 5,010 mg/kg
Hydrogen chloride.	Inhalation-Dust/Mist	Rat	LC50 1 mg/l

	(4 hours)		
Hydrogen chloride.	Ingestion	Rat	LD50 238 mg/kg

ATE = acute toxicity estimate

### Skin Corrosion/Irritation

Name	Species	Value
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Rabbit	Minimal irritation
Erbium trichloride hydrate	Professional judgement	Irritant
Ferric chloride, hexahydrate	Rabbit	Irritant
Hydrogen chloride.	Human	Corrosive

### Serious Eye Damage/Irritation

Name	Species	Value
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Rabbit	Mild irritant
Erbium trichloride hydrate	Professional judgement	Corrosive
Ferric chloride, hexahydrate	Rabbit	Corrosive
Hydrogen chloride.	Rabbit	Corrosive

### Sensitisation:

#### Skin Sensitisation

Name	Species	Value
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Guinea pig	Not classified
Ferric chloride, hexahydrate	Mouse	Not classified
Hydrogen chloride.	Human and animal	Not classified

### Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Germ Cell Mutagenicity

Name	Route	Value
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	In Vitro	Not mutagenic
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	In vivo	Not mutagenic
Ferric chloride, hexahydrate	In Vitro	Not mutagenic
Hydrogen chloride.	In Vitro	Some positive data exist, but the data are not sufficient for classification

### Carcinogenicity

Name	Route	Species	Value
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	Rat	Not carcinogenic
Ferric chloride, hexahydrate	Ingestion	Rat	Not carcinogenic
Hydrogen chloride.	Not specified.	Human and	Some positive data exist, but the data are not sufficient for classification

animal

**Reproductive Toxicity****Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,125 mg/kg/day	during gestation
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	Not classified for male reproduction	Rat	NOAEL 5699 +/-1341 mg/kg/day	5 days
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Not specified.	Not classified for reproduction and/or development		NOEL N/A	
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	Not classified for development	Mouse	NOAEL 562 mg/animal/day	during gestation
Ferric chloride, hexahydrate	Ingestion	Not classified for female reproduction	Rat	NOAEL 500 mg/kg/day	prematuring into lactation
Ferric chloride, hexahydrate	Ingestion	Not classified for male reproduction	Rat	NOAEL 500 mg/kg/day	prematuring into lactation
Ferric chloride, hexahydrate	Ingestion	Not classified for development	Rat	NOAEL 500 mg/kg/day	prematuring into lactation

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Inhalation	respiratory irritation	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
Erbium trichloride hydrate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Hydrogen chloride.	Inhalation	respiratory irritation	May cause respiratory irritation		NOAEL Not available	

**Specific Target Organ Toxicity - repeated exposure**

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Inhalation	respiratory system	Not classified	Rat	NOAEL 1.008 mg/l	2 weeks
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	Ingestion	kidney and/or bladder   heart   endocrine system   hematopoietic system   liver   nervous system	Not classified	Rat	NOAEL 5,640 mg/kg/day	13 weeks
Ferric chloride, hexahydrate	Inhalation	respiratory system	Not classified	Rabbit	NOAEL 0.005 mg/l	60 days
Ferric chloride, hexahydrate	Ingestion	endocrine system	Not classified	Rat	NOAEL 250 mg/kg/day	54 days
Ferric chloride, hexahydrate	Ingestion	liver   immune system   kidney and/or bladder   respiratory system	Not classified	Rat	NOAEL 1,034 mg/kg/day	90 days
Ferric chloride, hexahydrate	Ingestion	hematopoietic system	Not classified	Rat	NOAEL 1,034 mg/kg/day	54 days



**Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

**12.1. Toxicity****Ecotoxic to the aquatic environment.**

Acute Aquatic Toxicity: Category 2

Chronic Aquatic Toxicity: Category 1

No product test data available.

Material	CAS Number	Organism	Type	Exposure	Test endpoint	Test result
Poly(oxy-1,2-ethanediyl),alpa-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	25322-68-3	Activated sludge	Experimental	N/A	EC50	>1,000 mg/l
Poly(oxy-1,2-ethanediyl),alpa-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	25322-68-3	Atlantic Salmon	Experimental	96 hours	LC50	>1,000 mg/l
Erbium trichloride hydrate	19423-85-9	Rainbow trout	Estimated	96 hours	LC50	0.21 mg/l
Erbium trichloride hydrate	19423-85-9	Fathead minnow	Estimated	33 days	NOEC	0.018 mg/l
Erbium trichloride hydrate	19423-85-9	Water flea	Estimated	21 days	NOEC	0.043 mg/l
Ferric chloride, hexahydrate	10025-77-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Hydrogen chloride.	7647-01-0	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

**12.2. Persistence and degradability**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	25322-68-3	Experimental Biodegradation	28 days	BOD	53 %BOD/ThOD	OECD 301C - MITI test (I)
Erbium trichloride hydrate	19423-85-9	Data not available- insufficient	N/A	N/A	N/A	N/A
Ferric chloride, hexahydrate	10025-77-1	Data not available- insufficient	N/A	N/A	N/A	N/A
Hydrogen chloride.	7647-01-0	Data not available- insufficient	N/A	N/A	N/A	N/A

**12.3 : Bioaccumulative potential**

Material	CAS Number	Test type	Duration	Study Type	Test result	Protocol
Poly(oxy-1,2-ethanediyl),alpha-hydro-omega-hydroxy-ethane-1,2-diol, ethoxylated	25322-68-3	Estimated Bioconcentration		Bioaccumulation factor	2.3	
Erbium trichloride hydrate	19423-85-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Ferric chloride, hexahydrate	10025-77-1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Hydrogen chloride.	7647-01-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

**12.4. Mobility in soil**

Please contact manufacturer for more details

**12.5 Other adverse effects**

No information available.

## SECTION 13: Disposal considerations

**13.1. Disposal methods**

In accordance with the Hazardous Substances (Disposal) Notice 2017 and the relevant criteria of the HSNO Act 1996.

Dispose of waste product in a permitted industrial waste facility.

Packaging (that may or may not contain any residual substance) may be lawfully disposed of by householders or other consumers through public or commercial waste collection services.

## SECTION 14: Transport Information

### New Zealand Land Transport Rule: Dangerous Goods - Road/Rail Transport

UN No.: UN3082

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , ( Erbium trichloride hydrate )

**Class/Division:** 9

**Sub Risk:** Not applicable.

**Packing Group:** III

**Hazchem Code:** Not applicable.

**IERG:** 47

### International Air Transport Association (IATA) - Air Transport

UN No.: UN3082

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , ( Erbium trichloride hydrate )

**Class/Division:** 9

**Sub Risk:** Not applicable.

**Packing Group:** III

**Special Instructions:**Not restricted, as per Special Provision A197, environmentally hazardous substance exception.

### International Maritime Dangerous Goods Code (IMDG) - Marine Transport

UN No.: UN3082

**Proper Shipping Name:** ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. , ( Erbium trichloride hydrate )

**Class/Division:** 9

**Sub Risk:** Not applicable.

**Packing Group:** III

**Marine Pollutant:** Not applicable.

**Special Instructions:**Not restricted, as per IMDG code 2.10.2.7, marine pollutant exception.

## SECTION 15: Regulatory information

HSNO Approval number HSR002558

Group standard name Dental Products (Subsidiary Hazard) Group Standard 2020

HSNO Hazard classification Refer to Section 2: Hazard identification

### NZ Inventory of Chemicals (NZIoC) Status

All applicable chemical ingredients in this material are in compliance with NZIoC listing requirements.

### Controls in accordance with The Health and Safety at Work Act 2015, Health and Safety at Work (Hazardous Substances) Regulations 2017 and the HSNO Act 1996, Hazardous Substances (Hazardous Property Controls) Notice 2017

Certified handler	Not required
Location Compliance Certificate	Not required
Hazardous atmosphere zone	Not required
Fire extinguishers	Not required
Emergency response plan	100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to

Secondary containment	the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances) 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Acute toxicity Category 4, Skin sensitisation Category 1, Respiratory sensitisation Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Germ cell mutagenicity Category 1, Reproductive toxicity Category 1, Specific target organ toxicity Category 1, Serious eye damage Category 1, Hazardous to the aquatic environment Category 4 substances)
Tracking Warning signage	Not required 100 L or 100 kg (for Hazardous to the aquatic environment Category 1 substances); or 1 000 L or 1 000 kg (for Serious eye damage Category 1, Hazardous to the aquatic environment Category 2 or Hazardous to the aquatic environment Category 3 substances); or 10 000 L or 10 000 kg (for Acute toxicity Category 4 or Hazardous to the aquatic environment Category 4 substances)

**SECTION 16: Other information**

**Revision information:**  
Complete document review.

<b>Document group:</b>	30-5907-8	<b>Version number:</b>	3.00
<b>Issue Date:</b>	19/09/2024	<b>Supersedes date:</b>	06/09/2020

**Key to abbreviations and acronyms**

**GHS** refers to the Globally Harmonised System of Classification and Labelling of Chemicals, 7th revised edition of 2017  
**HSNO** means Hazardous Substances and New Organisms Act 1996

The information in this Safety Data Sheet (SDS) is believed to be correct as of the date of issue. TO THE EXTENT PERMITTED BY LAW, 3M MAKES NO WARRANTY, EXPRESSED OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, ANY IMPLIED WARRANTY, OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE OR COURSE OF PERFORMANCE OR USAGE OF TRADE. User is responsible for determining whether the 3M product is fit for a particular purpose and suitable for user's method of use or application. Given the variety of factors that can affect the use and application of a 3M product, some of which are uniquely within the user's knowledge and control, it is essential that the user evaluates the 3M product to determine whether it is fit for a particular purpose and suitable for user's method of use or application. 3M provides information in electronic form as a service to customers. Due to the remote possibility of electronic transfer may have resulted in errors, omissions or alterations in this information; 3M makes no representations as to its completeness or accuracy. In addition, information obtained from a database may not be as current as the information in the SDS available directly from 3M.

3M New Zealand SDS are available at 3M New Zealand Website: <http://solutions.3mnz.co.nz>