



Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 10-6251-2 | Version number: | 24.00 |
| Revision date: | 23/09/2024 | Supersedes date: | 14/07/2023 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

Product Identification Numbers

| | | | |
|----------------|----------------|----------------|----------------|
| 62-2625-6009-7 | 62-3158-6003-1 | 62-3370-6009-9 | 87-2500-0344-6 |
| 7000121225 | 7000000842 | 7000046465 | 7000058938 |

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Structural adhesive film.

1.3. Details of the supplier of the safety data sheet

| | |
|-------------------|------------------------------------------------------------------------------|
| Address: | 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT. |
| Telephone: | +44 (0)1344 858 000 |
| E Mail: | tox.uk@mmm.com |
| Website: | www.3M.com/uk |

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for skin corrosion/irritation and the test results do not meet the criteria for classification.
A similar mixture has been tested for skin sensitization and the test results do not meet the criteria for classification.

The eye damage/irritation classification is not applied due to the nature of this product (adhesive film).

CLASSIFICATION:

Germ Cell Mutagenicity, Category 2 - Muta. 2; H341

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

WARNING.

Symbols

GHS08 (Health Hazard) | GHS09 (Environment) |

Pictograms



| Ingredient | CAS Nbr | EC No. | % by Wt |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|-----------|---------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | 500-062-3 | 15 - 40 |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | | 946-427-4 | 5 - 10 |

HAZARD STATEMENTS:

H341 Suspected of causing genetic defects.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280K Wear protective gloves and respiratory protection.

Response:

P391 Collect spillage.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane. | Adipohydrazide. | bis-[4-(2,3-epoxipropoxy)phenyl]propane. | Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-

diylbis(methyleneoxymethylene)]bisoxirane. May produce an allergic reaction.

Contains 52% of components with unknown hazards to the aquatic environment.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

| Ingredient | Identifier(s) | % | Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB |
|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------|---------|--------------------------------------------------------------------------------------------------------------------------------------|
| Polymeric Epoxy Reaction Product (MW >1200) | Trade Secret | 30 - 60 | Substance not classified as hazardous |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | (CAS-No.) 28390-91-2 (EC-No.) 500-062-3 | 15 - 40 | Aquatic Chronic 2, H411 Skin Sens. 1, H317 Muta. 2, H341 |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | (CAS-No.) 1675-54-3 (EC-No.) 216-823-5 | 5 - 10 | Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411 |
| Rxn mass: 2-(\{1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | (EC-No.) 946-427-4 | 5 - 10 | Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1, H317 Muta. 2, H341 Aquatic Chronic 3, H412 |
| Dicyandiamide | (CAS-No.) 461-58-5 (EC-No.) 207-312-8 | 3 - 7 | Substance not classified as hazardous |
| Adipohydrazide | (CAS-No.) 1071-93-8 (EC-No.) 213-999-5 | 1 - 5 | Aquatic Chronic 2, H411 Skin Sens. 1B, H317 |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | (CAS-No.) 17526-94-2 (EC-No.) 241-523-6 | 1 - 5 | Substance not classified as hazardous |
| Calcium trifluoromethanesulphonate | (CAS-No.) 358-23-6 (EC-No.) 206-616-8 | <= 0.01 | EUH014 Ox. Liq. 2, H272 Met. Corr. 1, H290 Acute Tox. 4, H302 Skin Corr. 1B, H314 Eye Dam. 1, H318 STOT SE 3, H335 |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by

ECHA pending publication of the official EC Inventory Number for the substance.
Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

| Ingredient | Identifier(s) | Specific Concentration Limits |
|-----------------------------------------|-------------------------------------------|---------------------------------------------------------------|
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | (CAS-No.) 1675-54-3 (EC-No.) 216-823-5 | (C >= 5%) Skin Irrit. 2, H315 (C >= 5%) Eye Irrit. 2, H319 |

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures**4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Wash with soap and water. If you are concerned, get medical advice.

Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures**5.1. Extinguishing media**

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

Exposure to extreme heat can give rise to thermal decomposition.

Hazardous Decomposition or By-Products**Substance**

Aldehydes.
Carbon monoxide
Carbon dioxide.
Hydrogen Chloride
Hydrogen cyanide.
Hydrogen Fluoride
Ammonia
Oxides of nitrogen.

Condition

During combustion.
During combustion.
During combustion.
During combustion.
During combustion.
During combustion.
During combustion.
During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Provide ventilated enclosure for heat curing. Curing enclosures must be exhausted to outdoors or to a suitable emission control device. For those situations where the material might be exposed to extreme overheating due to misuse or equipment failure, use with appropriate local exhaust ventilation sufficient to maintain levels of thermal decomposition products below their exposure guidelines. Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

| Material | Thickness (mm) | Breakthrough Time |
|------------------------------------------------|-------------------|-------------------|
| Chemical Protective glove of any material type | No data available | No data available |

Applicable Norms/Standards

Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

For those situations where the material might be exposed to extreme overheating due to misuse or equipment failure, use a positive pressure supplied-air respirator.

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|------------------------------|---------------------------------------------|
| Physical state | Solid. |
| Specific Physical Form: | Film |
| Colour | Blue |
| Odor | Odourless |
| Odour threshold | No data available. |
| Melting point/freezing point | No data available. |
| Boiling point/boiling range | Not applicable. |
| Flammability | Not applicable. |
| Flammable Limits(LEL) | Not applicable. |
| Flammable Limits(UEL) | Not applicable. |
| Flash point | No flash point |
| Autoignition temperature | Not applicable. |
| Decomposition temperature | No data available. |
| pH | substance/mixture is non-soluble (in water) |
| Kinematic Viscosity | Not applicable. |

| | |
|----------------------------------------|--------------------|
| Water solubility | Nil |
| Solubility- non-water | No data available. |
| Partition coefficient: n-octanol/water | No data available. |
| Vapour pressure | Not applicable. |
| Density | No data available. |
| Relative density | No data available. |
| Relative Vapour Density | Not applicable. |
| Particle Characteristics | Not applicable. |

9.2. Other information

9.2.2 Other safety characteristics

| | |
|-------------------------------|--------------------|
| EU Volatile Organic Compounds | No data available. |
| Evaporation rate | Not applicable. |
| Molecular weight | No data available. |
| Percent volatile | No data available. |
| Percent volatile | Negligible |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Amines.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

Extreme heat arising from situations such as misuse or equipment failure can generate hydrogen fluoride as a decomposition product.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Physical Blockage: Signs/symptoms may include cramping, abdominal pain, and constipation.

Additional Health Effects:

Genotoxicity:

Genotoxicity and Mutagenicity: May interact with genetic material and possibly alter gene expression.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|---------|------------------------------------------------|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Dermal | Rabbit | LD50 > 3,000 mg/kg |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Ingestion | Rat | LD50 > 5,000 mg/kg |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Dermal | Rat | LD50 > 1,600 mg/kg |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Ingestion | Rat | LD50 > 1,000 mg/kg |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\};methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | Ingestion | Rat | LD50 1,000 mg/kg |
| Dicyandiamide | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Dicyandiamide | Ingestion | Rat | LD50 > 30,000 mg/kg |
| N,N'''-(4-methyl-m-phenylene)bis[N,N'-dimethylurea] | Dermal | Rat | LD50 > 2,000 mg/kg |
| N,N'''-(4-methyl-m-phenylene)bis[N,N'-dimethylurea] | Ingestion | Rat | LD50 > 2,000 mg/kg |
| Adipohydrazide | Ingestion | Mouse | LD50 > 5,000 mg/kg |
| Calcium trifluoromethanesulphonate | Ingestion | Rat | LD50 1,012 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-------------------------------------------------------------------------------------------------------------------------------|-------------------------|---------------------------|
| Overall product | Multiple animal species | No significant irritation |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Rabbit | No significant irritation |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Rabbit | Mild irritant |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\};methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis- | In vitro data | Irritant |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------|------------------|---------------------------|
| cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | | |
| Dicyandiamide | Human and animal | Minimal irritation |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | Rabbit | No significant irritation |
| Adipohydrazide | Rabbit | No significant irritation |
| Calcium trifluoromethanesulphonate | Rabbit | Corrosive |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|---------------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Rabbit | Mild irritant |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Rabbit | Moderate irritant |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | In vitro data | No significant irritation |
| Dicyandiamide | Professional judgement | Mild irritant |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | Rabbit | No significant irritation |
| Calcium trifluoromethanesulphonate | similar health hazards | Corrosive |

Skin Sensitisation

| Name | Species | Value |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-------------------|----------------|
| Overall product | Guinea pig | Not classified |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Human and animal | Sensitising |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Human and animal | Sensitising |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | similar compounds | Sensitising |
| Dicyandiamide | Guinea pig | Not classified |
| Adipohydrazide | Guinea pig | Sensitising |

Respiratory Sensitisation

| Name | Species | Value |
|-----------------------------------------|---------|----------------|
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Human | Not classified |

Germ Cell Mutagenicity

| Name | Route | Value |
|------------------------------------------------------------------------------------------------------------------------------|----------|------------------------------------------------------------------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | In vivo | Mutagenic |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | In vivo | Not mutagenic |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis- | In Vitro | Mutagenic; structurally related to germ cell mutagens |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | |
|-----------------------------------------------------------------------------------------------------------------------------------|----------|---------------|
| cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | | |
| Dicyandiamide | In Vitro | Not mutagenic |
| Adipohydrazide | In vivo | Not mutagenic |
| Calcium trifluoromethanesulphonate | In Vitro | Not mutagenic |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------------------------------|-----------|---------|------------------------------------------------------------------------------|
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Dicyandiamide | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test result | Exposure Duration |
|---------------------------------------------------------------------|-----------|----------------------------------------|---------|-----------------------|--------------------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Ingestion | Not classified for development | Rat | NOAEL 90 mg/kg/day | during gestation |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Ingestion | Not classified for female reproduction | Rat | NOAEL 750 mg/kg/day | 2 generation |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Ingestion | Not classified for male reproduction | Rat | NOAEL 750 mg/kg/day | 2 generation |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Dermal | Not classified for development | Rabbit | NOAEL 300 mg/kg/day | during organogenesis |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Ingestion | Not classified for development | Rat | NOAEL 750 mg/kg/day | 2 generation |
| Dicyandiamide | Ingestion | Not classified for female reproduction | Rat | NOAEL 1,000 mg/kg/day | prematuring & during gestation |
| Dicyandiamide | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,000 mg/kg/day | 44 days |
| Dicyandiamide | Ingestion | Not classified for development | Rat | NOAEL 1,000 mg/kg/day | prematuring & during gestation |

Target Organ(s)**Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------|------------------------------------------------------------------------------|------------------------|---------------------|-------------------|
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\}methoxy)propan-2-yl]oxy\}methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | similar health hazards | NOAEL Not available | |
| Calcium trifluoromethanesulphonate | Inhalation | respiratory irritation | May cause respiratory irritation | similar health hazards | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------------------------------------------------------------------|-----------|----------------------|------------------------------------------------------------------------------|---------|--------------------|-------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Ingestion | hematopoietic system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 50 mg/kg/day | 13 weeks |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | | | | | |
|---------------------------------------------------------------------|-----------|----------------------------------------------------------------------------------------------------------|----------------|-----|-----------------------|----------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | Ingestion | gastrointestinal tract liver immune system nervous system eyes kidney and/or bladder | Not classified | Rat | NOAEL 200 mg/kg/day | 13 weeks |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Dermal | liver | Not classified | Rat | NOAEL 1,000 mg/kg/day | 2 years |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Dermal | nervous system | Not classified | Rat | NOAEL 1,000 mg/kg/day | 13 weeks |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | Ingestion | auditory system heart endocrine system hematopoietic system liver eyes kidney and/or bladder | Not classified | Rat | NOAEL 1,000 mg/kg/day | 28 days |
| Dicyandiamide | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 6,822 mg/kg/day | 13 weeks |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|---------------------------------------------------------------------|------------|-------------|--------------|----------|---------------|--------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Bacteria | Experimental | 24 hours | IC50 | >10,000 mg/l |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Common Carp | Experimental | 96 hours | LC50 | 7 mg/l |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Green algae | Experimental | 72 hours | EC50 | >11 mg/l |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Water flea | Experimental | 48 hours | EC50 | 4.7 mg/l |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | | | | | |
|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------|--------------------|----------|-------|-----------|
| ane | | | | | | |
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Green algae | Experimental | 72 hours | EC10 | 2.4 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Activated sludge | Analogous Compound | 3 hours | IC50 | >100 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Rainbow trout | Estimated | 96 hours | LC50 | 2 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Water flea | Estimated | 48 hours | EC50 | 1.8 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Green algae | Experimental | 72 hours | ErC50 | >11 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Green algae | Experimental | 72 hours | NOEC | 4.2 mg/l |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Water flea | Experimental | 21 days | NOEC | 0.3 mg/l |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\} methoxy)propa n-2-yl]oxy\} methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane | 946-427-4 | Green algae | Experimental | 72 hours | EC50 | 38 mg/l |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\} methoxy)propa n-2-yl]oxy\} methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane | 946-427-4 | Water flea | Experimental | 72 hours | EC50 | 71 mg/l |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\} methoxy)propa n-2-yl]oxy\} methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxy)methylene])biso xirane | 946-427-4 | Green algae | Experimental | 72 hours | EC10 | 18 mg/l |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | | | | | |
|-------------------------------------------------------------------------------------------------|------------|------------------|--------------------|----------|-------|---------------------------|
| xymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | | | | | | |
| Dicyandiamide | 461-58-5 | Bluegill | Experimental | 96 hours | LC50 | >1,000 mg/l |
| Dicyandiamide | 461-58-5 | Green algae | Experimental | 72 hours | EC50 | >1,000 mg/l |
| Dicyandiamide | 461-58-5 | Water flea | Experimental | 48 hours | EC50 | 3,177 mg/l |
| Dicyandiamide | 461-58-5 | Green algae | Experimental | 72 hours | NOEC | 310 mg/l |
| Dicyandiamide | 461-58-5 | Water flea | Experimental | 21 days | NOEC | 25 mg/l |
| Dicyandiamide | 461-58-5 | Redworm | Experimental | 14 days | LC50 | >3,200 mg/kg (Dry Weight) |
| Adipohydrazide | 1071-93-8 | Activated sludge | Experimental | 3 hours | EC50 | >1,000 mg/l |
| Adipohydrazide | 1071-93-8 | Common Carp | Experimental | 96 hours | LC50 | >100 mg/l |
| Adipohydrazide | 1071-93-8 | Green algae | Experimental | 72 hours | ErC50 | 8.7 mg/l |
| Adipohydrazide | 1071-93-8 | Water flea | Experimental | 48 hours | EC50 | >=106 mg/l |
| Adipohydrazide | 1071-93-8 | Green algae | Experimental | 72 hours | NOEC | 0.22 mg/l |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Activated sludge | Experimental | 3 hours | EC50 | >1,000 mg/l |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Common Carp | Experimental | 96 hours | LC50 | >100 mg/l |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Green algae | Experimental | 72 hours | ErC50 | >100 mg/l |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Water flea | Experimental | 48 hours | EC50 | >100 mg/l |
| N,N'''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Green algae | Experimental | 72 hours | NOEC | 100 mg/l |
| Calcium trifluoromethanesulphonate | 358-23-6 | Green algae | Hydrolysis Product | 72 hours | ErC50 | 48 mg/l |
| Calcium trifluoromethanesulphonate | 358-23-6 | Rainbow trout | Hydrolysis Product | 96 hours | LC50 | >100 mg/l |
| Calcium trifluoromethanesulphonate | 358-23-6 | Water flea | Hydrolysis Product | 48 hours | EC50 | >100 mg/l |
| Calcium trifluoromethanesulphonate | 358-23-6 | Green algae | Hydrolysis Product | 72 hours | ErC10 | 5.8 mg/l |
| Calcium trifluoromethanesulphonate | 358-23-6 | Activated sludge | Hydrolysis Product | 3 hours | EC50 | >1,000 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|------------------------------------------------------------------|------------|-----------------------------|----------|---------------|-----------------------------------|-----------------------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxir | 28390-91-2 | Experimental Biodegradation | 28 days | CO2 evolution | 10 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |

3M Scotch-Weld AF-3109-2 High Tack Structural Adhesive Film

| | | | | | | |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------|------------------------------------------|---------|--------------------------------|--------------------------------------------------|-------------------------------------|
| ane | | | | | | |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Experimental Biodegradation | 28 days | BOD | 5 %BOD/COD | OECD 301F - Manometric respirometry |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 117 hours (t 1/2) | OECD 111 Hydrolysis func of pH |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\} methoxy)propan-2-yl]oxy\} methyl)oxirane & 2,2'-[cis-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane & 2,2'-[trans-cyclohexane-1,4-diylbis(methyleneoxymethylene)]bisoxirane | 946-427-4 | Experimental Biodegradation | 28 days | CO2 evolution | 1.3 %CO2 evolution/THCO2 evolution | OECD 301B - Modified sturm or CO2 |
| Dicyandiamide | 461-58-5 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 0 %removal of DOC | OECD 301E - Modif. OECD Screen |
| Dicyandiamide | 461-58-5 | Experimental Aquatic Inherent Biodegrad. | 14 days | Dissolv. Organic Carbon Deplet | 0 %removal of DOC | OECD 302B Zahn-Wellens/EVPA |
| Dicyandiamide | 461-58-5 | Experimental Biodegradation | 61 days | CO2 evolution | 1.1 %CO2 evolution/THCO2 evolution | OECD 309 Aero Sim Biod Water |
| Adipohydrazide | 1071-93-8 | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 62.1 %removal of DOC | OECD 301E - Modif. OECD Screen |
| Adipohydrazide | 1071-93-8 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | >1 years (t 1/2) | OECD 111 Hydrolysis func of pH |
| N,N'''-(4-methyl-m-phenylene)bis[N,N'-dimethylurea] | 17526-94-2 | Experimental Aquatic Inherent Biodegrad. | 28 days | Dissolv. Organic Carbon Deplet | 10 %removal of DOC (does not pass 10-day window) | similar to OECD 302B |
| N,N'''-(4-methyl-m-phenylene)bis[N,N'-dimethylurea] | 17526-94-2 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | 33 days (t 1/2) | OECD 111 Hydrolysis func of pH |
| Calcium trifluoromethanesulphonate | 358-23-6 | Experimental Hydrolysis | | Hydrolytic half-life (pH 7) | ≤2 minutes (t 1/2) | |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|------------------------------------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------------------------|----------|------------|-------------|------------------------------|
| Benzenamine, 4,4'-methylenebis-, polymer with (chloromethyl)oxirane | 28390-91-2 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| bis-[4-(2,3-epoxipropoxy)phenyl]propane | 1675-54-3 | Experimental Bioconcentration | | Log Kow | 3.242 | OECD 117 log Kow HPLC method |
| Rxn mass: 2-(\{[1-chloro-3-(\{4-[methoxy(oxiran-2-yl)methyl]cyclohexyl\} methoxy)propan-2-yl]oxy\} methyl)oxirane & 2,2'-[cis-cyclohexane-1,4- | 946-427-4 | Experimental Bioconcentration | | Log Kow | 2.05 | |

| | | | | | | |
|---------------------------------------------------------------------------------------------------------------------|------------|-------------------------------------|---------|------------------------|-------|----------------------------------|
| diylbis(methyleneoxy)methylene)]bisoxirane & 2,2'-(trans-cyclohexane-1,4-diylbis(methyleneoxy)methylene)]bisoxirane | | | | | | |
| Dicyandiamide | 461-58-5 | Experimental BCF - Fish | 42 days | Bioaccumulation factor | <=3.1 | OECD305-Bioconcentration |
| Dicyandiamide | 461-58-5 | Experimental Bioconcentration | | Log Kow | -0.52 | OECD 107 log Kow shake flask mtd |
| Adipohydrazide | 1071-93-8 | Experimental Bioconcentration | | Log Kow | -2.7 | OECD 107 log Kow shake flask mtd |
| N,N''-(4-methyl-m-phenylene)bis[N',N'-dimethylurea] | 17526-94-2 | Experimental Bioconcentration | | Log Kow | <0.23 | OECD 117 log Kow HPLC method |
| Calcium trifluoromethanesulphonate | 358-23-6 | Hydrolysis product Bioconcentration | | Log Kow | <0.3 | similar to OECD 117 |

12.4. Mobility in soil

| Material | Cas No. | Test type | Study Type | Test result | Protocol |
|-----------------------------------------|-----------|--------------------------|------------|-------------|----------------------|
| bis-[4-(2,3-epoxypropoxy)phenyl]propane | 1675-54-3 | Modeled Mobility in Soil | Koc | 450 l/kg | Episuite™ |
| Dicyandiamide | 461-58-5 | Modeled Mobility in Soil | Koc | 9 l/kg | Episuite™ |
| Adipohydrazide | 1071-93-8 | Modeled Mobility in Soil | Koc | 10 l/kg | Episuite™ |
| Calcium trifluoromethanesulphonate | 358-23-6 | Modeled Mobility in Soil | Koc | 1 l/kg | ACD/Labs ChemSketch™ |

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerized) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances
 20 01 27* Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

| | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|----------------------------------------------------------------------------------|------------------------------------------------------------------------|------------------------------------------------------------------------------|------------------------------------------------------------------------------|
| 14.1 UN number | UN3077 | UN3077 | UN3077 |
| 14.2 UN proper shipping name | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN; EPOXY RESIN) | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN; EPOXY RESIN) |
| 14.3 Transport hazard class(es) | 9 | 9 | 9 |
| 14.4 Packing group | III | III | III |
| 14.5 Environmental hazards | Environmentally Hazardous | Not applicable | Marine Pollutant |
| 14.6 Special precautions for user | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| 14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code | No data available. | No data available. | No data available. |
| Control Temperature | No data available. | No data available. | No data available. |
| Emergency Temperature | No data available. | No data available. | No data available. |
| ADR Classification Code | M7 | Not applicable. | Not applicable. |
| IMDG Segregation Code | Not applicable. | Not applicable. | NONE |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture****Carcinogenicity****Ingredient****CAS Nbr****Classification****Regulation**

bis-[4-(2,3-epoxipropoxy)phenyl]propane

1675-54-3

Gr. 3: Not classifiable

International Agency

for Research on Cancer

Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

Ingredient**CAS Nbr**

bis-[4-(2,3-epoxipropoxy)phenyl]propane

1675-54-3

Restriction status: listed in UK REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 as amended for Great Britain for Conditions of Restriction

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

| Hazard Categories | Qualifying quantity (tonnes) for the application of | |
|-----------------------------------------|-----------------------------------------------------|-------------------------|
| | Lower-tier requirements | Upper-tier requirements |
| E2 Hazardous to the Aquatic environment | 200 | 500 |

Seveso named dangerous substances, Annex 1, Part 2

None

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information**List of relevant H statements**

| | |
|--------|------------------------------------------|
| EUH014 | Reacts violently with water. |
| H272 | May intensify fire; oxidiser. |
| H290 | May be corrosive to metals. |
| H302 | Harmful if swallowed. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |

| | |
|------|----------------------------------------------------|
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H319 | Causes serious eye irritation. |
| H335 | May cause respiratory irritation. |
| H341 | Suspected of causing genetic defects. |
| H411 | Toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |

Revision information:

GB Section 02: CLP Ingredient table information was modified.

GB Section 15: Carcinogenicity information information was modified.

Label: CLP Precautionary - Prevention information was modified.

Section 3: Composition/ Information of ingredients table information was modified.

Section 4: First aid for skin contact information information was modified.

Section 5: Fire - Special hazards information information was modified.

Section 5: Hazardous combustion products table information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Appropriate Engineering controls information information was modified.

Section 8: glove data value information was modified.

Section 8: Occupational exposure limit table information was deleted.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was deleted.

Section 8: Personal Protection - Respiratory Information information was modified.

Section 8: Personal Protection - Skin/hand information information was modified.

Section 8: STEL key information was deleted.

Section 8: TWA key information was deleted.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Particle Characteristics N/A information was added.

Section 10: Hazardous Decomposition Products information information was added.

Section 11: Acute Toxicity table information was modified.

Section 11: Aspiration Hazard Table information was deleted.

Section 11: Aspiration Hazard text information was added.

Section 11: Carcinogenicity Table information was modified.

Section 11: Germ Cell Mutagenicity Table information was modified.

Section 11: Health Effects - Ingestion information information was modified.

Section 11: Health Effects - Inhalation information information was modified.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Reproductive/developmental effects information information was deleted.

Section 11: Serious Eye Damage/Irritation Table information was modified.

Section 11: Skin Corrosion/Irritation Table information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Mobility in soil information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12: Biocumulative potential information information was modified.

Section 14 Hazardous/Not Hazardous for Transportation information was deleted.

Section 14 Proper Shipping Name information was modified.

Section 15: Restrictions on manufacture ingredients information information was modified.

Section 15: Seveso Hazard Category Text information was added.

Section 15: Seveso Substance Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.