



## Safety Data Sheet

Copyright, 2021, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |                |
|------------------------|------------|-------------------------|----------------|
| <b>Document group:</b> | 10-0380-5  | <b>Version number:</b>  | 1.00           |
| <b>Revision date:</b>  | 05/03/2021 | <b>Supersedes date:</b> | Initial issue. |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M™ Hot Melt Adhesive 3792-AE, 3792-PG, 3792-TC, 3792-Q, 3792-B

#### Product Identification Numbers

62-3792-9132-1      62-3792-9830-0

7000000891      7100020336

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Hot melt adhesive

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

##### EU Member State Responsible Contact

Address: 3M Ireland Ltd, The Iveagh Building, Carrickmines Park, Dublin D18 X015.  
Telephone: +353 1 280 3555

#### 1.4. Emergency telephone number

+44 (0)1344 858 000 or call your doctor.

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

##### CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

**2.2. Label elements****CLP REGULATION (EC) No 1272/2008**

Not applicable

**SUPPLEMENTAL INFORMATION:****Supplemental Hazard Statements:**

EUH210

Safety data sheet available on request.

**2.3. Other hazards**

May cause thermal burns.

**SECTION 3: Composition/information on ingredients****3.1. Substances**

Not applicable

**3.2. Mixtures**

| <b>Ingredient</b>              | <b>Identifier(s)</b>                     | <b>%</b> | <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b>  |
|--------------------------------|--|----------|---|
| Ethylene-Vinyl Acetate Polymer | (CAS-No.) 24937-78-8                     | 55 - 75  | Substance not classified as hazardous   |
| Hydrocarbon resin              | Mixture                                  | 25 - 45  | Substance not classified as hazardous   |
| vinyl acetate                  | (CAS-No.) 108-05-4<br>(EC-No.) 203-545-4 | < 0.5    | Flam. Liq. 2, H225<br>Acute Tox. 4, H332<br>Carc. 2, H351<br>STOT SE 3, H335<br>Nota D<br>Aquatic Chronic 3, H412 |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

**SECTION 4: First aid measures****4.1. Description of first aid measures****Inhalation**

Remove person to fresh air. If you are concerned, get medical advice.

**Skin contact**

Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

**Eye contact**

Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

**If swallowed**

Rinse mouth. If you are concerned, get medical advice.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

### SECTION 5: Fire-fighting measures

#### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### Hazardous Decomposition or By-Products

| <u>Substance</u> | <u>Condition</u>   |
|------------------|--------------------|
| Carbon monoxide  | During combustion. |
| Carbon dioxide.  | During combustion. |

#### 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Avoid skin contact with hot material. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from oxidising agents.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient    | CAS Nbr  | Agency | Limit type  | Additional comments |
|---------------|----------|--------|---|---------------------|
| vinyl acetate | 108-05-4 | UK HSC | TWA:17.6 mg/m <sup>3</sup> (5 ppm);STEL:35.2 mg/m <sup>3</sup> (10 ppm) |                     |

UK HSC : UK Health and Safety Commission

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

#### Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

##### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

##### Applicable Norms/Standards

Use eye/face protection conforming to EN 166

##### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material         | Thickness (mm) | Breakthrough Time |
|------------------|----------------|-------------------|
| Polymer laminate | >.3            | > 8 hours         |
| Butyl rubber.    | >.3            | 1-4 hours         |

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing. Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

##### Applicable Norms/Standards

Use gloves tested to EN 374

##### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

*Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter types A & P

**Thermal hazards**

Wear heat insulating gloves when handling hot material to prevent thermal burns.

*Applicable Norms/Standards*

Use gloves tested to EN 407

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

|   |  |
|---|--|
| <b>Physical state</b>                         | Solid.   |
| <b>Specific Physical Form:</b>                | Waxy Solid   |
| <b>Colour</b>                                 | White  |
| <b>Odor</b>                                   | Odourless  |
| <b>Odour threshold</b>                        | <i>No data available.</i>  |
| <b>Melting point/freezing point</b>           | <i>Not applicable.</i>   |
| <b>Boiling point/boiling range</b>            | <i>Not applicable.</i>   |
| <b>Flammability (solid, gas)</b>              | Not classified   |
| <b>Flammable Limits(LEL)</b>                  | <i>No data available.</i>  |
| <b>Flammable Limits(UEL)</b>                  | <i>No data available.</i>  |
| <b>Flash point</b>                            | $\geq 232.2$ °C [ <i>Test Method: Cleveland Open Cup</i> ]<br>[ <i>Details: Conditions: ASTM D-92-72</i> ] |
| <b>Autoignition temperature</b>               | <i>No data available.</i>  |
| <b>Decomposition temperature</b>              | <i>No data available.</i>  |
| <b>pH</b>                                     | <i>substance/mixture is non-soluble (in water)</i>   |
| <b>Kinematic Viscosity</b>                    | <i>Not applicable.</i>   |
| <b>Water solubility</b>                       | Nil  |
| <b>Solubility- non-water</b>                  | <i>No data available.</i>  |
| <b>Partition coefficient: n-octanol/water</b> | <i>No data available.</i>  |
| <b>Density</b>                                | 0.94 g/cm <sup>3</sup> - 0.97 g/cm <sup>3</sup>  |
| <b>Relative density</b>                       | 0.94 - 0.97 [ <i>Ref Std: WATER=1</i> ]  |
| <b>Relative Vapor Density</b>                 | Nil  |

### 9.2. Other information

#### 9.2.2 Other safety characteristics

|                                      |                           |
|--------------------------------------|---------------------------|
| <b>EU Volatile Organic Compounds</b> | <i>No data available.</i> |
| <b>Evaporation rate</b>              | <i>Not applicable.</i>    |
| <b>Molecular weight</b>              | <i>No data available.</i> |
| <b>Percent volatile</b>              | 0 % weight                |
| <b>Solids content</b>                | 100 %                     |

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

### 10.2 Chemical stability

Stable.

### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

### 10.4 Conditions to avoid

None known.

### 10.5 Incompatible materials

Strong oxidising agents.

### 10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

|             |  |
|-------------|--|
| None known. |  |
|-------------|--|

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

May cause additional health effects (see below).

#### Skin contact

During heating:

Thermal burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

#### Eye contact

During heating:

Thermal burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

#### Ingestion

May cause additional health effects (see below).

#### Additional Health Effects:

#### Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

#### Toxicological Data

**3M™ Hot Melt Adhesive 3792-AE, 3792-PG, 3792-TC, 3792-Q, 3792-B**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

**Acute Toxicity**

| Name                           | Route                       | Species | Value  |
|--------------------------------|-----------------------------|---------|--|
| Overall product                | Dermal                      |         | No data available; calculated ATE >5,000 mg/kg |
| Overall product                | Ingestion                   |         | No data available; calculated ATE >5,000 mg/kg |
| Ethylene-Vinyl Acetate Polymer | Dermal                      |         | LD50 estimated to be > 5,000 mg/kg             |
| Ethylene-Vinyl Acetate Polymer | Ingestion                   | Rat     | LD50 > 1,000 mg/kg                             |
| Hydrocarbon resin              | Dermal                      | Rat     | LD50 > 2,000 mg/kg                             |
| Hydrocarbon resin              | Ingestion                   | Rat     | LD50 > 5,000 mg/kg                             |
| vinyl acetate                  | Dermal                      | Rabbit  | LD50 2,320 mg/kg                               |
| vinyl acetate                  | Inhalation-Vapour (4 hours) | Rat     | LC50 11.3 mg/l                                 |
| vinyl acetate                  | Ingestion                   | Rat     | LD50 2,920 mg/kg                               |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name                           | Species                | Value                     |
|--------------------------------|------------------------|---------------------------|
| Ethylene-Vinyl Acetate Polymer | Professional judgement | No significant irritation |
| vinyl acetate                  | Rabbit                 | Minimal irritation        |

**Serious Eye Damage/Irritation**

| Name                           | Species                | Value                     |
|--------------------------------|------------------------|---------------------------|
| Ethylene-Vinyl Acetate Polymer | Professional judgement | No significant irritation |
| vinyl acetate                  | Rabbit                 | Mild irritant             |

**Skin Sensitisation**

| Name          | Species    | Value          |
|---------------|------------|----------------|
| vinyl acetate | Guinea pig | Not classified |

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity**

| Name          | Route    | Value  |
|---------------|----------|--|
| vinyl acetate | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| vinyl acetate | In vivo  | Some positive data exist, but the data are not sufficient for classification |

**Carcinogenicity**

| Name          | Route      | Species                 | Value         |
|---------------|------------|-------------------------|---------------|
| vinyl acetate | Ingestion  | Multiple animal species | Carcinogenic. |
| vinyl acetate | Inhalation | Rat                     | Carcinogenic. |

## Reproductive Toxicity

### Reproductive and/or Developmental Effects

| Name          | Route      | Value                                  | Species | Test result         | Exposure Duration    |
|---------------|------------|--|---------|---------------------|----------------------|
| vinyl acetate | Ingestion  | Not classified for female reproduction | Rat     | NOAEL 140 mg/kg/day | 2 generation         |
| vinyl acetate | Ingestion  | Not classified for male reproduction   | Rat     | NOAEL 140 mg/kg/day | 2 generation         |
| vinyl acetate | Ingestion  | Not classified for development         | Rat     | NOAEL 700 mg/kg/day | 2 generation         |
| vinyl acetate | Inhalation | Not classified for development         | Rat     | NOAEL 0.7 mg/l      | during organogenesis |

### Target Organ(s)

#### Specific Target Organ Toxicity - single exposure

| Name          | Route      | Target Organ(s)                   | Value  | Species          | Test result         | Exposure Duration |
|---------------|------------|-----------------------------------|--|------------------|---------------------|-------------------|
| vinyl acetate | Inhalation | respiratory irritation            | May cause respiratory irritation   | Human and animal | NOAEL Not available |                   |
| vinyl acetate | Inhalation | central nervous system depression | Some positive data exist, but the data are not sufficient for classification |                  | NOAEL Not available |                   |

#### Specific Target Organ Toxicity - repeated exposure

| Name                           | Route      | Target Organ(s)   | Value  | Species                 | Test result           | Exposure Duration |
|--------------------------------|------------|---|--|-------------------------|-----------------------|-------------------|
| Ethylene-Vinyl Acetate Polymer | Ingestion  | liver   | Not classified   | Rat                     | NOAEL 4,000 mg/kg/day | 90 days           |
| vinyl acetate                  | Inhalation | respiratory system  | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | NOAEL 0.2 mg/l        | 104 weeks         |
| vinyl acetate                  | Inhalation | heart   hematopoietic system   liver   kidney and/or bladder  | Not classified   | Rat                     | NOAEL 2.1 mg/l        | 104 weeks         |
| vinyl acetate                  | Inhalation | endocrine system  | Not classified   | Rat                     | NOAEL 0.07 mg/l       | 120 days          |
| vinyl acetate                  | Inhalation | immune system   | Not classified   | Multiple animal species | NOAEL 3.5 mg/l        | 3 months          |
| vinyl acetate                  | Inhalation | nervous system  | Not classified   | Multiple animal species | NOAEL 2.1 mg/l        | 104 weeks         |
| vinyl acetate                  | Inhalation | gastrointestinal tract  | Not classified   | Mouse                   | NOAEL 3.5 mg/l        | 3 months          |
| vinyl acetate                  | Ingestion  | liver   | Not classified   | Rat                     | LOAEL 684 mg/kg/day   | 3 months          |
| vinyl acetate                  | Ingestion  | hematopoietic system   nervous system   kidney and/or bladder | Not classified   | Rat                     | NOAEL 235 mg/kg/day   | 104 weeks         |
| vinyl acetate                  | Ingestion  | immune system   respiratory system                            | Not classified   | Mouse                   | NOAEL 950 mg/kg/day   | 3 months          |
| vinyl acetate                  | Ingestion  | heart   | Not classified   | Rat                     | NOAEL 235 mg/kg/day   | 104 weeks         |

### Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.



Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

| Material                       | CAS #      | Organism       | Type  | Exposure | Test endpoint | Test result |
|--------------------------------|------------|----------------|---|----------|---------------|-------------|
| Ethylene-Vinyl Acetate Polymer | 24937-78-8 |                | Data not available or insufficient for classification |          |               | N/A         |
| Hydrocarbon resin              | Mixture    |                | Data not available or insufficient for classification |          |               | N/A         |
| vinyl acetate                  | 108-05-4   | Green Algae    | Experimental  | 72 hours | EC50          | 8.9 mg/l    |
| vinyl acetate                  | 108-05-4   | Medaka         | Experimental  | 96 hours | LC50          | 2.4 mg/l    |
| vinyl acetate                  | 108-05-4   | Water flea     | Experimental  | 48 hours | EC50          | 9.2 mg/l    |
| vinyl acetate                  | 108-05-4   | Fathead minnow | Experimental  | 34 days  | NOEC          | 0.551 mg/l  |
| vinyl acetate                  | 108-05-4   | Green Algae    | Experimental  | 72 hours | NOEC          | 0.2 mg/l    |
| vinyl acetate                  | 108-05-4   | Water flea     | Experimental  | 21 days  | NOEC          | 0.32 mg/l   |

**12.2. Persistence and degradability**

| Material                       | CAS Nbr    | Test type                          | Duration | Study Type | Test result    | Protocol                  |
|--------------------------------|------------|------------------------------------|----------|------------|----------------|---------------------------|
| Ethylene-Vinyl Acetate Polymer | 24937-78-8 | Data not available or insufficient |          |            | N/A            |                           |
| Hydrocarbon resin              | Mixture    | Data not available or insufficient |          |            | N/A            |                           |
| vinyl acetate                  | 108-05-4   | Experimental Biodegradation        | 14 days  | BOD        | 90 % BOD/ThBOD | OECD 301C - MITI test (I) |

**12.3 : Bioaccumulative potential**

| Material                       | Cas No.    | Test type   | Duration | Study Type | Test result | Protocol            |
|--------------------------------|------------|---|----------|------------|-------------|---------------------|
| Ethylene-Vinyl Acetate Polymer | 24937-78-8 | Data not available or insufficient for classification | N/A      | N/A        | N/A         | N/A                 |
| Hydrocarbon resin              | Mixture    | Data not available or insufficient for classification | N/A      | N/A        | N/A         | N/A                 |
| vinyl acetate                  | 108-05-4   | Experimental Bioconcentration                         |          | Log Kow    | 0.73        | Non-standard method |

**12.4. Mobility in soil**

No test data available.

**12.5. Results of the PBT and vPvB assessment**

This material does not contain any substances that are assessed to be a PBT or vPvB

**12.6. Endocrine disrupting properties**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations**

**13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

08 04 10 Waste adhesives and sealants other than those mentioned in 08 04 09  
 20 01 28 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

**SECTION 14: Transportation information**

Not hazardous for transportation.

|  | <b>Ground Transport (ADR)</b> | <b>Air Transport (IATA)</b> | <b>Marine Transport (IMDG)</b> |
|--|-------------------------------|-----------------------------|--------------------------------|
| <b>14.1 UN number</b>                  | No data available.            | No Data Available           | No Data Available              |
| <b>14.2 UN proper shipping name</b>    | No data available.            | No Data Available           | No Data Available              |
| <b>14.3 Transport hazard class(es)</b> | No data available.            | No Data Available           | No Data Available              |

|  |  |  |  |
|--|--|--|--|
| <b>14.4 Packing group</b>  | No data available.   | No Data Available  | No Data Available  |
| <b>14.5 Environmental hazards</b>  | No data available.   | No Data Available  | No Data Available  |
| <b>14.6 Special precautions for user</b>   | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code</b> | No data available.   | No Data Available  | No Data Available  |
| <b>Control Temperature</b>   | No data available.   | No Data Available  | No Data Available  |
| <b>Emergency Temperature</b>   | No data available.   | No Data Available  | No Data Available  |
| <b>ADR Tunnel Code</b>   | No data available.   | Not Applicable   | No Data Available  |
| <b>ADR Classification Code</b>   | No data available.   | No Data Available  | No Data Available  |
| <b>ADR Transport Category</b>  | No data available.   | No Data Available  | No Data Available  |
| <b>ADR Multiplier</b>  | No data available.   | No Data Available  | No Data Available  |
| <b>IMDG Segregation Code</b>   | No data available.   | No Data Available  | No Data Available  |
| <b>Transport not Permitted</b>   | No data available.   | No Data Available  | No Data Available  |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

**Ingredient**  
vinyl acetate

**CAS Nbr**  
108-05-4

**Classification**  
Carc. 2

**Regulation**  
Regulation (EC) No. 1272/2008, Table 3.1  
International Agency for Research on Cancer

vinyl acetate

108-05-4

Grp. 2B: Possible human carc.

### **15.2. Chemical Safety Assessment**

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

## **SECTION 16: Other information**

### **List of relevant H statements**

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.                |
| H332 | Harmful if inhaled.                                |
| H335 | May cause respiratory irritation.                  |
| H351 | Suspected of causing cancer.                       |
| H412 | Harmful to aquatic life with long lasting effects. |

### **Revision information:**

No revision information

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

**3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)**