



## Safety Data Sheet

Copyright, 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

|                        |            |                         |            |
|------------------------|------------|-------------------------|------------|
| <b>Document group:</b> | 28-5234-1  | <b>Version number:</b>  | 6.03       |
| <b>Revision date:</b>  | 29/11/2022 | <b>Supersedes date:</b> | 13/02/2020 |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M Spray 77 Bulk Concentrate

#### Product Identification Numbers

YP-2080-6211-4

7000116822

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

##### Identified uses

Adhesive

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.  
**Telephone:** +44 (0)1344 858 000  
**E Mail:** tox.uk@mmm.com  
**Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

### SECTION 2: Hazard identification

#### 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

The aspiration hazard classification is not required due to the product's viscosity.

**CLASSIFICATION:**

Flammable Liquid, Category 2 - Flam. Liq. 2; H225  
Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315  
Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H336  
Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

**2.2. Label elements****CLP REGULATION (EC) No 1272/2008****SIGNAL WORD**

DANGER.

**Symbols**

GHS02 (Flame) |GHS07 (Exclamation mark) |GHS09 (Environment) |

**Pictograms****Ingredients:**

| Ingredient                                       | CAS Nbr | EC No.    | % by Wt |
|--|---------|-----------|---------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |         | 927-510-4 | 20 - 25 |

**HAZARD STATEMENTS:**

|      |  |
|------|--|
| H225 | Highly flammable liquid and vapour.              |
| H315 | Causes skin irritation.                          |
| H336 | May cause drowsiness or dizziness.               |
| H411 | Toxic to aquatic life with long lasting effects. |

**PRECAUTIONARY STATEMENTS****Prevention:**

|       |  |
|-------|--|
| P210  | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P261A | Avoid breathing vapours.   |
| P273  | Avoid release to the environment.  |

**Response:**

|             |   |
|-------------|---|
| P370 + P378 | In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish. |
| P391        | Collect spillage.   |

**2.3. Other hazards**

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

**SECTION 3: Composition/information on ingredients**

**3.1. Substances**

Not applicable

**3.2. Mixtures**

| <b>Ingredient</b>   | <b>Identifier(s)</b>   | <b>%</b> | <b>Classification according to Regulation (EC) No. 1272/2008 [CLP]</b>  |
|---|--|----------|---|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | (EC-No.) 927-510-4<br>(REACH-No.) 01-2119475515-33                         | 20 - 25  | Aquatic Chronic 2, H411<br>Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336                                  |
| cyclohexane   | (CAS-No.) 110-82-7<br>(EC-No.) 203-806-2                                   | < 20     | Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336<br>Aquatic Acute 1, H400,M=1<br>Aquatic Chronic 1, H410,M=1 |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | (CAS-No.) 31393-98-3   | < 15     | Aquatic Chronic 4, H413   |
| Butadiene-styrene-meta-divinylbenzene polymer   | (CAS-No.) 26471-45-4   | < 15     | Substance not classified as hazardous   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane   | (EC-No.) 931-254-9<br>(REACH-No.) 01-2119484651-34                         | < 15     | Aquatic Chronic 2, H411<br>Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>Skin Irrit. 2, H315<br>STOT SE 3, H336                                  |
| pentane   | (CAS-No.) 109-66-0<br>(EC-No.) 203-692-4<br>(REACH-No.) 01-2119459286-30   | < 15     | Flam. Liq. 2, H225<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>EUH066<br>Aquatic Chronic 2, H411<br>Nota C                                     |
| Glycerol ester of hydrogenated rosin  | (CAS-No.) 65997-13-9<br>(EC-No.) 266-042-9<br>(REACH-No.) 01-2119487112-43 | < 10     | Substance with a national occupational exposure limit   |
| isopentane  | (CAS-No.) 78-78-4<br>(EC-No.) 201-142-8                                    | < 5      | Flam. Liq. 1, H224<br>Asp. Tox. 1, H304<br>STOT SE 3, H336<br>EUH066<br>Aquatic Chronic 2, H411   |
| morpholine  | (CAS-No.) 110-91-8<br>(EC-No.) 203-815-1                                   | < 0.3    | Flam. Liq. 3, H226<br>Acute Tox. 3, H311<br>Acute Tox. 4, H332<br>Acute Tox. 4, H302<br>Skin Corr. 1B, H314                                   |

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## SECTION 4: First aid measures

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush eyes with large amounts of water. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

### 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Aspiration pneumonitis (coughing, gasping, choking, burning of the mouth, and difficulty breathing). Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness).

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

## SECTION 5: Fire-fighting measures

### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

### Hazardous Decomposition or By-Products

| <u>Substance</u>           | <u>Condition</u>   |
|----------------------------|--------------------|
| Aldehydes.                 | During combustion. |
| Hydrocarbons.              | During combustion. |
| Carbon monoxide            | During combustion. |
| Carbon dioxide.            | During combustion. |
| Irritant vapours or gases. | During combustion. |

### 5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Eliminate all ignition sources if safe to do so. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

### 6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

### 6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire extinguishing foam that is resistant to polar solvents. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (eg. gloves, respirators...) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapour accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

### 7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidising agents.

### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient  | CAS Nbr  | Agency | Limit type   | Additional comments |
|-------------|----------|--------|--|---------------------|
| pentane     | 109-66-0 | UK HSC | TWA:1800 mg/m <sup>3</sup> (600 ppm)                                       |                     |
| cyclohexane | 110-82-7 | UK HSC | TWA:350 mg/m <sup>3</sup> (100 ppm);STEL:1050 mg/m <sup>3</sup> (300 ppm)  |                     |
| morpholine  | 110-91-8 | UK HSC | TWA: 36 mg/m <sup>3</sup> (10 ppm);<br>STEL: 72 mg/m <sup>3</sup> (20 ppm) | SKIN                |

**3M Spray 77 Bulk Concentrate**

|            |            |        |   |                        |
|------------|------------|--------|---|------------------------|
| Rosin      | 65997-13-9 | UK HSC | TWA(as fume):0.05<br>mg/m <sup>3</sup> ;STEL(as fume):0.15<br>mg/m <sup>3</sup> | Respiratory Sensitizer |
| isopentane | 78-78-4    | UK HSC | TWA:1800 mg/m <sup>3</sup> (600 ppm)  |                        |

UK HSC : UK Health and Safety Commission  
TWA: Time-Weighted-Average  
STEL: Short Term Exposure Limit  
CEIL: Ceiling

**Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Derived no effect level (DNEL)**

| Ingredient                                       | Degradation Product | Population | Human exposure pattern                                     | DNEL                    |
|--|---------------------|------------|--|-------------------------|
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 13,964 mg/kg bw/d       |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 5,306 mg/m <sup>3</sup> |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 13,964 mg/kg bw/d       |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 5,306 mg/m <sup>3</sup> |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 300 mg/kg bw/d          |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 2,085 mg/m <sup>3</sup> |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 300 mg/kg bw/d          |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 2,085 mg/m <sup>3</sup> |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 300 mg/kg bw/d          |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane      |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 2,085 mg/m <sup>3</sup> |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Dermal, Long-term exposure (8 hours), Systemic effects     | 300 mg/kg bw/d          |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |                     | Worker     | Inhalation, Long-term exposure (8 hours), Systemic effects | 2,085 mg/m <sup>3</sup> |

**Predicted no effect concentrations (PNEC)**

| Ingredient | Degradation Product | Compartment | PNEC |
|------------|---------------------|-------------|------|
|            |                     |             |      |

|  |  |                        |                 |
|--|--|------------------------|-----------------|
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     |  | Agricultural soil      | 0.53 mg/kg d.w. |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     |  | Freshwater             | 0.096 mg/l      |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     |  | Freshwater sediments   | 2.5 mg/kg d.w.  |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     |  | Marine water           | 0.096 mg/l      |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     |  | Marine water sediments | 2.5 mg/kg d.w.  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |  | Agricultural soil      | 0.53 mg/kg d.w. |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |  | Freshwater             | 0.096 mg/l      |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |  | Freshwater sediments   | 2.5 mg/kg d.w.  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |  | Marine water           | 0.096 mg/l      |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics |  | Marine water sediments | 2.5 mg/kg d.w.  |

**Recommended monitoring procedures:** Information on recommended monitoring procedures can be obtained from UK HSC

## 8.2. Exposure controls

In addition, refer to the annex for more information.

### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Eye protection not required.

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

| Material         | Thickness (mm)    | Breakthrough Time |
|------------------|-------------------|-------------------|
| Polymer laminate | No data available | No data available |

#### Applicable Norms/Standards

Use gloves tested to EN 374

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### *Applicable Norms/Standards*

Use a respirator conforming to EN 140 or EN 136: filter type A

### **8.2.3. Environmental exposure controls**

Refer to Annex

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

|   |  |
|---|--|
| <b>Physical state</b>                         | Liquid.                                  |
| <b>Colour</b>                                 | Colourless                               |
| <b>Odor</b>                                   | Sweet Odor, Spicy                        |
| <b>Odour threshold</b>                        | <i>No data available.</i>                |
| <b>Melting point/freezing point</b>           | <i>Not applicable.</i>                   |
| <b>Boiling point/boiling range</b>            | 60 °C                                    |
| <b>Flammability (solid, gas)</b>              | Not applicable.                          |
| <b>Flammable Limits(LEL)</b>                  | <i>No data available.</i>                |
| <b>Flammable Limits(UEL)</b>                  | <i>No data available.</i>                |
| <b>Flash point</b>                            | -25 °C [ <i>Test Method</i> :Closed Cup] |
| <b>Autoignition temperature</b>               | <i>No data available.</i>                |
| <b>Decomposition temperature</b>              | <i>No data available.</i>                |
| <b>pH</b>                                     |  |
| <b>Kinematic Viscosity</b>                    | 253 mm <sup>2</sup> /sec                 |
| <b>Water solubility</b>                       | <i>No data available.</i>                |
| <b>Solubility- non-water</b>                  | <i>Not applicable.</i>                   |
| <b>Partition coefficient: n-octanol/water</b> | <i>No data available.</i>                |
| <b>Vapour pressure</b>                        | <i>No data available.</i>                |
| <b>Density</b>                                | 0.79 g/ml                                |
| <b>Relative density</b>                       | 0.79 [ <i>Ref Std</i> :WATER=1]          |
| <b>Relative Vapour Density</b>                | <i>No data available.</i>                |

### **9.2. Other information**

#### **9.2.2 Other safety characteristics**

|                                      |                           |
|--------------------------------------|---------------------------|
| <b>EU Volatile Organic Compounds</b> | <i>No data available.</i> |
| <b>Evaporation rate</b>              | <i>No data available.</i> |
| <b>Percent volatile</b>              | approximately 63 % weight |

## **SECTION 10: Stability and reactivity**

### **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

### **10.2 Chemical stability**

Stable.

### **10.3 Possibility of hazardous reactions**



Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

Sparks and/or flames.

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
|------------------|------------------|

|             |  |
|-------------|--|
| None known. |  |
|-------------|--|

Refer to section 5.2 for hazardous decomposition products during combustion.

## SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

##### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

##### Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain. May cause additional health effects (see below).

##### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

##### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### Additional Health Effects:

##### Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

##### Prolonged or repeated exposure may cause target organ effects:

Peripheral neuropathy: Signs/symptoms may include tingling or numbness of the extremities, incoordination, weakness of the hands and feet, tremors and muscle atrophy.

#### Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

the data are not sufficient for classification.

### Acute Toxicity

| Name  | Route                       | Species                | Value  |
|---|-----------------------------|------------------------|--|
| Overall product   | Dermal                      |                        | No data available; calculated ATE >5,000 mg/kg |
| Overall product   | Inhalation-Vapour(4 hr)     |                        | No data available; calculated ATE >50 mg/l     |
| Overall product   | Ingestion                   |                        | No data available; calculated ATE >5,000 mg/kg |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Dermal                      | Rabbit                 | LD50 > 2,920 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Dermal                      | Rabbit                 | LD50 > 3,160 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Dermal                      | Rabbit                 | LD50 > 3,160 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Dermal                      | Rat                    | LD50 > 2,000 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 14.7 mg/l                               |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 23.3 mg/l                               |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 5.61 mg/l                               |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Ingestion                   | Rat                    | LD50 > 5,000 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Ingestion                   | Rat                    | LD50 > 5,840 mg/kg                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Ingestion                   | Rat                    | LD50 > 5,000 mg/kg                             |
| pentane   | Dermal                      | Rabbit                 | LD50 3,000 mg/kg                               |
| pentane   | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 18 mg/l                                 |
| pentane   | Ingestion                   | Rat                    | LD50 > 2,000 mg/kg                             |
| cyclohexane   | Dermal                      | Rat                    | LD50 > 2,000 mg/kg                             |
| cyclohexane   | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 32.9 mg/l                               |
| cyclohexane   | Ingestion                   | Rat                    | LD50 6,200 mg/kg                               |
| Butadiene-styrene-meta-divinylbenzene polymer   | Dermal                      |                        | LD50 estimated to be > 5,000 mg/kg             |
| Butadiene-styrene-meta-divinylbenzene polymer   | Ingestion                   |                        | LD50 estimated to be 2,000 - 5,000 mg/kg       |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Dermal                      | Rabbit                 | LD50 > 2,920 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Dermal                      | Rabbit                 | LD50 > 3,160 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Dermal                      | Rabbit                 | LD50 > 3,160 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Dermal                      | Rat                    | LD50 > 2,000 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 14.7 mg/l                               |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 23.3 mg/l                               |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 5.61 mg/l                               |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Ingestion                   | Rat                    | LD50 > 5,000 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Ingestion                   | Rat                    | LD50 > 5,840 mg/kg                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Ingestion                   | Rat                    | LD50 > 5,000 mg/kg                             |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Dermal                      | Professional judgement | LD50 estimated to be > 5,000 mg/kg             |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Ingestion                   | Rat                    | LD50 > 2,000 mg/kg                             |
| Glycerol ester of hydrogenated rosin  | Dermal                      | Rat                    | LD50 > 2,000 mg/kg                             |
| Glycerol ester of hydrogenated rosin  | Ingestion                   | Rat                    | LD50 > 2,000 mg/kg                             |
| isopentane  | Dermal                      | Rabbit                 | LD50 3,000 mg/kg                               |
| isopentane  | Inhalation-Vapour (4 hours) | Rat                    | LC50 > 18 mg/l                                 |

**3M Spray 77 Bulk Concentrate**

|            |                   |        |                                   |
|------------|-------------------|--------|-----------------------------------|
|            | hours)            |        |                                   |
| isopentane | Ingestion         | Rat    | LD50 > 2,000 mg/kg                |
| morpholine | Dermal            | Rabbit | LD50 310 mg/kg                    |
| morpholine | Inhalation-Vapour | Rat    | LC50 estimated to be 10 - 20 mg/l |
| morpholine | Ingestion         | Rat    | LD50 1,050 mg/kg                  |

ATE = acute toxicity estimate

**Skin Corrosion/Irritation**

| Name  | Species                 | Value                     |
|---|-------------------------|---------------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Rabbit                  | Irritant                  |
| pentane   | Rabbit                  | Minimal irritation        |
| cyclohexane   | Rabbit                  | Mild irritant             |
| Butadiene-styrene-meta-divinylbenzene polymer   | Professional judgement  | Minimal irritation        |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Rabbit                  | Irritant                  |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | In vitro data           | No significant irritation |
| Glycerol ester of hydrogenated rosin  | Rabbit                  | No significant irritation |
| isopentane  | Rabbit                  | Minimal irritation        |
| morpholine  | official classification | Corrosive                 |

**Serious Eye Damage/Irritation**

| Name  | Species       | Value                     |
|---|---------------|---------------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Rabbit        | No significant irritation |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Rabbit        | Mild irritant             |
| pentane   | Rabbit        | Mild irritant             |
| cyclohexane   | Rabbit        | Mild irritant             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Rabbit        | No significant irritation |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Rabbit        | Mild irritant             |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | In vitro data | No significant irritation |
| Glycerol ester of hydrogenated rosin  | Rabbit        | Mild irritant             |
| isopentane  | Rabbit        | Mild irritant             |
| morpholine  | Rabbit        | Corrosive                 |

**Skin Sensitisation**

| Name  | Species                 | Value          |
|---|-------------------------|----------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | Guinea pig              | Not classified |
| pentane   | Guinea pig              | Not classified |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | Guinea pig              | Not classified |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Multiple animal species | Not classified |
| Glycerol ester of hydrogenated rosin  | Human and animal        | Not classified |
| isopentane  | Guinea pig              | Not classified |
| morpholine  | Guinea pig              | Not classified |

**Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

### Germ Cell Mutagenicity

| Name  | Route    | Value  |
|---|----------|--|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | In Vitro | Not mutagenic  |
| pentane   | In vivo  | Not mutagenic  |
| pentane   | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| cyclohexane   | In Vitro | Not mutagenic  |
| cyclohexane   | In vivo  | Some positive data exist, but the data are not sufficient for classification |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | In Vitro | Not mutagenic  |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | In Vitro | Not mutagenic  |
| isopentane  | In vivo  | Not mutagenic  |
| isopentane  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| morpholine  | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| morpholine  | In vivo  | Some positive data exist, but the data are not sufficient for classification |

### Carcinogenicity

| Name   | Route      | Species                 | Value  |
|--|------------|-------------------------|--|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Inhalation | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Inhalation | Mouse                   | Some positive data exist, but the data are not sufficient for classification |
| morpholine                                       | Ingestion  | Multiple animal species | Not carcinogenic   |
| morpholine                                       | Inhalation | Rat                     | Not carcinogenic   |

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

| Name   | Route          | Value                                  | Species | Test result           | Exposure Duration    |
|--|----------------|--|---------|-----------------------|----------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Not specified. | Not classified for female reproduction | Rat     | NOAEL Not available   | 2 generation         |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Not specified. | Not classified for male reproduction   | Rat     | NOAEL Not available   | 2 generation         |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Not specified. | Not classified for development         | Rat     | NOAEL Not available   | 2 generation         |
| pentane  | Ingestion      | Not classified for development         | Rat     | NOAEL 1,000 mg/kg/day | during organogenesis |
| pentane  | Inhalation     | Not classified for development         | Rat     | NOAEL 30 mg/l         | during organogenesis |
| cyclohexane                                      | Inhalation     | Not classified for female reproduction | Rat     | NOAEL 24 mg/l         | 2 generation         |
| cyclohexane                                      | Inhalation     | Not classified for male reproduction   | Rat     | NOAEL 24 mg/l         | 2 generation         |
| cyclohexane                                      | Inhalation     | Not classified for development         | Rat     | NOAEL 6.9 mg/l        | 2 generation         |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Not specified. | Not classified for female reproduction | Rat     | NOAEL Not available   | 2 generation         |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Not specified. | Not classified for male reproduction   | Rat     | NOAEL Not available   | 2 generation         |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Not specified. | Not classified for development         | Rat     | NOAEL Not available   | 2 generation         |
| isopentane                                       | Ingestion      | Not classified for development         | Rat     | NOAEL 1,000           | during organogenesis |

|            |            |                                |     |                               |                         |
|------------|------------|--------------------------------|-----|-------------------------------|-------------------------|
| isopentane | Inhalation | Not classified for development | Rat | mg/kg/day<br>NOAEL 30<br>mg/l | during<br>organogenesis |
|------------|------------|--------------------------------|-----|-------------------------------|-------------------------|

**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name   | Route      | Target Organ(s)                   | Value  | Species                 | Test result         | Exposure Duration |
|--|------------|-----------------------------------|--|-------------------------|---------------------|-------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal        | NOAEL Not available |                   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                         | NOAEL Not available |                   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement  | NOAEL Not available |                   |
| pentane  | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available | not available     |
| pentane  | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Not available           | NOAEL Not available | not available     |
| pentane  | Inhalation | cardiac sensitisation             | Not classified   | Dog                     | NOAEL Not available | not available     |
| pentane  | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement  | NOAEL Not available | not available     |
| cyclohexane                                      | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal        | NOAEL Not available |                   |
| cyclohexane                                      | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Human and animal        | NOAEL Not available |                   |
| cyclohexane                                      | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement  | NOAEL Not available |                   |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human and animal        | NOAEL Not available |                   |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Human                   | NOAEL Not available |                   |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | similar health hazards  | NOAEL Not available |                   |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                         | NOAEL Not available |                   |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement  | NOAEL Not available |                   |
| isopentane                                       | Inhalation | central nervous system depression | May cause drowsiness or dizziness  | Multiple animal species | NOAEL Not available | not available     |
| isopentane                                       | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification | Not available           | NOAEL Not available | not available     |

**3M Spray 77 Bulk Concentrate**

|            |            |                                   |  |                        |                     |               |
|------------|------------|-----------------------------------|--|------------------------|---------------------|---------------|
| isopentane | Inhalation | cardiac sensitisation             | Not classified   | Dog                    | NOAEL Not available | not available |
| isopentane | Ingestion  | central nervous system depression | May cause drowsiness or dizziness  | Professional judgement | NOAEL Not available | not available |
| morpholine | Inhalation | respiratory irritation            | Some positive data exist, but the data are not sufficient for classification |                        | NOAEL Not available |               |

**Specific Target Organ Toxicity - repeated exposure**

| Name  | Route      | Target Organ(s)  | Value   | Species    | Test result           | Exposure Duration     |
|---|------------|--|---|------------|-----------------------|-----------------------|
| pentane   | Inhalation | peripheral nervous system  | Not classified  | Human      | NOAEL Not available   | occupational exposure |
| pentane   | Inhalation | heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system | Not classified  | Rat        | NOAEL 20 mg/l         | 13 weeks              |
| pentane   | Ingestion  | kidney and/or bladder  | Not classified  | Rat        | NOAEL 2,000 mg/kg/day | 28 days               |
| cyclohexane   | Inhalation | liver  | Not classified  | Rat        | NOAEL 24 mg/l         | 90 days               |
| cyclohexane   | Inhalation | auditory system  | Not classified  | Rat        | NOAEL 1.7 mg/l        | 90 days               |
| cyclohexane   | Inhalation | kidney and/or bladder  | Not classified  | Rabbit     | NOAEL 2.7 mg/l        | 10 weeks              |
| cyclohexane   | Inhalation | hematopoietic system   | Not classified  | Mouse      | NOAEL 24 mg/l         | 14 weeks              |
| cyclohexane   | Inhalation | peripheral nervous system  | Not classified  | Rat        | NOAEL 8.6 mg/l        | 30 weeks              |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | Ingestion  | heart   gastrointestinal tract   hematopoietic system   liver   nervous system   eyes   kidney and/or bladder  | Not classified  | Rat        | NOAEL 331 mg/kg/day   | 90 days               |
| isopentane  | Inhalation | peripheral nervous system  | Not classified  | Human      | NOAEL Not available   | occupational exposure |
| isopentane  | Inhalation | heart   skin   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   muscles   nervous system   eyes   kidney and/or bladder   respiratory system | Not classified  | Rat        | NOAEL 20 mg/l         | 13 weeks              |
| isopentane  | Ingestion  | kidney and/or bladder  | Not classified  | Rat        | NOAEL 2,000 mg/kg/day | 28 days               |
| morpholine  | Dermal     | liver   kidney and/or bladder  | Some positive data exist, but the data are not sufficient for | Guinea pig | LOAEL 900 mg/kg/day   | 13 days               |

**3M Spray 77 Bulk Concentrate**

|            |            |   | classification   |            |                     |                       |
|------------|------------|---|--|------------|---------------------|-----------------------|
| morpholine | Dermal     | hematopoietic system                    | Not classified   | Guinea pig | NOAEL 900 mg/kg/day | 13 days               |
| morpholine | Inhalation | eyes                                    | Causes damage to organs through prolonged or repeated exposure               | Human      | NOAEL Not available | occupational exposure |
| morpholine | Inhalation | respiratory system                      | May cause damage to organs though prolonged or repeated exposure             | Rat        | NOAEL 0.09 mg/l     | 13 weeks              |
| morpholine | Inhalation | liver   kidney and/or bladder           | Not classified   | Rat        | LOAEL 64 mg/l       | 5 days                |
| morpholine | Inhalation | heart   endocrine system                | Not classified   | Rat        | NOAEL 0.9 mg/l      | 13 weeks              |
| morpholine | Inhalation | gastrointestinal tract   nervous system | Not classified   | Rat        | NOAEL 0.53 mg/l     | 104 weeks             |
| morpholine | Ingestion  | kidney and/or bladder                   | May cause damage to organs though prolonged or repeated exposure             | Rat        | LOAEL 160 mg/kg/day | 30 days               |
| morpholine | Ingestion  | liver   respiratory system              | Some positive data exist, but the data are not sufficient for classification | Rat        | NOAEL 160 mg/kg/day | 30 days               |
| morpholine | Ingestion  | hematopoietic system                    | Not classified   | Rat        | NOAEL 800 mg/kg/day | 30 days               |
| morpholine | Ingestion  | endocrine system                        | Not classified   | Rat        | NOAEL 323 mg/kg/day | 4 weeks               |

**Aspiration Hazard**

| Name   | Value             |
|--|-------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | Aspiration hazard |
| pentane  | Aspiration hazard |
| cyclohexane                                      | Aspiration hazard |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | Aspiration hazard |
| isopentane                                       | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

**11.2. Information on other hazards**

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

**SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

**12.1. Toxicity**

No product test data available.

| Material   | CAS #     | Organism    | Type               | Exposure | Test endpoint | Test result |
|--|-----------|-------------|--------------------|----------|---------------|-------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | 927-510-4 | Green algae | Analogous Compound | 72 hours | EL50          | 29 mg/l     |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | 927-510-4 | Medaka      | Analogous Compound | 96 hours | LC50          | 0.561 mg/l  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | 927-510-4 | Water flea  | Analogous Compound | 48 hours | EC50          | 0.4 mg/l    |

**3M Spray 77 Bulk Concentrate**

|   |            |                  |                      |          |                                |            |
|---|------------|------------------|----------------------|----------|--------------------------------|------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Fathead minnow   | Estimated            | 96 hours | LL50                           | 8.2 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | EL50                           | 3.1 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | EL50                           | 29 mg/l    |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | EL50                           | 55 mg/l    |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Estimated            | 48 hours | EL50                           | 3 mg/l     |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Estimated            | 48 hours | EL50                           | 4.5 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Estimated            | 48 hours | LC50                           | 3.9 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Rainbow trout    | Experimental         | 96 hours | LL50                           | >13.4 mg/l |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Analogous Compound   | 72 hours | NOEL                           | 6.3 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Analogous Compound   | 21 days  | NOEC                           | 0.17 mg/l  |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | NOEL                           | 0.5 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | NOEL                           | 6.3 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Green algae      | Estimated            | 72 hours | NOEL                           | 30 mg/l    |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Estimated            | 21 days  | NOEL                           | 1 mg/l     |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Water flea       | Estimated            | 21 days  | NOEL                           | 2.6 mg/l   |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Activated sludge | Analogous Compound   | 15 hours | IC50                           | 29 mg/l    |
| cyclohexane   | 110-82-7   | Bacteria         | Experimental         | 24 hours | IC50                           | 97 mg/l    |
| cyclohexane   | 110-82-7   | Fathead minnow   | Experimental         | 96 hours | LC50                           | 4.53 mg/l  |
| cyclohexane   | 110-82-7   | Water flea       | Experimental         | 48 hours | EC50                           | 0.9 mg/l   |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | 31393-98-3 | Activated sludge | Experimental         | 3 hours  | NOEC                           | 1,000 mg/l |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | 31393-98-3 | Water flea       | Experimental         | 48 hours | No tox obs at lmt of water sol | >100 mg/l  |
| 2,6,6-Trimethylbicyclo[3.1.1]   | 31393-98-3 | Water flea       | Endpoint not reached | 21 days  | EL10                           | >100 mg/l  |



**3M Spray 77 Bulk Concentrate**

|  |            |                  |   |          |      |            |
|--|------------|------------------|---|----------|------|------------|
| hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane |            |                  |   |          |      |            |
| Butadiene-styrene-meta-divinylbenzene polymer                          | 26471-45-4 | N/A              | Data not available or insufficient for classification | N/A      | N/A  | N/A        |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Analogous Compound                                    | 72 hours | EL50 | 29 mg/l    |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Medaka           | Analogous Compound                                    | 96 hours | LC50 | 0.561 mg/l |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Analogous Compound                                    | 48 hours | EC50 | 0.4 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Fathead minnow   | Estimated   | 96 hours | LL50 | 8.2 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | EL50 | 3.1 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | EL50 | 29 mg/l    |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | EL50 | 55 mg/l    |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Estimated   | 48 hours | EL50 | 3 mg/l     |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Estimated   | 48 hours | EL50 | 4.5 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Estimated   | 48 hours | LC50 | 3.9 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Rainbow trout    | Experimental  | 96 hours | LL50 | >13.4 mg/l |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Analogous Compound                                    | 72 hours | NOEL | 6.3 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Analogous Compound                                    | 21 days  | NOEC | 0.17 mg/l  |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | NOEL | 0.5 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | NOEL | 6.3 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Green algae      | Estimated   | 72 hours | NOEL | 30 mg/l    |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Estimated   | 21 days  | NOEL | 1 mg/l     |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Water flea       | Estimated   | 21 days  | NOEL | 2.6 mg/l   |
| Hydrocarbons, C6, isoalkanes, < 5% n-hexane                            | 931-254-9  | Activated sludge | Analogous Compound                                    | 15 hours | IC50 | 29 mg/l    |
| pentane  | 109-66-0   | Green algae      | Experimental  | 72 hours | EC50 | 10.7 mg/l  |
| pentane  | 109-66-0   | Rainbow trout    | Experimental  | 96 hours | LC50 | 4.26 mg/l  |

**3M Spray 77 Bulk Concentrate**

|                                      |            |                  |   |            |                                |             |
|--------------------------------------|------------|------------------|---|------------|--------------------------------|-------------|
| pentane                              | 109-66-0   | Water flea       | Experimental  | 48 hours   | EC50                           | 2.7 mg/l    |
| pentane                              | 109-66-0   | Green algae      | Experimental  | 72 hours   | NOEC                           | 2.04 mg/l   |
| Glycerol ester of hydrogenated rosin | 65997-13-9 | Green algae      | Estimated   | 72 hours   | No tox obs at lmt of water sol | >100 mg/l   |
| Glycerol ester of hydrogenated rosin | 65997-13-9 | Rainbow trout    | Estimated   | 96 hours   | No tox obs at lmt of water sol | >100 mg/l   |
| Glycerol ester of hydrogenated rosin | 65997-13-9 | Water flea       | Estimated   | 48 hours   | No tox obs at lmt of water sol | >100 mg/l   |
| Glycerol ester of hydrogenated rosin | 65997-13-9 | Green algae      | Estimated   | 72 hours   | No tox obs at lmt of water sol | >100 mg/l   |
| isopentane                           | 78-78-4    | N/A              | Data not available or insufficient for classification | N/A        | N/A                            | N/A         |
| morpholine                           | 110-91-8   | Activated sludge | Experimental  | 30 minutes | EC20                           | >1,000 mg/l |
| morpholine                           | 110-91-8   | Fish             | Experimental  | 96 hours   | LC50                           | 100 mg/l    |
| morpholine                           | 110-91-8   | Green algae      | Experimental  | 96 hours   | ErC50                          | 28 mg/l     |
| morpholine                           | 110-91-8   | Rainbow trout    | Experimental  | 96 hours   | LC50                           | 180 mg/l    |
| morpholine                           | 110-91-8   | Water flea       | Experimental  | 48 hours   | EC50                           | 45 mg/l     |
| morpholine                           | 110-91-8   | Green algae      | Experimental  | 96 hours   | NOEC                           | 10 mg/l     |
| morpholine                           | 110-91-8   | Water flea       | Experimental  | 21 days    | NOEC                           | 5 mg/l      |

**12.2. Persistence and degradability**

| Material  | CAS Nbr    | Test type                         | Duration | Study Type                    | Test result       | Protocol                            |
|---|------------|-----------------------------------|----------|-------------------------------|-------------------|-------------------------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Analogous Compound Biodegradation | 28 days  | BOD                           | 74.4 %BOD/ThOD    | OECD 301F - Manometric respirometry |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Estimated Biodegradation          | 28 days  | BOD                           | 98 %BOD/CO D      | OECD 301F - Manometric respirometry |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Estimated Biodegradation          | 28 days  | BOD                           | 77 %BOD/ThO D     | OECD 301F - Manometric respirometry |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Estimated Biodegradation          | 28 days  | BOD                           | 98 %BOD/CO D      | OECD 301F - Manometric respirometry |
| cyclohexane   | 110-82-7   | Experimental Biodegradation       | 28 days  | BOD                           | 77 %BOD/ThO D     | OECD 301F - Manometric respirometry |
| cyclohexane   | 110-82-7   | Experimental Photolysis           |          | Photolytic half-life (in air) | 4.14 days (t 1/2) |                                     |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | 31393-98-3 | Experimental Biodegradation       | 28 days  | BOD                           | 4 %BOD/ThO D      | OECD 301D - Closed bottle test      |
| Butadiene-styrene-meta-divinylbenzene polymer   | 26471-45-4 | Data not available - insufficient | N/A      | N/A                           | N/A               | N/A                                 |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Analogous Compound Biodegradation | 28 days  | BOD                           | 74.4 %BOD/ThOD    | OECD 301F - Manometric respirometry |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Estimated Biodegradation          | 28 days  | BOD                           | 98 %BOD/CO D      | OECD 301F - Manometric respirometry |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Estimated Biodegradation          | 28 days  | BOD                           | 77 %BOD/ThO D     | OECD 301F - Manometric respirometry |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Estimated Biodegradation          | 28 days  | BOD                           | 98 %BOD/CO D      | OECD 301F - Manometric respirometry |
| pentane   | 109-66-0   | Experimental Biodegradation       | 28 days  | BOD                           | 87 %BOD/ThO D     | OECD 301F - Manometric respirometry |
| pentane   | 109-66-0   | Experimental                      |          | Photolytic half-life          | 8.07 days (t      |                                     |

**3M Spray 77 Bulk Concentrate**

|                                      |            |                             |         |                                |                                      |                                   |
|--------------------------------------|------------|-----------------------------|---------|--------------------------------|--------------------------------------|-----------------------------------|
|                                      |            | Photolysis                  |         | (in air)                       | 1/2)                                 |                                   |
| Glycerol ester of hydrogenated rosin | 65997-13-9 | Experimental Biodegradation | 28 days | CO2 evolution                  | 47.3 %CO2 evolution/THC O2 evolution | OECD 301B - Modified sturm or CO2 |
| isopentane                           | 78-78-4    | Experimental Biodegradation | 28 days | BOD                            | 71.43 %BOD/ThOD                      |                                   |
| isopentane                           | 78-78-4    | Experimental Photolysis     |         | Photolytic half-life (in air)  | 8.11 days (t 1/2)                    |                                   |
| morpholine                           | 110-91-8   | Experimental Biodegradation | 28 days | Dissolv. Organic Carbon Deplet | 93 %removal of DOC                   | OECD 301E - Modif. OECD Screen    |
| morpholine                           | 110-91-8   | Experimental Biodegradation | 31 days | Dissolv. Organic Carbon Deplet | 98 %removal of DOC                   | OECD 302B Zahn-Wellens/EVPA       |

**12.3 : Bioaccumulative potential**

| Material  | Cas No.    | Test type   | Duration | Study Type             | Test result | Protocol                        |
|---|------------|---|----------|------------------------|-------------|---------------------------------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A                             |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Analogous Compound BCF - Fish                         | 28 days  | Bioaccumulation factor | 540         | OECD305-Bioconcentration        |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Analogous Compound Bioconcentration                   |          | Log Kow                | 4.66        |                                 |
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics  | 927-510-4  | Estimated Bioconcentration                            |          | Log Kow                | 3.6         |                                 |
| cyclohexane   | 110-82-7   | Experimental BCF - Fish                               | 56 days  | Bioaccumulation factor | 129         | OECD305-Bioconcentration        |
| 2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane | 31393-98-3 | Experimental Bioconcentration                         |          | Log Kow                | 7.41        |                                 |
| Butadiene-styrene-metadivinylbenzene polymer  | 26471-45-4 | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Data not available or insufficient for classification | N/A      | N/A                    | N/A         | N/A                             |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Analogous Compound BCF - Fish                         | 28 days  | Bioaccumulation factor | 540         | OECD305-Bioconcentration        |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Analogous Compound Bioconcentration                   |          | Log Kow                | 4.66        |                                 |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane  | 931-254-9  | Estimated Bioconcentration                            |          | Log Kow                | 3.6         |                                 |
| pentane   | 109-66-0   | Estimated Bioconcentration                            |          | Bioaccumulation factor | 26          |                                 |
| Glycerol ester of hydrogenated rosin  | 65997-13-9 | Estimated Bioconcentration                            |          | Bioaccumulation factor | 7.4         |                                 |
| isopentane  | 78-78-4    | Experimental Bioconcentration                         |          | Log Kow                | 2.3         |                                 |
| morpholine  | 110-91-8   | Experimental BCF - Fish                               | 42 days  | Bioaccumulation factor | <2.8        | OECD305-Bioconcentration        |
| morpholine  | 110-91-8   | Experimental Bioconcentration                         |          | Log Kow                | -2.55       | OECD 107 log Kow shke flask mtd |

**12.4. Mobility in soil**

| Material   | Cas No.   | Test type                  | Study Type | Test result | Protocol  |
|--|-----------|----------------------------|------------|-------------|-----------|
| Hydrocarbons, C7, n-alkanes, isoalkanes, cyclics | 927-510-4 | Modeled Mobility in Soil   | Koc        | ≥202 l/kg   | Episuite™ |
| Hydrocarbons, C6, isoalkanes, < 5% n- hexane     | 931-254-9 | Modeled Mobility in Soil   | Koc        | ≥202 l/kg   | Episuite™ |
| pentane  | 109-66-0  | Estimated Mobility in Soil | Koc        | 72 l/kg     | Episuite™ |

**12.5. Results of the PBT and vPvB assessment**

This material does not contain any substances that are assessed to be a PBT or vPvB

**12.6. Endocrine disrupting properties**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

**12.7. Other adverse effects**

No information available.

**SECTION 13: Disposal considerations****13.1 Waste treatment methods**

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

**EU waste code (product as sold)**

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

**SECTION 14: Transportation information**

|  | Ground Transport (ADR) | Air Transport (IATA) | Marine Transport (IMDG) |
|--|------------------------|----------------------|-------------------------|
| <b>14.1 UN number or ID number</b>     | UN1133                 | UN1133               | UN1133                  |
| <b>14.2 UN proper shipping name</b>    | ADHESIVES(PENTANE)     | ADHESIVES(PENTANE)   | ADHESIVES(PENTANE)      |
| <b>14.3 Transport hazard class(es)</b> | 3                      | 3                    | 3                       |

|   |  |  |  |
|---|--|--|--|
| <b>14.4 Packing group</b>   | II   | II   | II   |
| <b>14.5 Environmental hazards</b>                                 | Environmentally Hazardous  | Not applicable   | Marine Pollutant   |
| <b>14.6 Special precautions for user</b>                          | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. | Please refer to the other sections of the SDS for further information. |
| <b>14.7 Marine Transport in bulk according to IMO instruments</b> | No data available.   | No data available.   | No data available.   |
| <b>Control Temperature</b>  | No data available.   | No data available.   | No data available.   |
| <b>Emergency Temperature</b>                                      | No data available.   | No data available.   | No data available.   |
| <b>ADR Classification Code</b>                                    | 5F   | Not applicable.  | Not applicable.  |
| <b>IMDG Segregation Code</b>                                      | Not applicable.  | Not applicable.  | NONE   |

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## SECTION 15: Regulatory information

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Carcinogenicity

**Ingredient**

morpholine

**CAS Nbr**

110-91-8

**Classification**

Gr. 3: Not classifiable

**Regulation**

International Agency  
for Research on Cancer

#### Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject through Annex XVII of REACH regulation to restrictions on the manufacture, placing on the market and use when present in certain dangerous substances, mixtures and articles. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

**Ingredient**

cyclohexane

**CAS Nbr**

110-82-7

Restriction status: listed in REACH Annex XVII

Restricted uses: See Annex XVII to Regulation (EC) No 1907/2006 for Conditions of Restriction

#### Global inventory status

Contact 3M for more information.

#### DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

| Hazard Categories                       | Qualifying quantity (tonnes) for the application of |                         |
|---|---|-------------------------|
|   | Lower-tier requirements                             | Upper-tier requirements |
| E2 Hazardous to the Aquatic environment | 200   | 500                     |
| P5c FLAMMABLE LIQUIDS*                  | 5000  | 50000                   |

\*If maintained at a temperature above its boiling point or if particular processing conditions, such as high pressure or high temperature, may create major-accident hazards, P5a or P5b FLAMMABLE LIQUIDS may apply

Seveso named dangerous substances, Annex 1, Part 2

| Dangerous Substances | Identifier(s) | Qualifying quantity (tonnes) for the application of |                         |
|----------------------|---------------|---|-------------------------|
|                      |               | Lower-tier requirements                             | Upper-tier requirements |
| cyclohexane          | 110-82-7      | 10  | 50                      |
| isopentane           | 78-78-4       | 10  | 50                      |
| morpholine           | 110-91-8      | 10  | 50                      |
| pentane              | 109-66-0      | 10  | 50                      |

#### Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

## SECTION 16: Other information

#### List of relevant H statements

|        |   |
|--------|---|
| EUH066 | Repeated exposure may cause skin dryness or cracking.   |
| H224   | Extremely flammable liquid and vapour.                  |
| H225   | Highly flammable liquid and vapour.                     |
| H226   | Flammable liquid and vapour.                            |
| H302   | Harmful if swallowed.                                   |
| H304   | May be fatal if swallowed and enters airways.           |
| H311   | Toxic in contact with skin.                             |
| H314   | Causes severe skin burns and eye damage.                |
| H315   | Causes skin irritation.                                 |
| H332   | Harmful if inhaled.                                     |
| H336   | May cause drowsiness or dizziness.                      |
| H400   | Very toxic to aquatic life.                             |
| H410   | Very toxic to aquatic life with long lasting effects.   |
| H411   | Toxic to aquatic life with long lasting effects.        |
| H412   | Harmful to aquatic life with long lasting effects.      |
| H413   | May cause long lasting harmful effects to aquatic life. |

#### Revision information:

EU Section 09: pH information information was added.

Industrial Use of Coatings: Section 16: Annex information was modified.

Professional Use of Coatings: Section 16: Annex information was modified.

CLP: Ingredient table information was modified.

CLP Remark(phrase) information was deleted.

Label: CLP Classification information was modified.  
Label: CLP Percent Unknown information was deleted.  
Label: CLP Precautionary - Disposal information was deleted.  
Label: CLP Precautionary - Prevention information was modified.  
Label: CLP Precautionary - Response information was modified.  
Section 03: Composition table % Column heading information was added.  
Section 3: Composition/ Information of ingredients table information was modified.  
Section 03: Substance not applicable information was added.  
Section 4: First Aid - notes to physician (REACH/GHS) information was modified.  
Section 04: First Aid - Symptoms and Effects (CLP) information was added.  
Section 04: Information on toxicological effects information was modified.  
Section 6: Accidental release clean-up information information was modified.  
Section 7: Precautions safe handling information information was modified.  
Section 8: DNEL table row information was modified.  
Section 8: glove data value information was modified.  
Section 8: Occupational exposure limit table information was modified.  
Section 8: Personal Protection - Skin/hand information information was modified.  
Section 8: PNEC table row information was modified.  
Section 8: Respiratory protection - recommended respirators information information was modified.  
Section 9: Evaporation Rate information information was deleted.  
Section 9: Explosive properties information information was deleted.  
Section 09: Kinematic Viscosity information information was added.  
Section 9: Melting point information information was modified.  
Section 9: Oxidising properties information information was deleted.  
Section 9: pH information information was deleted.  
Section 9: Property description for optional properties information was modified.  
Section 9: Solubility (non-water) information was added.  
Section 9: Solubility as text (non-water) information was deleted.  
Section 9: Vapour density value information was added.  
Section 9: Vapour density value information was deleted.  
Section 9: Viscosity information information was deleted.  
Section 10.1: Reactivity information information was modified.  
Section 11: Acute Toxicity table information was modified.  
Section 11: Aspiration Hazard Table information was modified.  
Section 11: Carcinogenicity Table information was modified.  
Section 11: Classification disclaimer information was modified.  
Section 11: Germ Cell Mutagenicity Table information was modified.  
Section 11: Health Effects - Skin information information was modified.  
Section 11: No endocrine disruptor information available warning information was added.  
Section 11: Prolonged or repeated exposure may cause standard phrases information was added.  
Section 11: Reproductive Toxicity Table information was modified.  
Section 11: Serious Eye Damage/Irritation Table information was modified.  
Section 11: Skin Corrosion/Irritation Table information was modified.  
Section 11: Skin Sensitization Table information was modified.  
Section 11: Target Organs - Repeated Table information was added.  
Section 11: Target Organs - Repeated Table information was deleted.  
Section 11: Target Organs - Single Table information was modified.  
Section 12: 12.6. Endocrine Disrupting Properties information was added.  
Section 12: 12.7. Other adverse effects information was modified.  
Section 12: Component ecotoxicity information information was modified.  
Section 12: Contact manufacturer for more detail. information was deleted.  
Section 12: Mobility in soil information information was added.  
Section 12: No endocrine disruptor information available warning information was added.  
Section 12: Persistence and Degradability information information was modified.  
Section 12: Biocumulative potential information information was modified.  
Section 14 Classification Code – Main Heading information was added.

Section 14 Classification Code – Regulation Data information was added.  
 Section 14 Control Temperature – Main Heading information was added.  
 Section 14 Control Temperature – Regulation Data information was added.  
 Section 14 Disclaimer Information information was added.  
 Section 14 Emergency Temperature – Main Heading information was added.  
 Section 14 Emergency Temperature – Regulation Data information was added.  
 Section 14 Hazard Class + Sub Risk – Main Heading information was added.  
 Section 14 Hazard Class + Sub Risk – Regulation Data information was added.  
 Section 14 Hazardous/Not Hazardous for Transportation information was added.  
 Section 14 Other Dangerous Goods – Main Heading information was added.  
 Section 14 Other Dangerous Goods – Regulation Data information was added.  
 Section 14 Packing Group – Main Heading information was added.  
 Section 14 Packing Group – Regulation Data information was added.  
 Section 14 Proper Shipping Name information was added.  
 Section 14 Regulations – Main Headings information was added.  
 Section 14 Segregation – Regulation Data information was added.  
 Section 14 Segregation Code – Main Heading information was added.  
 Section 14 Special Precautions – Main Heading information was added.  
 Section 14 Special Precautions – Regulation Data information was added.  
 Section 14 Transport in bulk – Regulation Data information was added.  
 Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was added.  
 Section 14 UN Number Column data information was added.  
 Section 14 UN Number information was added.  
 Section 15: Label remarks and EU Detergent information was deleted.  
 Section 15: Regulations - Inventories information was added.  
 Section 15: Seveso Hazard Category Text information was added.  
 Section 15: Seveso Substance Text information was added.  
 Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material.  
 information was modified.  
 Section 2: No PBT/vPvB information available warning information was added.

## Annex

| 1. Title   |   |
|--|---|
| <b>Substance identification</b>                        |   |
| <b>Exposure Scenario Name</b>                          | Industrial Use of Coatings  |
| <b>Lifecycle Stage</b>                                 | Use at industrial sites   |
| <b>Contributing activities</b>                         | PROC 07 -Industrial spraying<br>ERC 04 -Use of non-reactive processing aid at industrial site (no inclusion into or onto article)   |
| <b>Processes, tasks and activities covered</b>         | Application of product. Spraying of substances/mixtures.  |
| 2. Operational conditions and risk management measures |   |
| <b>Operating Conditions</b>                            | <b>Physical state:</b> Liquid.<br><b>General operating conditions:</b><br>Assumes use at not more than 20°C above ambient temperature;<br>Duration of exposure per day at workplace [for one worker]: 8 hours/day;<br>Emission days per year: <= 20 days per year;<br>Indoor use;<br>Outdoor use; |
| <b>Risk management measures</b>                        | Under the operational conditions described above the following risk management measures apply:<br><b>General risk management measures:</b><br><b>Human health:</b><br>None needed;<br><b>Environmental:</b><br>None needed;   |



|                                  |  |
|----------------------------------|--|
| <b>Waste management measures</b> | No use-specific waste management measures are required for this product. Refer to Section 13 of main SDS for disposal instructions:        |
| <b>3. Prediction of exposure</b> |  |
| <b>Prediction of exposure</b>    | Human and environmental exposures are not expected to exceed the DNELs and PNECs when the identified risk management measures are adopted. |

|   |   |
|---|---|
| <b>1. Title</b>   |   |
| <b>Substance identification</b>                               |   |
| <b>Exposure Scenario Name</b>                                 | Professional Use of Coatings  |
| <b>Lifecycle Stage</b>  | Widespread use by professional workers  |
| <b>Contributing activities</b>                                | PROC 11 -Non industrial spraying<br>ERC 08a -Widespread use of non-reactive processing aid (no inclusion into or onto article, indoor)  |
| <b>Processes, tasks and activities covered</b>                | Application of product. Spraying of substances/mixtures.  |
| <b>2. Operational conditions and risk management measures</b> |   |
| <b>Operating Conditions</b>                                   | <b>Physical state:</b> Liquid.<br><b>General operating conditions:</b><br>Assumes use at not more than 20°C above ambient temperature;<br>Duration of exposure per day at workplace [for one worker]: 8 hours/day;<br>Emission days per year: 365 days/year;<br>Indoor use;<br>Outdoor use; |
| <b>Risk management measures</b>                               | Under the operational conditions described above the following risk management measures apply:<br><b>General risk management measures:</b><br><b>Human health:</b><br>None needed;<br><b>Environmental:</b><br>None needed;   |
| <b>Waste management measures</b>                              | No use-specific waste management measures are required for this product. Refer to Section 13 of main SDS for disposal instructions:   |
| <b>3. Prediction of exposure</b>                              |   |
| <b>Prediction of exposure</b>                                 | Human and environmental exposures are not expected to exceed the DNELs and PNECs when the identified risk management measures are adopted.  |

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M United Kingdom MSDSs are available at [www.3M.com/uk](http://www.3M.com/uk)