

# Safety Data Sheet

Copyright, 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 09-1221-2
 Version number:
 13.00

 Revision date:
 20/03/2023
 Supersedes date:
 12/05/2021

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

## 1.1. Product identifier

3M 05900 Bumper Repair Material

#### **Product Identification Numbers**

FS-9100-3087-3

7000079938

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### Identified uses

Automotive.

# 1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**Telephone:** +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com

Website: www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

08-7102-0, 08-7101-2

# TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

# KIT LABEL

#### 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400 Hazardous to the Aquatic Environment (Chronic), Category 1 - Aquatic Chronic 1; H410

For full text of H phrases, see Section 16.

#### 2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

## SIGNAL WORD

DANGER.

# **Symbols**

GHS05 (Corrosion) |GHS07 (Exclamation mark) |GHS09 (Environment) |

#### **Pictograms**



#### Contains:

bis-[4-(2,3-epoxipropoxi)phenyl]propane; Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide; Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol; 2,4,6-tris(dimethylaminomethyl)phenol

#### **HAZARD STATEMENTS:**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

## PRECAUTIONARY STATEMENTS

**Prevention:** 

P273 Avoid release to the environment.

P280B Wear protective gloves and eye/face protection.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

# For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

#### <=125 ml Hazard statements

H318 Causes serious eye damage.

H317 May cause an allergic skin reaction.

# <=125 ml Precautionary statements

## **Prevention:**

P280B Wear protective gloves and eye/face protection.

**Response:** 

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Refer to Safety Data Sheet for component % unknown values (www.3M.com/msds).

EU VOC Directive (2004/42/EC) labelling: 2004/42/EC IIB(b)(250) 000g/l

## **Revision information:**

GB Kit Information: CLP Percent Unknown information was added. GB Label: CLP Ingredients - kit components information was added.

Label: CLP Percent Unknown - Kit information was deleted. Label: CLP Ingredients - kit components information was deleted.

Label: CLP Classification information was modified.

Label: CLP Environmental Hazard Statements information was modified.



# Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 08-7101-2
 Version number:
 20.01

 Revision date:
 06/08/2024
 Supersedes date:
 10/10/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

3M(tm) Bumper Repair Material P/N 05900/05901: Part B

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

## 1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**Telephone:** +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

# **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Hazardous to the Aquatic Environment (Acute), Category 1 - Aquatic Acute 1; H400

Hazardous to the Aquatic Environment (Chronic), Category 1 - Aquatic Chronic 1; H410

For full text of H phrases, see Section 16.

## 2.2. Label elements

# The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### SIGNAL WORD

WARNING.

# **Symbols**

GHS07 (Exclamation mark) |GHS09 (Environment) |

# **Pictograms**





Ingredient CAS Nbr EC No. % by Wt

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1675-54-3 216-823-5 10 - 30

#### **HAZARD STATEMENTS:**

H315 Causes skin irritation.
H319 Causes serious eye irritation.
H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

# PRECAUTIONARY STATEMENTS

**Prevention:** 

P273 Avoid release to the environment.

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

# For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

<=125 ml Hazard statements

H317 May cause an allergic skin reaction.

# <=125 ml Precautionary statements

**Prevention:** 

P280E Wear protective gloves.

Response:

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

1% of the mixture consists of components of unknown acute oral toxicity.

# 3M(tm) Bumper Repair Material P/N 05900/05901 : Part B

69% of the mixture consists of components of unknown acute inhalation toxicity. Contains 3% of components with unknown hazards to the aquatic environment.

## 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

## 3.1. Substances

Not applicable

## 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Limestone	(CAS-No.) 1317-65-3 (EC-No.) 215-279-6	30 - 60	Substance with a national occupational exposure limit
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	(CAS-No.) 9003-36-5 (EC-No.) 500-006-8	20 - 50	Skin Irrit. 2, H315 Skin Sens. 1A, H317 Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS-No.) 1675-54-3 (EC-No.) 216-823-5	10 - 30	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Siloxanes and Silicones, di-Me, reaction products with silica	(CAS-No.) 67762-90-7	1 - 5	Substance with a national occupational exposure limit
Surface Treatment	Trade Secret	< 2	Substance not classified as hazardous

Please see section 16 for the full text of any H statements referred to in this section

# **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
		(C >= 5%) Skin Irrit. 2, H315 (C >= 5%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

## Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

## Skin contact

# 3M(tm) Bumper Repair Material P/N 05900/05901 : Part B

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

# 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

# **Hazardous Decomposition or By-Products**

SubstanceConditionAldehydes.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

# 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

## **SECTION 6: Accidental release measures**

## 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

# 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

## 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from oxidising agents. Store away from areas where product may come into contact with food or pharmaceuticals.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

# 8.1 Control parameters

# Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	<b>Additional comments</b>
Limestone	1317-65-3	UK HSC	TWA(respirable):4 mg/m3;TWA(as respirable dust):4 mg/m3;TWA(Inhalable):10 mg/m3;TWA(as inhalable	
Silicon dioxide	67762-90-7	UK HSC	dust):10 mg/m3 TWA(as respirable dust):2.4 mg/m3;TWA(as inhalable dust):6 mg/m3	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

# 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

# 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards
Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

## Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	Solid.	
Specific Physical Form:	Paste	
Colour	Black	
Odor	Typical Epoxy	
Odour threshold	No data available.	
Melting point/freezing point	No data available.	
Boiling point/boiling range	Not applicable.	
Flammability	Not applicable.	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Flash point	>=150 °C	
Autoignition temperature	Not applicable.	
Decomposition temperature	No data available.	
рН	substance/mixture is non-soluble (in water)	
Kinematic Viscosity	267 mm <sup>2</sup> /sec	
Water solubility	Nil	
Solubility- non-water	No data available.	
Partition coefficient: n-octanol/water	No data available.	
Vapour pressure	Not applicable.	

Density	No data available.
Relative density	1.5 - 1.57 [ <i>Ref Std</i> :WATER=1]
Relative Vapour Density	Not applicable.
Particle Characteristics	Not applicable.

#### 9.2. Other information

# 9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNot applicable.Percent volatile< 1 % weight</th>

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat.

# 10.5 Incompatible materials

Strong oxidising agents.

# 10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

# Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

#### Eve contact

Moderate eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

## Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

# **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

# **Acute Toxicity**

Name	Route	Species	Value
Overall product	Inhalation- Dust/Mist(4 hr)		No data available; calculated ATE >12.5 mg/l
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Limestone	Dermal	Rat	LD50 > 2,000 mg/kg
Limestone	Inhalation- Dust/Mist (4 hours)	Rat	LC50 3 mg/l
Limestone	Ingestion	Rat	LD50 6,450 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3- epoxypropane and phenol	Dermal	Rat	LD50 > 2,000 mg/kg
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Ingestion	Rat	LD50 > 5,000 mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Rat	LD50 > 1,600 mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Rat	LD50 > 1,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Dermal	Rabbit	LD50 > 5,000  mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Limestone	Rabbit	No significant irritation
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and	Rabbit	Irritant
phenol		
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Mild irritant
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation

# **Serious Eye Damage/Irritation**

Name	Species	Value
Limestone	Rabbit	No significant irritation
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and	Rabbit	No significant irritation
phenol		
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Moderate irritant
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation

# **Skin Sensitisation**

Name	Species	Value
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and	Multiple	Sensitising

# 3M(tm) Bumper Repair Material P/N 05900/05901 : Part B

phenol	animal	
	species	
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human	Sensitising
	and	
	animal	
Siloxanes and Silicones, di-Me, reaction products with silica	Human	Not classified
	and	
	animal	

**Respiratory Sensitisation** 

Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human	Not classified

**Germ Cell Mutagenicity** 

Name	Route	Value
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	In vivo	Not mutagenic
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	In Vitro	Some positive data exist, but the data are not sufficient for classification
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In vivo	Not mutagenic
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Siloxanes and Silicones, di-Me, reaction products with silica	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
Siloxanes and Silicones, di-Me, reaction products with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Limestone	Ingestion	Not classified for development	Rat	NOAEL 625 mg/kg/day	premating & during gestation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Limestone	Inhalation	respiratory system	Not classified	Rat	NOAEL	90 minutes

					0.812 mg/l	
Formaldehyde, oligomeric	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL not	
reaction products with 1-			data are not sufficient for	health	available	
chloro-2,3-epoxypropane			classification	hazards		
and phenol						

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Limestone	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Formaldehyde, oligomeric reaction products with 1-chloro-2,3-epoxypropane and phenol	Ingestion	heart   endocrine system   gastrointestinal tract   bone, teeth, nails, and/or hair   hematopoietic system   liver   immune system   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 250 mg/kg/day	13 weeks
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Ingestion	auditory system   heart   endocrine system   hematopoietic system   liver   eyes   kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure

# **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
•						•

Limestone	1317-65-3	Green algae	Estimated	72 hours	EC50	>100 mg/l
Limestone	1317-65-3	Rainbow trout	Estimated	96 hours	LC50	>100 mg/l
Limestone	1317-65-3	Water flea	Estimated	48 hours	EC50	>100 mg/l
Limestone	1317-65-3	Green algae	Estimated	72 hours	EC10	>100 mg/l
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Green algae	Experimental	72 hours	ErC50	>1.8 mg/l
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Rainbow trout	Experimental	96 hours	LC50	0.55 mg/l
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Water flea	Experimental	48 hours	EC50	1.6 mg/l
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Water flea	Analogous Compound	21 days	NOEC	0.3 mg/l
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Activated sludge	Analogous Compound	3 hours	IC50	>100 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Activated sludge	Analogous Compound	3 hours	IC50	>100 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Rainbow trout	Estimated	96 hours	LC50	2 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Water flea	Estimated	48 hours	EC50	1.8 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Green algae	Experimental	72 hours	ErC50	>11 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Green algae	Experimental	72 hours	NOEC	4.2 mg/l
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Water flea	Experimental	21 days	NOEC	0.3 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Limestone	1317-65-3	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Formaldehyde,	9003-36-5		28 days	BOD	0 %BOD/ThOD	EC C.4.E Closed Bottle Test

\_\_\_\_

oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol		Biodegradation				
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Analogous Compound Hydrolysis		Hydrolytic half-life (pH 7)		OECD 111 Hydrolysis func of pH
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Biodegradation	28 days	BOD	5 %BOD/COD	OECD 301F - Manometric respirometry
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Hydrolysis		Hydrolytic half-life (pH 7)	\ /	OECD 111 Hydrolysis func of pH
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Limestone	1317-65-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Experimental Bioconcentration		Log Kow	≤3.6	OECD 117 log Kow HPLC method
bis-[4-(2,3- epoxipropoxi)phen yl]propane	1675-54-3	Experimental Bioconcentration		Log Kow	3.242	OECD 117 log Kow HPLC method
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

# 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
Formaldehyde, oligomeric reaction products with 1- chloro-2,3- epoxypropane and phenol	9003-36-5	Experimental Mobility in Soil	Koc	4,460 l/kg	OECD 121 Estim. of Koc by HPLC
bis-[4-(2,3- epoxipropoxi)pheny l]propane	1675-54-3	Modeled Mobility in Soil	Koc	450 l/kg	Episuite <sup>TM</sup>

# 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

# 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

## 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

## EU waste code (product as sold)

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 27\* Paint, inks, adhesives and resins containing dangerous substances

# SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(EPOXY RESIN)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Environmentally Hazardous	Not applicable	Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	M7	Not applicable.	Not applicable.

Page: 13 of 16

# 3M(tm) Bumper Repair Material P/N 05900/05901 : Part B

IMDG Segregation	Not applicable.	Not applicable.	NONE
Code			

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Carcinogenicity

Ingredient	<u>CAS Nbr</u>	<u>Classification</u>	Regulation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	1675-54-3	Gr. 3: Not classifiable	International Agency for Research on Cancer

# Restrictions on the manufacture, placing on the market and use:

The following substance(s) contained in this product is/are subject to Annex XVII of regulation (EC) 1907/2006, as amended for GB, with regard to restrictions on the manufacture, placing on the market and use when present in certain dangerous conditions. Users of this product are required to comply with the restrictions placed upon it by the aforementioned provision.

bis-[4-(2,3-epoxipropoxi)phenyl]propane 1675-54-3

# Global inventory status

Contact 3M for more information.

# **COMAH Regulation, SI 2015/483**

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the	Qualifying quantity (tonnes) for the application of		
	Lower-tier requirements	Upper-tier requirements		
E1 Hazardous to the Aquatic	100	200		
environment				

Seveso named dangerous substances, Annex 1, Part 2 None

# Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

# 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

# **SECTION 16: Other information**

# List of relevant H statements

H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.

## **Revision information:**

- GB Section 02: CLP Ingredient table information was added.
- GB Section 02: Other hazards phrase information was added.
- GB Section 04: First Aid Symptoms and Effects (GB CLP) information was added.
- GB Section 04: Information on toxicological effects information was added.
- GB Section 12: Classification Warning information was added.
- GB Section 15: Carcinogenicity information information was added.
- GB Section 15: Chemical Safety Assessment information was added.
- GBSDS Section 14 Transport in bulk Main Heading information was added.
- GBSDS Section 14 UN Number information was added.
- CLP: Ingredient table information was deleted.
- Label: CLP Percent Unknown information was deleted.
- Section 02: Label Elements: GB Percent Unknown information was added.
- Section 2: Other hazards phrase information was deleted.
- Section 3: Composition/Information of ingredients table information was added.
- Section 3: Composition/Information of ingredients table information was deleted.
- Section 03: SCL table information was added.
- Section 03: SCL table information was deleted.
- Section 04: First Aid Symptoms and Effects (CLP) information was deleted.
- Section 04: Information on toxicological effects information was deleted.
- Section 9: Flammability (solid, gas) information information was deleted.
- Section 09: Flammability information information was added.
- Section 09: Particle Characteristics N/A information was added.
- Section 9: Vapour density value information was modified.
- Section 11: Classification disclaimer information was deleted.
- Section 11: GB Classification disclaimer information was added.
- Section 11: GB No endocrine disruptor information available warning information was added.
- Section 11: No endocrine disruptor information available warning information was deleted.
- Section 12: 12.6. Endocrine Disrupting Properties information was deleted.
- Section 12: 12.6. Other adverse effects information was added.
- Section 12: 12.7. Other adverse effects information was deleted.
- Section 12: Classification Warning information was deleted.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Mobility in soil information information was modified.
- Prints No Data if Adverse effects information is not present information was deleted.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No endocrine disruptor information available warning information was deleted.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was deleted.
- Section 14 UN Number information was deleted.
- Section 15: Carcinogenicity information information was deleted.
- Section 15: Chemical Safety Assessment information was deleted.
- Section 15: Seveso Hazard Category Text information was added.
- Section 15: Seveso Hazard Category Text information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material.

# 3M(tm) Bumper Repair Material P/N 05900/05901 : Part B

information was deleted.

Section 16: Web address information was added. Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

# 3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.



# Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 08-7102-0
 Version number:
 10.03

 Revision date:
 02/08/2024
 Supersedes date:
 10/10/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

#### 1.1. Product identifier

3M Bumper Repair Material P/N 05900/05901 : Part A

## 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

## 1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

**Telephone:** +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

#### 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

# **CLASSIFICATION:**

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318 Skin Sensitization, Category 1B - Skin Sens. 1B; H317 Hazardous to the Aquatic Environment (Chronic), Category 3 - Aquatic Chronic 3; H412

Hazardous to the Aquatic Environment (Chrome), Category 3 - Aquatic Chrome 3, H412

For full text of H phrases, see Section 16.

#### 2.2. Label elements

# The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

#### SIGNAL WORD

DANGER.

## **Symbols**

GHS05 (Corrosion) |GHS07 (Exclamation mark) |

# **Pictograms**



Ingredient	CAS Nbr	EC No.	% by Wt
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	72244-98-5	701-196-7	80 - 100
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	202-013-9	< 5

## **HAZARD STATEMENTS:**

H315 Causes skin irritation.
H318 Causes serious eye damage.
H317 May cause an allergic skin reaction.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

#### **Prevention:**

P280B Wear protective gloves and eye/face protection.

#### Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

Contains 5% of components with unknown hazards to the aquatic environment.

# 2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

# 3.1. Substances

Not applicable

# 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	(CAS-No.) 72244-98-5 (EC-No.) 701-196-7	80 - 100	Aquatic Chronic 3, H412 Skin Sens. 1B, H317
2,4,6-tris(dimethylaminomethyl)phenol	(CAS-No.) 90-72-2 (EC-No.) 202-013-9	< 5	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318
Siloxanes and Silicones, di-Me, reaction products with silica	(CAS-No.) 67762-90-7	1 - 5	Substance with a national occupational exposure limit
Titanium dioxide	(CAS-No.) 13463-67-7 (EC-No.) 236-675-5	< 1	Carc. 2, H351 (inhalation)

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

#### Eve contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

## 4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Allergic skin reaction (redness, swelling, blistering, and itching). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

# 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## **Hazardous Decomposition or By-Products**

Substance

Carbon monoxide

Carbon dioxide.

#### Condition

During combustion. During combustion.

## 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

# 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

# 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Sweep up. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Do not handle until all safety precautions have been read and understood. Avoid breathing

dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Use personal protective equipment (eg. gloves, respirators...) as required.

# 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Store away from heat. Store away from areas where product may come into contact with food or pharmaceuticals.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

# Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient CAS Nbr Limit type Additional comments Agency

Titanium dioxide 13463-67-7 UK HSC TWA(respirable):4

mg/m3;TWA(Inhalable):10

mg/m3

## 3M Bumper Repair Material P/N 05900/05901 : Part A

Silicon dioxide 67762-90-7 UK HSC TWA(as respirable dust):2.4 mg/m3;TWA(as inhalable

dust):6 mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

# **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

# 8.2. Exposure controls

## 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Provide appropriate local exhaust ventilation for cutting, grinding, sanding or machining.

# 8.2.2. Personal protective equipment (PPE)

## Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

Applicable Norms/Standards

Use eye/face protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards
Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

#### Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

# **SECTION 9: Physical and chemical properties**

# 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Paste
Colour	White
Odor	Mercaptan
Odour threshold	No data available.
Melting point/freezing point	No data available.
Boiling point/boiling range	No data available.
Flammability	Not applicable.
Flammable Limits(LEL)	No data available.
Flammable Limits(UEL)	No data available.
Flash point	200 °C
Autoignition temperature	No data available.
Decomposition temperature	No data available.
pH	substance/mixture is non-soluble (in water)
Kinematic Viscosity	No data available.
Water solubility	Nil
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Vapour pressure	No data available.
Density	No data available.
Relative density	1.1 - 1.17 [ <i>Ref Std</i> :WATER=1]
Relative Vapour Density	No data available.
Particle Characteristics	Not applicable.

# 9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNo data available.

Percent volatile 1 %

# **SECTION 10: Stability and reactivity**

# 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

# 10.2 Chemical stability

Stable.

# 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

# 10.4 Conditions to avoid

Heat.

3M Bumper Repair Material P/N 05900/05901 : Part A

# 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

**Substance** 

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. Dust from cutting, grinding, sanding or machining may cause irritation of the respiratory system: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, nose and throat pain. May cause additional health effects (see below).

#### Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

## Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision. Dust created by cutting, grinding, sanding, or machining may cause eye irritation: Signs/symptoms may include redness, swelling, pain, tearing, and blurred or hazy vision.

#### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

# **Additional Health Effects:**

## Carcinogenicity:

Contains a chemical or chemicals which can cause cancer.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

## **Acute Toxicity**

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg

Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Reaction products of pentaerythritol, propoxylated and 1-chloro-	Dermal	Rabbit	LD50 > 10,200 mg/kg
2,3-epoxypropane with hydrogen sulphide			
Reaction products of pentaerythritol, propoxylated and 1-chloro-	Ingestion	Rat	LD50 2,600 mg/kg
2,3-epoxypropane with hydrogen sulphide			
Siloxanes and Silicones, di-Me, reaction products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation-	Rat	LC50 > 0.691 mg/l
	Dust/Mist		
	(4 hours)		
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Dermal	Rat	LD50 1,280 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Rat	LD50 1,000 mg/kg
Titanium dioxide	Dermal	Rabbit	LD50 > 10,000 mg/kg
Titanium dioxide	Inhalation-	Rat	LC50 > 6.82 mg/l
	Dust/Mist		
	(4 hours)		
Titanium dioxide	Ingestion	Rat	LD50 > 10,000 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Rabbit	No significant irritation
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Titanium dioxide	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Rabbit	Mild irritant
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Titanium dioxide	Rabbit	No significant irritation

# **Skin Sensitisation**

Name	Species	Value
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Mouse	Sensitising
Siloxanes and Silicones, di-Me, reaction products with silica	Human and animal	Not classified
2,4,6-tris(dimethylaminomethyl)phenol	Guinea pig	Not classified
Titanium dioxide	Human and animal	Not classified

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

oci ii cen iviutagementy									
Name	Route	Value							
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-	In Vitro	Not mutagenic							
epoxypropane with hydrogen sulphide									
Siloxanes and Silicones, di-Me, reaction products with silica	In Vitro	Not mutagenic							
2,4,6-tris(dimethylaminomethyl)phenol	In Vitro	Not mutagenic							

\_\_\_\_\_

Titanium dioxide	In Vitro	Not mutagenic
Titanium dioxide	In vivo	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Siloxanes and Silicones, di-Me, reaction products with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
Titanium dioxide	Ingestion	Multiple animal species	Not carcinogenic
Titanium dioxide	Inhalation	Rat	Carcinogenic.

# Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for male reproduction	Rat	NOAEL 150 mg/kg/day	2 generation
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for female reproduction	Rat	NOAEL 50 mg/kg/day	2 generation
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Not classified for development	Rabbit	NOAEL 15 mg/kg/day	during gestation

# Target Organ(s)

Specific Target Organ Toxicity - single exposure

Specific Target Organ	pecine Target Organ Toxicity - single exposure										
Name	ne Route Target Organ(s) Value		Value	Species	Test result	Exposure Duration					
2,4,6-	Inhalation	respiratory irritation	Some positive data exist, but the	similar	NOAEL Not						
tris(dimethylaminomethyl)			data are not sufficient for	health	available						
phenol			classification	hazards							

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 75 mg/kg/day	90 days
Reaction products of pentaerythritol, propoxylated and 1-chloro- 2,3-epoxypropane with hydrogen sulphide	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 250 mg/kg/day	90 days
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide	Ingestion	endocrine system   heart   skin   immune system   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation	respiratory system   silicosis	Not classified	Human	NOAEL Not available	occupational exposure
2,4,6-	Dermal	skin	Not classified	Rat	NOAEL 25	4 weeks

D 0 0 15

tris(dimethylaminomethyl) phenol					mg/kg/day	
2,4,6- tris(dimethylaminomethyl) phenol	Dermal	liver   nervous system   auditory system   hematopoietic system   eyes	Not classified	Rat	NOAEL 125 mg/kg/day	4 weeks
2,4,6- tris(dimethylaminomethyl) phenol	Ingestion	heart   endocrine system   hematopoietic system   liver   muscles   nervous system   kidney and/or bladder   respiratory system   vascular system   auditory system   skin   gastrointestinal tract   bone, teeth, nails, and/or hair   immune system   eyes	Not classified	Rat	NOAEL 150 mg/kg/day	90 days
Titanium dioxide	Inhalation	respiratory system	Some positive data exist, but the data are not sufficient for classification	Rat	LOAEL 0.01 mg/l	2 years
Titanium dioxide	Inhalation	pulmonary fibrosis	Not classified	Human	NOAEL Not available	occupational exposure

# **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide	72244-98-5	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide	72244-98-5	Green algae	Experimental	72 hours	EC50	>733 mg/l

of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products with silica Reaction products Reaction products Reaction products with silica Reaction Reactio		I	I	I	T	I	T
proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Reaction products of pentacrythriol, proposylated and lechlore-2, 3 apopsypropane with hydrogen sulphide Silosane and Silicones, di-Me, reaction products with silica 2,4,6 trist-dimethylamino methyl)phenol 2,4,6 trist-dimethylamino methylphenol 2,4,6 trist-dimethylphenol 2,	Reaction products	72244-98-5	Water flea	Experimental	48 hours	EC50	12 mg/l
Lethoro 2-3 - epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2 3 - epoxypropane with hydrogen sulphide Reaction products with silica 2 - epoxypropane with products with silica 2 - epoxypropane with products with silica 2 - epoxypropane with silica 2 - epoxypropane with products with silica 2 - epoxypropane with silica 2 - epoxypropane with epoxypropane with silica 2 - epoxypropane with products with silica 2 - epoxypropane with							
peoxypropane with hydrogen sulphide Reaction products of pentacerythrical, propoxylated and le-chloro-2.3 epoxypropane with hydrogen sulphide Reaction products of pentacerythrical propoxylated and le-chloro-2.3 epoxypropane with hydrogen sulphide Reaction products of pentacerythrical propoxylated and le-chloro-2.3 epoxypropane with hydrogen sulphide Reaction products of pentacerythrical propoxylated and le-chloro-2.3 epoxypropane with hydrogen sulphide Reaction products of pentacerythrical propoxylated and le-chloro-2.3 epoxypropane with hydrogen sulphide Silicones, di-Mercation products with silica 2.4.6 experimental district of pentacerythrical products with silica 2.4.6 experimental district district plannino methyl)phenol 2.4.6 experimental district district plannino methylphenol 2.4.6 experimental district district district plannino methylphenol 2.4.6 experimental district district district plannino methylphenol 2.4.6 experimental district	propoxylated and						
hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythriol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- tris(	1-chloro-2,3-						
Reaction products of pentacrythritol, proposylated and I-chloro-2.3- epoxypropane with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide reports with such as a subject of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide reaction products with silica 2,4.6- trist-dimethylamino methyl)phenol 2,4.6- gradient products with silica 2,4.6- trist-dimethylamino methylphenol 7,4.6- trist-dimethylamino 7,4.6- trist-di	epoxypropane with						
Reaction products of pentacrythritol, proposylated and I-chloro-2.3- epoxypropane with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide report of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide reports with such as a subject of pentacrythritol, proposylated and I-chloro-2.3- epoxypropame with hydrogen sulphide reaction products with silica 2,4.6- trist-dimethylamino methyl)phenol 2,4.6- gradient products with silica 2,4.6- trist-dimethylamino methylphenol 7,4.6- trist-dimethylamino 7,4.6- trist-di							
of pentacrythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacrythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide (Pathewshife) (Pathe	Reaction products	72244-98-5	Zehra Fish	Experimental	96 hours	LC50	87 mg/l
propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacythriot, propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacythriot, propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacythriot, propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentacythriot, propoxylated and l-chloro-2,3- epoxypropane with hydrogen sulphide Siloxanes and Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- go-72-2 tris(dimethylamino methylphenol 2,4,6- go-72-2 tris(dimethylamino me			2001411011	Z.i.perimentar	) 0 110 tal 5	2000	o mg i
Cachioro-2.3- epoxypropane with hydrogen sulphide   Reaction products of pentacrythriol, propoxylated and I-chloro-2.3- epoxypropane with hydrogen sulphide   Reaction products of pentacrythriol, propoxylated and I-chloro-2.3- epoxypropane with hydrogen sulphide   Reaction products of pentacrythriol, propoxylated and I-chloro-2.3- epoxypropane with hydrogen sulphide   Reaction products of pentacrythriol, propoxylated and I-chloro-2.3- epoxypropane with hydrogen sulphide   Richard Silicones, di-Me, reaction products with silica   Original Products   Original P							
proxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- growth hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- growth hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- growth hydrogen sulphide Siloxanes and Silcones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- dimethylamino methyl)phenol 3,4,6- dimethylamino methyl)phenol 3,4,6- dimethylamino methylphenol 4,4,6- dimethylamino methylphenol 5,4,6- dimethylamino methylphenol 6,4,6- dimethylamino methylphenol 7,4,6- dimethylamino methylphenol 8,4- dimethylamino methylphenol 8,4- dimethylphenol 90-72-2 direction 4,6- dimethylphenol 7,4- dimethylamino methylphenol 8,4- dimethylphenol 90-72-2 direction 8,4- dimethylphenol 90-72-2 direction 90-72-2 dir							
hydrogen sulphide Reaction products of pentaerythirtol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythirtol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Reaction products of pentaerythirtol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silicones, di-Me, reaction products with silicones distincts with silicones distincts with silicones distincts distinctlylamino methylphenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- distinctifylamino distinctifylamino methylphenol 2,4,6- distinctifylamino distinctifylamino methylphenol 2,4,6- distinctifylamino di							
Reaction products of pentaerythrito, propoxylated and l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and l-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and l-chloro-2,3-epoxypropane with hydrogen sulphide Silioanes and							
of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Silcones, di-Me, reaction products with silica 2,46-tris(dimethylamino methyl)phenol 2,4,6-tris(dimethylamino methyl)phenol 1,2,4,6-tris(dimethylamino methyl)phenol 2,4,6-tris(dimethylamino methylamino methylamin		72244 00 7		T	72.1	NOTO	220 "
propoxylated and   1-chloro-2,3-   propoxylated and   1-chloro-2,3-   propoxylated and   1-chloro-2,3-   propoxylated and   propoxylated and   1-chloro-2,3-   propoxylated and   propoxylated and   1-chloro-2,3-   propoxylated and	1	72244-98-5	Green algae	Experimental	72 hours	NOEC	338 mg/I
i_chloro_2_3- epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and l_chloro_2_3- epoxypropane with hydrogen sulphide Silicones_di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- tris(dimethyla							
epoxypropane with hydrogen sulphide Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silica 2,4,6-tris(dimethylamino methyl)phenol 2,4,6-tris(dimethylamino methylphenol 2,4,6-tris(dimethylamino 2,4,6-tris							
hydrogen sulphide Reaction products of pentaerythriol, propoxylated and 1-chloro-2,3-s- epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silica 2,4,6- risidimethylamino methylphenol 2,4,6- trisidimethylamino methylphenol 2,4							
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Siloxanes and Siloxanes							
of pentaerythritol, propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- go 90-72-2 Green algae Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 F100 mg/l Titanium dioxide 13463-67-7 Water flea Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Water flea Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Water flea Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 72 hours EC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 F100 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 48 hours EC50 F100 mg/l	hydrogen sulphide						
of pentaerythritol, propoxylated and lechologogy lated and hydrogen sulphide Siloxanes and Silicones, di-Me, reaction products with silica 2,4,6- tris (dimethylamino methyl)phenol 2,4,6- Tritanium dioxide 13463-67-7	Reaction products	72244-98-5	Water flea	Experimental	21 days	NOEC	3.5 mg/l
propoxylated and 1-chloro-2,3-epoxypropane with hydrogen sulphide Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- Tritanium dioxide 13463-67-7 Activated sludge Experimental 2 Experimental 3 hours NOEC 5-1,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours 1 EC50 1 100 mg/l  Experimental 1 2 hours 1 NOEC 5-1,000 mg/l  Titanium dioxide 1 3463-67-7 Fathead minnow 1 Experimental 2 Pohours 1 EC50 1 100 mg/l  Experimental 2 Pohours 1 EC50 2 100 mg/l  Experimental 3 hours 1 EC50 2 100 mg/l  Experimental 4 Rours 2 Pohours 3 Pohours 4 Pohours				*	1		
1-chloro-2,3-epoxypropane with hydrogen sulphide Siloxanes and Siloxanes					1		
epoxypropane with hydrogen sulphide Silicones, and Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 3,463-67-7							
hydrogen sulphide Siloxanes and Siloxanes an							
Silicones, di-Me, reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylphenol 2,4,6- tris(dimethy							
Silicones, di-Me, reaction products with silica 2,4,6- tris (dimethylamino methyl)phenol 2,4,6- Tritanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC Activated sludge Experimental 72 hours EC50 Activated sludge Experimental 72 hours EC50 Activated sludge Experimental Activated sludg		(77(2,00,7	NT/A	D-44	NT/A	NT/A	NT/A
reaction products with silica 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 4,8 hours  EC50 >100 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		0//02-90-/	IN/A		N/A	IN/A	IN/A
with silica         2,4,6-         by 0-72-2         N/A         Experimental         96 hours         LC50         718 mg/l           with silica         2,4,6-         by 0-72-2         N/A         Experimental         96 hours         LC50         >100 mg/l           with silica         2,4,6-         by 0-72-2         Common Carp         Experimental         96 hours         LC50         >100 mg/l           with silica         2,4,6-         by 0-72-2         Green algae         Experimental         72 hours         EC50         46.7 mg/l           with silica         2,4,6-         by 0-72-2         Water flea         Experimental         EC50         46.7 mg/l           with silica         2,4,6-         by 0-72-2         Water flea         Experimental         48 hours         EC50         >100 mg/l           with silica         2,4,6-         by 0-72-2         Green algae         Experimental         72 hours         NOEC         6.44 mg/l           with silica         13463-67-7         Activated sludge         Experimental         3 hours         NOEC         >=1,000 mg/l           with silica         13463-67-7         Diatom         Experimental         72 hours         EC50         >10,000 mg/l           with silica<							
2,4,6-  tris(dimethylamino methyl)phenol   2,4,6-  tris(dimethylam	1			classification			
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours  Experimental 72 hours  NOEC 6.44 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours  LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 96 hours EC50 >100 mg/l							
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,4,6- tris(dimethylamino methyl)phenol 48 hours  NOEC 6.44 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours NOEC 5=1,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l		90-72-2	N/A	Experimental	96 hours	LC50	718 mg/l
2,4,6-  tris(dimethylamino methyl)phenol   2,4,6-  tris(dimethylam	tris(dimethylamino						
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyl)phenol 2,4,6- tris(dimethylamino methylamino methyla	methyl)phenol						
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- Tritanium dioxide 13463-67-7  Activated sludge Experimental  Experimental  Fathead minnow Experimental  Fathead minnow Experimental  Pathours  EC50  Activated sludge Experimental  Pathours  NOEC  S=1,000 mg/l  Titanium dioxide	2,4,6-	90-72-2	Common Carp	Experimental	96 hours	LC50	>100 mg/l
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- Tritanium dioxide 13463-67-7  Activated sludge Experimental  Experimental  Fathead minnow Experimental  Fathead minnow Experimental  Pathours  EC50  Activated sludge Experimental  Pathours  NOEC  S=1,000 mg/l  Titanium dioxide	tris(dimethylamino		1	1			
2,4,6- tris(dimethylamino methyl)phenol 3,46- Titanium dioxide 13463-67-7  Diatom  Experimental  72 hours  NOEC  6.44 mg/l  Fathead minnow  Experimental  72 hours  NOEC  1,000 mg/l  Titanium dioxide 13463-67-7  Diatom  Experimental  72 hours  NOEC  1,000 mg/l  Titanium dioxide 13463-67-7  Fathead minnow  Experimental  96 hours  LC50  100 mg/l  Titanium dioxide 13463-67-7  Water flea  Experimental  48 hours  EC50  100 mg/l							
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,46- tris(dimethylamino methyl)phenol Titanium dioxide 13463-67-7  Activated sludge Experimental 72 hours NOEC 6.44 mg/l  Fathead minnow Experimental 72 hours NOEC  >=1,000 mg/l  Titanium dioxide 13463-67-7  Fathead minnow Experimental 96 hours LC50  >100 mg/l  Titanium dioxide 13463-67-7  Water flea Experimental 48 hours EC50  >100 mg/l		90-72-2	Green algae	Experimental	72 hours	FC50	46.7 mg/l
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,46- Titanium dioxide 13463-67-7  Titanium dioxide 13463-67-7  Fathead minnow Experimental  Experimental  Experimental  Fathead minnow Experimental  Experimental  Fathead minnow Experimental  Experimental  Fathead minnow Experime		70 72 2	Green argue	Experimental	72 110013	LC30	40.7 mg/1
2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol 3,46- tris(dimethylamino methyl)phenol Titanium dioxide 13463-67-7  Diatom  Experimental  Experimental  Fathead minnow  Experimental  Fathead minnow  Experimental  Experimental  Fathead minnow  EC50  Fathead minnow  Fathead minnow  EC50  Fathead minnow  Fathead minnow  EC50  Fathead minnow  Fathead minnow  Fathead minnow  EC50  Fathead minnow  Fathead minnow  Fathead minnow  EC50  Fathead minnow  Fa							
tris(dimethylamino methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol Titanium dioxide 13463-67-7  Water flea  Experimental  Experimental  Fathead minnow  Fathead minnow  Experimental  Fathead minnow  Experimental  Fathead minnow  Experimental  Fathead minnow  Experimental  Fathead m		00.72.2	XX + C	P 1	40.1	ECCO	> 100 //
methyl)phenol 2,4,6- tris(dimethylamino methyl)phenol Titanium dioxide 13463-67-7 Diatom Experimental Titanium dioxide 13463-67-7 Fathead minnow Experimental Titanium dioxide 13463-67-7 Water flea Experimental Fathead minnow E	, , -	90-12-2	water nea	Experimental	46 HOURS	ECOU	-100 mg/1
2,4,6- tris(dimethylamino methyl)phenol90-72-2Green algaeExperimental72 hoursNOEC6.44 mg/lTitanium dioxide13463-67-7Activated sludgeExperimental3 hoursNOEC>=1,000 mg/lTitanium dioxide13463-67-7DiatomExperimental72 hoursEC50>10,000 mg/lTitanium dioxide13463-67-7Fathead minnowExperimental96 hoursLC50>100 mg/lTitanium dioxide13463-67-7Water fleaExperimental48 hoursEC50>100 mg/l							
tris(dimethylamino methyl)phenol  Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l			ļ			11070	
methyl)phenol Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	, ,-	90-72-2	Green algae	Experimental	72 hours	NOEC	6.44 mg/l
Titanium dioxide 13463-67-7 Activated sludge Experimental 3 hours NOEC >=1,000 mg/l  Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l					1		
Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	methyl)phenol						
Titanium dioxide 13463-67-7 Diatom Experimental 72 hours EC50 >10,000 mg/l  Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	Titanium dioxide	13463-67-7	Activated sludge	Experimental	3 hours	NOEC	>=1,000 mg/l
Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l				1			
Titanium dioxide 13463-67-7 Fathead minnow Experimental 96 hours LC50 >100 mg/l  Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	EC50	>10.000 mg/l
Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	- Immuni dioxido				-=		
Titanium dioxide 13463-67-7 Water flea Experimental 48 hours EC50 >100 mg/l	Titanium diovide	13463-67-7	Fathead minnow	Experimental	96 hours	I C50	>100 mg/l
	i italiiulii uloxide	13-03-07-7	aureau mininow	Laperinicitai	70 Hours	LCJU	100 mg/1
	Ti4i 1' '1	12462 67.7	W-4 fl-	E	40 1	ECSO	> 100/I
Titanium dioxide 13463-67-7 Diatom Experimental 72 hours NOEC 5,600 mg/l	i itanium dioxide	13463-6/-/	water flea	Experimental	48 nours	EC20	-100 mg/1
Titanium dioxide   13463-67-7   Diatom   Experimental   72 hours   NOEC   5,600 mg/l	<u>L </u>		<u></u>	<u> </u>	<u> </u>		
	Titanium dioxide	13463-67-7	Diatom	Experimental	72 hours	NOEC	[5,600 mg/l

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide	72244-98-5	Experimental Biodegradation	28 days	CO2 evolution	5 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A

\_\_\_\_\_

# 3M Bumper Repair Material P/N 05900/05901 : Part A

2,4,6-	90-72-2	Experimental	28 days	BOD	4 %BOD/ThOD	OECD 301D - Closed bottle
tris(dimethylamino		Biodegradation				test
methyl)phenol						
Titanium dioxide	13463-67-7	Data not availbl-	N/A	N/A	N/A	N/A
		insufficient				

# 12.3: Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Reaction products of pentaerythritol, propoxylated and 1-chloro-2,3- epoxypropane with hydrogen sulphide	72244-98-5	Estimated Bioconcentration		Log Kow	>1.2	
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Experimental Bioconcentration		Log Kow	-0.66	830.7550 Part.Coef Shake Flask
Titanium dioxide	13463-67-7	Experimental BCF - Fish	42 days	Bioaccumulation factor	9.6	

#### 12.4. Mobility in soil

No test data available.

## 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### 12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

# **SECTION 13: Disposal considerations**

# 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

## EU waste code (product as sold)

08 04 09\* Waste adhesives and sealants containing organic solvents or other dangerous substances

20 01 29\* Detergents containing dangerous substances

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)	
14.1 UN number	No data available.	No data available.	No data available.	
14.2 UN proper shipping name	· · ·		No data available.	
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.	
14.4 Packing group	No data available.	No data available.	No data available.	
14.5 Environmental No data available. hazards		No data available.	No data available.	
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.  Please refer to the other sections of the SDS for further information.		
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code		No data available.	No data available.	
Control Temperature	No data available.	No data available.	No data available.	
Emergency Temperature	No data available.	No data available.	No data available.	
ADR Classification Code	No data available.	No data available.	No data available.	
IMDG Segregation Code	No data available.	No data available.	No data available.	

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Ingredient	CAS Nbr	Classification	Regulation
Titanium dioxide	13463-67-7	Grp. 2B: Possible human carc.	International Agency for Research on Cancer

Global inventory status

Contact 3M for more information.

COMAH Regulation, SI 2015/483

## 3M Bumper Repair Material P/N 05900/05901 : Part A

Seveso hazard categories, Annex 1, Part 1

None

Seveso named dangerous substances, Annex 1, Part 2

None

## Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

## 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

# **SECTION 16: Other information**

#### List of relevant H statements

H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H351i	Suspected of causing cancer by inhalation.
H412	Harmful to aquatic life with long lasting effects.

#### **Revision information:**

Formulation: Section 16: Annex information was deleted.

GB Section 02: CLP Ingredient table information was added.

GB Section 02: Other hazards phrase information was added.

GB Section 04: First Aid - Symptoms and Effects (GB CLP) information was added.

GB Section 04: Information on toxicological effects information was added.

GB Section 12: Classification Warning information was added.

GB Section 15: Carcinogenicity information information was added.

GB Section 15: Chemical Safety Assessment information was added.

GBSDS Section 14 Transport in bulk - Main Heading information was added.

GBSDS Section 14 UN Number information was added.

Industrial Use of Adhesives: Section 16: Annex information was deleted.

Professional Mixing and Application: Section 16: Annex information was deleted.

CLP: Ingredient table information was deleted.

Label: CLP Percent Unknown information was deleted.

Section 02: Label Elements: GB Percent Unknown information was added.

Section 2: Other hazards phrase information was deleted.

Section 3: Composition/Information of ingredients table information was added.

Section 3: Composition/Information of ingredients table information was deleted.

Section 04: First Aid - Symptoms and Effects (CLP) information was deleted.

Section 04: Information on toxicological effects information was deleted.

Section 8: 8.2. Exposure controls information information was deleted.

Section 8: 8.2.3. Environmental exposure controls information information was deleted.

Section 8: DNEL table row information was deleted.

Section 8: PNEC table row information was deleted.

Section 9: Flammability (solid, gas) information information was deleted.

Section 09: Flammability information information was added.

Section 09: Particle Characteristics N/A information was added.

Section 9: Vapour density value information was modified.

Section 11: Classification disclaimer information was deleted.

# 3M Bumper Repair Material P/N 05900/05901 : Part A

Section 11: GB Classification disclaimer information was added.

Section 11: GB No endocrine disruptor information available warning information was added.

Section 11: No endocrine disruptor information available warning information was deleted.

Section 11: Reproductive Toxicity Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 11: Target Organs - Single Table information was modified.

Section 12: 12.6. Endocrine Disrupting Properties information was deleted.

Section 12: 12.6. Other adverse effects information was added.

Section 12: 12.7. Other adverse effects information was deleted.

Section 12: Classification Warning information was deleted.

Prints No Data if Adverse effects information is not present information was deleted.

Section 12: No endocrine disruptor information available warning information was added.

Section 12: No endocrine disruptor information available warning information was deleted.

Section 14 Marine transport in bulk according to IMO instruments – Main Heading information was deleted.

Section 14 UN Number information was deleted.

Section 15: Carcinogenicity information information was deleted.

Section 15: Chemical Safety Assessment information was deleted.

Annex: Prediction of exposure statement information was deleted.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was deleted.

Section 16: Web address information was added.

Section 16: Web address information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

#### 3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.