

Safety Data Sheet

Copyright, 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 38-7503-6
 Version number:
 3.00

 Revision date:
 10/03/2023
 Supersedes date:
 17/06/2022

Transportation version number:

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Kit

Product Identification Numbers

UU-0096-2151-5

7100177183

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial use.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com

Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

38-2811-8, 38-2818-3

TRANSPORTATION INFORMATION

Refer to section 14 of the kit components for transport information.

KIT LABEL

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Skin Sensitization, Category 1 - Skin Sens. 1; H317 Germ Cell Mutagenicity, Category 2 - Muta. 2; H341 Reproductive Toxicity, Category 2 - Repr. 2; H361fd

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

DANGER.

Symbols

GHS05 (Corrosion) |GHS07 (Exclamation mark) |GHS08 (Health Hazard) |GHS09 (Environment) |

Pictograms









Contains:

Amine terminated adduct; Modified nitrile polymer; methacrylonitrile; Nitric acid, calcium salt, tetrahydrate; Boron zinc hydroxide oxide; 1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane; bis-[4-(2,3-epoxipropoxi)phenyl]propane; Aluminium hydroxide; Phenol-formaldehyde polymer, glycidyl ether; OXIDE GLASS CHEMICALS (non-fibrous); Siloxanes and Silicones, di-Me, reaction products with silica; Bis[(dimethylamino)methyl]phenol; STANNOUS SULFATE; Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia; 2,4,6-tris(dimethylaminomethyl)phenol

HAZARD STATEMENTS:

H315 Causes skin irritation. H318 Causes serious eye damage.

H317 May cause an allergic skin reaction. H341 Suspected of causing genetic defects.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280B Wear protective gloves and eye/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

Refer to Safety Data Sheet for component % unknown values (www.3M.com/msds).

Revision information:

GB Kit Information: CLP Percent Unknown information was added. GB Label: CLP Ingredients - kit components information was added.

Label: CLP Percent Unknown - Kit information was deleted.

Label: CLP Ingredients - kit components information was deleted. Section 1: Product identification numbers information was modified.

Section 01: SAP Material Numbers information was modified.

Label: CLP Classification information was modified.

Label: CLP Environmental Hazard Statements information was modified.

Label: CLP Precautionary - Disposal information was deleted. Label: CLP Precautionary - Prevention information was modified. Label: CLP Precautionary - Response information was modified.



Safety Data Sheet

Copyright, 2023, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 38-2818-3 **Version number:** 7.00

Revision date: 19/06/2023 **Supersedes date:** 13/03/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part A

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial use.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

Telephone: +44 (0)1344 858 000 **E Mail:** tox.uk@mmm.com **Website:** www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

This material has been tested for skin corrosion/irritation and the test results are reflected in the assigned classification.

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 1 - Eye Dam. 1; H318

Germ Cell Mutagenicity, Category 2 - Muta. 2; H341

Reproductive Toxicity, Category 2 - Repr. 2; H361fd

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

SIGNAL WORD

DANGER.

Symbols

GHS05 (Corrosion) | GHS08 (Health Hazard) | GHS09 (Environment) |

Pictograms







Ingredient	CAS Nbr	EC No.	% by Wt
Amine terminated adduct	Trade Secret		15 - 40
Aluminium hydroxide	21645-51-2	244-492-7	10 - 30
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	266-046-0	10 - 20
Bis[(dimethylamino)methyl]phenol	71074-89-0	275-162-0	0.5 - 1.5
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	9046-10-0	618-561-0	10 - 15
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7		0.5 - 1.5
2,4,6-tris(dimethylaminomethyl)phenol	90-72-2	202-013-9	5 - 8
Boron zinc hydroxide oxide	138265-88-0	235-804-2	3 - 5
methacrylonitrile	126-98-7	204-817-5	< 0.03
Nitric acid, calcium salt, tetrahydrate	13477-34-4	233-332-1	1 - 3
Modified nitrile polymer	Trade Secret		1 - 3

HAZARD STATEMENTS:

H315 Causes skin irritation. H318 Causes serious eye damage.

H341 Suspected of causing genetic defects.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280B Wear protective gloves and eye/face protection.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTRE or doctor/physician.

P391 Collect spillage.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH208 Contains methacrylonitrile. May produce an allergic reaction.

36% of the mixture consists of components of unknown acute oral toxicity.

38% of the mixture consists of components of unknown acute dermal toxicity.

Contains 39% of components with unknown hazards to the aquatic environment.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	9/0	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Amine terminated adduct	Trade Secret	15 - 40	Substance not classified as hazardous
Aluminium hydroxide	(CAS-No.) 21645-51-2 (EC-No.) 244-492-7	10 - 30	Substance with a national occupational exposure limit
OXIDE GLASS CHEMICALS (non-fibrous)	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	10 - 20	Substance not classified as hazardous
Bis[(dimethylamino)methyl]phenol	(CAS-No.) 71074-89-0 (EC-No.) 275-162-0	0.5 - 1.5	Acute Tox. 4, H302 Skin Corr. 1C, H314
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	(CAS-No.) 9046-10-0 (EC-No.) 618-561-0	10 - 15	Skin Corr. 1C, H314 Eye Dam. 1, H318 Aquatic Chronic 3, H412
Siloxanes and Silicones, di-Me, reaction products with silica	(CAS-No.) 67762-90-7	0.5 - 1.5	Substance with a national occupational exposure limit
2,4,6-tris(dimethylaminomethyl)phenol	(CAS-No.) 90-72-2 (EC-No.) 202-013-9	5 - 8	Acute Tox. 4, H302 Skin Corr. 1C, H314 Eye Dam. 1, H318
Boron zinc hydroxide oxide	(CAS-No.) 138265-88-0 (EC-No.) 235-804-2	3 - 5	Eye Irrit. 2, H319 Muta. 2, H341 Repr. 2, H361df Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
Modified nitrile polymer	Trade Secret	1 - 3	Substance not classified as hazardous
Nitric acid, calcium salt, tetrahydrate	(CAS-No.) 13477-34-4 (EC-No.) 233-332-1	1 - 3	Acute Tox. 4, H302 Eye Dam. 1, H318
methacrylonitrile	(CAS-No.) 126-98-7	< 0.03	Flam. Liq. 2, H225

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part A

(EC-No.) 204-817-5	Acute Tox. 3, H331
	Acute Tox. 3, H311
	Acute Tox. 3, H301
	Skin Sens. 1, H317
	Nota D

Any entry in the Identifier(s) column that begins with the numbers 6, 7, 8, or 9 are a Provisional List Number provided by ECHA pending publication of the official EC Inventory Number for the substance.

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
	(CAS-No.) 126-98-7 (EC-No.) 204-817-5	(C >= 0.2%) Skin Sens. 1, H317

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water for at least 15 minutes. Remove contact lenses if easy to do. Continue rinsing. Immediately get medical attention.

If swallowed

Rinse mouth. Do not induce vomiting. Get immediate medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the GB CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Serious damage to the eyes (corneal cloudiness, severe pain, tearing, ulcerations, and significantly impaired or loss of vision).

4.3. Indication of any immediate medical attention and special treatment required

Overexposure to this product may result in methemoglobinemia. Methemoglobinemia may be clinically suspected by the presence of clinical "cyanosis" in the presence of a normal PaO2 (as obtained by arterial blood gases). Routine pulse oximetry may be inaccurate for monitoring oxygen saturation in the presence of methemoglobinemia, and should not be used to make the diagnosis of this disorder. If the patient is symptomatic or if the methemoglobin level is >20%, specific therapy with methylene blue should be considered as part of the medical management.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionAmine compounds.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from oxidising agents.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

IngredientCAS Nbr
methacrylonitrileAgency
126-98-7Limit type
UK HSCAdditional comments
TWA:2.8 mg/m3(1 ppm)

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part A

DUST, INERT OR NUISANCE 21645-51-2 UK HSC TWA(as respirable dust):4

mg/m3;TWA(as inhalable

dust):10 mg/m3

Silicon dioxide 67762-90-7 UK HSC TWA(as respirable dust):2.4 mg/m3;TWA(as inhalable

dust):6 mg/m3

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Full face shield.

Indirect vented goggles.

Applicable Norms/Standards

Use eye/face protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part A

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:PasteColourWhiteOdorLow Odor

Odour thresholdNo data available.Melting point/freezing pointNo data available.Boiling point/boiling rangeNot applicable.Flammability (solid, gas)Not classifiedFlammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Flash point >=93.3 °C [Test Method:Closed Cup]

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

pH substance/mixture is non-soluble (in water)

Kinematic ViscosityNo data available.Water solubilityNo data available.Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Vapour pressureNot applicable.DensityNo data available.

Relative density 0.5 - 0.56 [*Ref Std:*WATER=1]

Relative Vapour DensityNot applicable.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds Evaporation rateNo data available.

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong acids.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain.

Eye contact

Corrosive (eye burns): Signs/symptoms may include cloudy appearance of the cornea, chemical burns, severe pain, tearing, ulcerations, significantly impaired vision or complete loss of vision.

Ingestion

May be harmful if swallowed.

Gastrointestinal corrosion: Signs/symptoms may include severe mouth, throat and abdominal pain, nausea, vomiting, and diarrhea; blood in the faeces and/or vomitus may also be seen. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Methemoglobinemia: Signs/symptoms may include headache, dizziness, nausea, difficulty breathing, and generalised weakness.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Genotoxicity:

Genotoxicity and Mutagenicity: May interact with genetic material and possibly alter gene expression.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg

Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Aluminium hydroxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium hydroxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium hydroxide	Ingestion	Rat	LD50 > 5,000 mg/kg
OXIDE GLASS CHEMICALS (non-fibrous)	Dermal		LD50 estimated to be > 5,000 mg/kg
OXIDE GLASS CHEMICALS (non-fibrous)	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	Dermal	Rabbit	LD50 2,980 mg/kg
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	Ingestion	Rat	LD50 2,885 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Dermal	Rat	LD50 1,280 mg/kg
2,4,6-tris(dimethylaminomethyl)phenol	Ingestion	Rat	LD50 1,000 mg/kg
Boron zinc hydroxide oxide	Dermal	Rabbit	LD50 > 5,000 mg/kg
Boron zine hydroxide oxide	Inhalation- Dust/Mist	Rat	LC50 > 4.95 mg/l
Boron zinc hydroxide oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Nitric acid, calcium salt, tetrahydrate	Ingestion	Rat	LD50 >300, <2000 mg/kg
Nitric acid, calcium salt, tetrahydrate	Dermal	similar compoun ds	LD50 > 2,000 mg/kg
Bis[(dimethylamino)methyl]phenol	Ingestion		LD50 estimated to be 300 - 2,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg
methacrylonitrile	Dermal		estimated to be 200 - 1,000 mg/kg
methacrylonitrile	Inhalation- Dust/Mist		estimated to be > 12.5 mg/l
methacrylonitrile	Inhalation- Vapour		estimated to be 2 - 10 mg/l
methacrylonitrile	Ingestion		estimated to be 50 - 300 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	In vitro	Irritant
	data	
Aluminium hydroxide	Rabbit	No significant irritation
OXIDE GLASS CHEMICALS (non-fibrous)	Professio	No significant irritation
	nal	
	judgemen	
	t	
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with	Rabbit	Corrosive
ammonia		
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Boron zinc hydroxide oxide	Rabbit	No significant irritation
Nitric acid, calcium salt, tetrahydrate	similar	No significant irritation
	compoun	
	ds	
Bis[(dimethylamino)methyl]phenol	similar	Corrosive
	compoun	
	ds	
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value

Aluminium hydroxide	Rabbit	No significant irritation
OXIDE GLASS CHEMICALS (non-fibrous)	Professio	No significant irritation
	nal	
	judgemen	
	t	
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with	Rabbit	Corrosive
ammonia		
2,4,6-tris(dimethylaminomethyl)phenol	Rabbit	Corrosive
Boron zinc hydroxide oxide	Rabbit	Severe irritant
Nitric acid, calcium salt, tetrahydrate	Rabbit	Corrosive
Bis[(dimethylamino)methyl]phenol	similar	Corrosive
	compoun	
	ds	
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation

Skin Sensitisation

Name	Species	Value
Aluminium hydroxide	Guinea pig	Not classified
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	Guinea pig	Not classified
2,4,6-tris(dimethylaminomethyl)phenol	Guinea pig	Not classified
Boron zinc hydroxide oxide	Guinea pig	Not classified
Nitric acid, calcium salt, tetrahydrate	similar compoun ds	Not classified
Siloxanes and Silicones, di-Me, reaction products with silica	Human and animal	Not classified

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	In Vitro	Not mutagenic
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	In vivo	Not mutagenic
2,4,6-tris(dimethylaminomethyl)phenol	In Vitro	Not mutagenic
Boron zinc hydroxide oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Boron zinc hydroxide oxide	In vivo	Mutagenic
Nitric acid, calcium salt, tetrahydrate	In Vitro	Not mutagenic
Siloxanes and Silicones, di-Me, reaction products with silica	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Aluminium hydroxide	Not	Multiple	Not carcinogenic
	specified.	animal	
		species	
Siloxanes and Silicones, di-Me, reaction products with silica	Not	Mouse	Some positive data exist, but the data are not
	specified.		sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
------	-------	-------	---------	-------------	----------------------

Aluminium hydroxide	Ingestion	Not classified for development	Rat	NOAEL 768 mg/kg/day	during organogenesis
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	Dermal	Not classified for female reproduction	Rat	NOAEL 30 mg/kg/day	premating & during gestation
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	Dermal	Not classified for male reproduction	Rat	NOAEL 30 mg/kg/day	premating & during gestation
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	Dermal	Not classified for development	Rat	NOAEL 30 mg/kg/day	premating & during gestation
Boron zinc hydroxide oxide	Ingestion	Toxic to male reproduction	Rat	NOAEL 100 mg/kg/day	92 days
Boron zinc hydroxide oxide	Ingestion	Toxic to development	Rat	LOAEL 100 mg/kg/day	during gestation
Nitric acid, calcium salt, tetrahydrate	Ingestion	Not classified for female reproduction	similar compoun ds	NOAEL 1,500 mg/kg/day	premating into lactation
Nitric acid, calcium salt, tetrahydrate	Ingestion	Not classified for male reproduction	similar compoun ds	NOAEL 1,500 mg/kg/day	28 days
Nitric acid, calcium salt, tetrahydrate	Ingestion	Not classified for development	similar compoun ds	NOAEL 1,500 mg/kg/day	premating into lactation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
2,4,6- tris(dimethylaminomethyl) phenol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification		NOAEL Not available	
Boron zinc hydroxide oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Nitric acid, calcium salt, tetrahydrate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Nitric acid, calcium salt, tetrahydrate	Ingestion	methemoglobinemi a	Causes damage to organs	Human	NOAEL Not available	environmental exposure

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2,4,6- tris(dimethylaminomethyl) phenol	Dermal	skin liver nervous system auditory system hematopoietic system eyes	Not classified	Rat	NOAEL 125 mg/kg/day	28 days
Boron zinc hydroxide oxide	Inhalation	immune system respiratory system heart endocrine system hematopoietic	Not classified	Rat	NOAEL 0.15 mg/l	2 weeks

		system liver nervous system kidney and/or bladder				
Boron zinc hydroxide oxide	Ingestion	endocrine system liver kidney and/or bladder heart skin bone, teeth, nails, and/or hair hematopoietic system immune system nervous system eyes respiratory system vascular system	Not classified	Rat	NOAEL 375 mg/kg/day	92 days
Nitric acid, calcium salt, tetrahydrate	Ingestion	heart skin endocrine system bone, teeth, nails, and/or hair hematopoietic system liver immune system nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	similar compoun ds	NOAEL 1,500 mg/kg/day	28 days
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure

Aspiration Hazard

Name	Value
Reaction products of di-, tri- and tetra-propoxylated propane-1,2-diol with ammonia	Some positive data exist, but the data are not sufficient for
	classification

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Aluminium hydroxide	21645-51-2	Fish	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l

OXIDE GLASS CHEMICALS	65997-17-3	N/A	Data not available or insufficient for	N/A	N/A	N/A
(non-fibrous)			classification			
Bis[(dimethylamin o)methyl]phenol	71074-89-0	N/A	Data not available or insufficient for classification	N/A	N/A	NA
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Copepod	Experimental	48 hours	LC50	418.34 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Diatom	Experimental	72 hours	EC50	142 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Green algae	Experimental	72 hours	EC50	15 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Rainbow trout	Experimental	96 hours	LC50	>15 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Sheepshead Minnow	Experimental	96 hours	LC50	772.14 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Water flea	Experimental	48 hours	EC50	80 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Diatom	Experimental	72 hours	EC10	33 mg/l
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Green algae	Experimental	72 hours	EC10	1.4 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	N/A	Experimental	96 hours	LC50	718 mg/l
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Common Carp	Experimental	96 hours	LC50	>100 mg/l
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Green algae	Experimental	72 hours	EC50	46.7 mg/l
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Water flea	Experimental	48 hours	EC50	>100 mg/l
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Green algae	Experimental	72 hours	NOEC	6.44 mg/l
Boron zinc hydroxide oxide	138265-88-0	Activated sludge	Estimated	4 hours	NOEC	0.33 mg/l

Boron zinc	138265-88-0	Green algae	Estimated	72 hours	IC50	0.45 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Rainbow trout	Estimated	96 hours	LC50	0.56 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Water flea	Estimated	48 hours	EC50	0.33 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Green algae	Estimated	72 hours	NOEC	0.02 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Invertebrate	Estimated	24 days	NOEC	0.02 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Rainbow trout	Estimated	25 days	NOEC	0.08 mg/l
hydroxide oxide						
Boron zinc	138265-88-0	Water flea	Estimated	21 days	NOEC	0.12 mg/l
hydroxide oxide						
methacrylonitrile	126-98-7	Green algae	Experimental	72 hours	EC50	25.3 mg/l
methacrylonitrile	126-98-7	Water flea	Experimental	48 hours	EC50	205 mg/l
methacrylonitrile	126-98-7	Zebra Fish	Experimental	96 hours	LC50	354 mg/l
methacrylonitrile	126-98-7	Green algae	Experimental	72 hours	NOEC	10 mg/l
methacrylonitrile	126-98-7	Water flea	Experimental	21 days	NOEC	2.2 mg/l
Nitric acid, calcium salt, tetrahydrate	13477-34-4	Guppy	Estimated	96 hours	LC50	1,378 mg/l
Nitric acid, calcium salt, tetrahydrate	13477-34-4	Fathead minnow	Estimated	30 days	NOEC	58 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Aluminium hydroxide	21645-51-2	Data not availbl- insufficient	N/A	N/A	N/A	N/A
OXIDE GLASS CHEMICALS (non-fibrous)	65997-17-3	Data not availblinsufficient	N/A	N/A	N/A	N/A
Bis[(dimethylamin o)methyl]phenol	71074-89-0	Modeled Biodegradation	28 days	BOD	41 %CO2 evolution/THCO2 evolution	Catalogic™
Reaction products of di-, tri- and tetra- propoxylated propane-1,2-diol with ammonia	9046-10-0	Experimental Biodegradation	28 days	CO2 evolution	0 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Siloxanes and Silicones, di-Me, reaction products with silica	67762-90-7	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2,4,6- tris(dimethylamino methyl)phenol	90-72-2	Experimental Biodegradation	28 days	BOD	4 %BOD/ThOD	OECD 301D - Closed bottle test
Boron zinc hydroxide oxide	138265-88-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
methacrylonitrile	126-98-7	Experimental Biodegradation	28 days	BOD	83 %BOD/ThOD	OECD 301C - MITI test (I)
Nitric acid, calcium salt, tetrahydrate	13477-34-4	Data not availbl- insufficient	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Aluminium hydroxide	1	Data not available or insufficient for classification	N/A	N/A	N/A	N/A

OXIDE GLASS	65997-17-3	Data not available	NI/A	N/A	N/A	N/A
CHEMICALS	03997-17-3		IN/ A	IN/ A	IN/A	IN/A
		or insufficient for				
(non-fibrous)		classification				
Bis[(dimethylamin	71074-89-0	Modeled		Log Kow	-2.34	ACD/Labs ChemSketch™
o)methyl]phenol		Bioconcentration				
Reaction products	9046-10-0	Experimental		Log Kow	1.34	OECD 117 log Kow HPLC
of di-, tri- and tetra-		Bioconcentration				method
propoxylated						
propane-1,2-diol						
with ammonia						
Siloxanes and	67762-90-7	Data not available	N/A	N/A	N/A	N/A
Silicones, di-Me,		or insufficient for				
reaction products		classification				
with silica						
2,4,6-	90-72-2	Experimental		Log Kow	-0.66	830.7550 Part.Coef Shake
tris(dimethylamino		Bioconcentration		- 3		Flask
methyl)phenol						1 44011
Boron zinc	138265-88-0	Estimated BCF -	56 days	Bioaccumulation	242	OECD305-Bioconcentration
hydroxide oxide		Fish		factor		
methacrylonitrile	126-98-7	Experimental		Log Kow	0.68	
		Bioconcentration				
Nitric acid, calcium	13477-34-4	Data not available	N/A	N/A	N/A	N/A
salt, tetrahydrate		or insufficient for				
,		classification				

12.4. Mobility in soil

No test data available.

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09* Waste adhesives and sealants containing organic solvents or other dangerous substances

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III
14.5 Environmental hazards	Environmentally Hazardous	Not applicable	Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	M7	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for the application of		
	Lower-tier requirements	Upper-tier requirements	
E2 Hazardous to the Aquatic	200	500	
environment			

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part A

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier Upper-tier requirement	
		requirements	
methacrylonitrile	126-98-7	50	200

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

H225	Highly flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H341	Suspected of causing genetic defects.
H361df	Suspected of damaging fertility. Suspected of damaging the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

Section 12: Component ecotoxicity information information was modified.

Section 14 Classification Code – Regulation Data information was modified.

Section 14 Hazard Class + Sub Risk – Regulation Data information was modified.

Section 14 Proper Shipping Name information was modified.

Section 14 Segregation – Regulation Data information was modified.

Section 14 UN Number Column data information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.

3M Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A F	ST : Part A

Page: 18 of 18



Safety Data Sheet

Copyright, 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 38-2811-8 **Version number:** 6.00

Revision date: 13/12/2022 **Supersedes date:** 06/12/2022

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part B

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial use.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

 Telephone:
 +44 (0)1344 858 000

 E Mail:
 tox.uk@mmm.com

 Website:
 www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315

Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Skin Sensitization, Category 1 - Skin Sens. 1; H317

Germ Cell Mutagenicity, Category 2 - Muta. 2; H341

Reproductive Toxicity, Category 2 - Repr. 2; H361fd

Hazardous to the Aquatic Environment (Chronic), Category 2 - Aquatic Chronic 2; H411

For full text of H phrases, see Section 16.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols

GHS07 (Exclamation mark) |GHS08 (Health Hazard) |GHS09 (Environment) |

Pictograms







Ingredients:

Ingredient	CAS Nbr	EC No.	% by Wt
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4		30 - 40
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	14228-73-0	238-098-4	5 - 15
bis-[4-(2,3-epoxipropoxi)phenyl]propane	1675-54-3	216-823-5	1 - 5
Boron zinc hydroxide oxide	138265-88-0	235-804-2	3 - 5
STANNOUS SULFATE	7488-55-3	231-302-2	< 0.5
methacrylonitrile	126-98-7	204-817-5	< 0.1

HAZARD STATEMENTS:

H315 Causes skin irritation.
 H319 Causes serious eye irritation.
 H317 May cause an allergic skin reaction.
 H341 Suspected of causing genetic defects.

H361fd Suspected of damaging fertility. Suspected of damaging the unborn child.

H411 Toxic to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P273 Avoid release to the environment.

P280E Wear protective gloves.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

3% of the mixture consists of components of unknown acute oral toxicity.

Contains 4% of components with unknown hazards to the aquatic environment.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Phenol-formaldehyde polymer, glycidyl ether	(CAS-No.) 28064-14-4	30 - 40	Skin Sens. 1, H317 Aquatic Chronic 2, H411
Glass, oxide, chemicals	(CAS-No.) 65997-17-3 (EC-No.) 266-046-0	10 - 20	Substance with a national occupational exposure limit
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	(CAS-No.) 14228-73-0 (EC-No.) 238-098-4	5 - 15	Aquatic Chronic 3, H412 Acute Tox. 4, H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317
Aluminium hydroxide	(CAS-No.) 21645-51-2 (EC-No.) 244-492-7	10 - 15	Substance with a national occupational exposure limit
Graphite	(CAS-No.) 7782-42-5 (EC-No.) 231-955-3	5 - 7	Substance with a national occupational exposure limit
red phosphorus	(CAS-No.) 7723-14-0 (EC-No.) 231-768-7 (REACH-No.) 01- 2119489913-23	1 - 5	Flam. Sol. 1, H228 Aquatic Chronic 3, H412
bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS-No.) 1675-54-3 (EC-No.) 216-823-5 (REACH-No.) 01- 2119456619-26	1 - 5	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Skin Sens. 1, H317 Aquatic Chronic 2, H411
Boron zinc hydroxide oxide	(CAS-No.) 138265-88-0 (EC-No.) 235-804-2 (REACH-No.) 01- 2119691658-19	3 - 5	Eye Irrit. 2, H319 Muta. 2, H341 Repr. 2, H361df Aquatic Acute 1, H400,M=1 Aquatic Chronic 1, H410,M=1
EXPANDED ACRYLONITRILE	Trade Secret	1 - 3	Substance not classified as hazardous
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	(CAS-No.) 2530-83-8 (EC-No.) 219-784-2 (REACH-No.) 01- 2119513212-58	< 2	Eye Dam. 1, H318 Aquatic Chronic 3, H412
sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5	< 1.5	Skin Corr. 1A, H314 Eye Dam. 1, H318 Nota B
Siloxanes and Silicones, di-Me, reaction products with silica	(CAS-No.) 67762-90-7	0.5 - 1.5	Substance with a national occupational exposure limit
STANNOUS SULFATE	(CAS-No.) 7488-55-3 (EC-No.) 231-302-2	< 0.5	Acute Tox. 4, H332 Skin Irrit. 2, H315

			Eye Dam. 1, H318
			Skin Sens. 1, H317
			STOT SE 3, H335
			Aquatic Acute 1, H400,M=1
			Aquatic Chronic 1, H410,M=1
methacrylonitrile	(CAS-No.) 126-98-7	< 0.1	Flam. Liq. 2, H225
	(EC-No.) 204-817-5		Acute Tox. 3, H331
			Acute Tox. 3, H311
			Acute Tox. 3, H301
			Skin Sens. 1, H317
			Nota D

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
bis-[4-(2,3-epoxipropoxi)phenyl]propane	(CAS-No.) 1675-54-3 (EC-No.) 216-823-5 (REACH-No.) 01- 2119456619-26	(C >= 5%) Skin Irrit. 2, H315 (C >= 5%) Eye Irrit. 2, H319
methacrylonitrile	(CAS-No.) 126-98-7 (EC-No.) 204-817-5	(C >= 0.2%) Skin Sens. 1, H317
sulphuric acid	(CAS-No.) 7664-93-9 (EC-No.) 231-639-5	(C >= 15%) Skin Corr. 1A, H314 (5% =< C < 15%) Skin Irrit. 2, H315 (C >= 15%) Eye Dam. 1, H318 (5% =< C < 15%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include:

Irritation to the skin (localized redness, swelling, itching, and dryness). Allergic skin reaction (redness, swelling, blistering, and itching). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable.

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionAldehydes.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.Hydrogen ChlorideDuring combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from acids. Store away from oxidising agents. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
methacrylonitrile	126-98-7	UK HSC	TWA:2.8 mg/m3(1 ppm)	SKIN
DUST, INERT OR NUISANCE	21645-51-2	UK HSC	TWA(as respirable dust):4 mg/m3;TWA(as inhalable dust):10 mg/m3	
Glass, oxide, chemicals	65997-17-3	UK HSC	TWA(as fiber):5 mg/m3(1 fibers/ml)	
Glass, oxide, chemicals	65997-17-3	Manufacturer determined	TWA(as non-fibrous, respirable)(8 hours):3 mg/m3;TWA(as non-fibrous, inhalable fraction)(8 hours):10 mg/m3	
Silicon dioxide	67762-90-7	UK HSC	TWA(as respirable dust):2.4 mg/m3;TWA(as inhalable dust):6 mg/m3	
TIN, INORGANIC COMPOUNDS, EXCEPT SnH4	7488-55-3	UK HSC	TWA(as Sn):2 mg/m3;STEL(as Sn):4 mg/m3	
sulphuric acid	7664-93-9	UK HSC	TWA:0.05 mg/m3	
red phosphorus	7723-14-0	UK HSC	TWA: 0.1 mg/m³; STEL: 0.3 mg/m³	
Carbon	7782-42-5	UK HSC	TWA(as respirable dust):4 mg/m3;TWA(as inhalable dust):10 mg/m3	
DUST, INERT OR NUISANCE	7782-42-5	UK HSC	TWA(as respirable dust):4 mg/m3;TWA(as inhalable dust):10 mg/m3	
			=	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Derived no effect level (DNEL)

Ingredient	Degradation	Population	Human exposure	DNEL
	Product		pattern	
[3-(2,3-		Worker	Dermal, Long-term	21 mg/kg bw/d
Epoxypropoxy)propyl]			exposure (8 hours),	
trimethoxysilane			Systemic effects	
[3-(2,3-		Worker	Dermal, Short-term	21 mg/kg bw/d
Epoxypropoxy)propyl]			exposure, Systemic	
trimethoxysilane			effects	
[3-(2,3-		Worker	Inhalation, Long-term	147 mg/m ³
Epoxypropoxy)propyl]			exposure (8 hours),	
trimethoxysilane			Systemic effects	
[3-(2,3-		Worker	Inhalation, Short-term	147 mg/m³
Epoxypropoxy)propyl]			exposure, Systemic	

	3M	(tm)	Scotch-	Weld(tm)	Structural	Void Filling	Compound	EC-3550 I	B/A FST:	: Part
--	-----------	------	---------	----------	------------	--------------	----------	-----------	----------	--------

trimethoxysilane		effects	

Predicted no effect concentrations (PNEC)

Ingredient	Degradation Product	Compartment	PNEC
[3-(2,3-		Agricultural soil	0.13 mg/kg d.w.
Epoxypropoxy)propyl]			
trimethoxysilane			
[3-(2,3-		Freshwater	1 mg/l
Epoxypropoxy)propyl]			
trimethoxysilane			
[3-(2,3-		Freshwater sediments	0.79 mg/kg d.w.
Epoxypropoxy)propyl]			
trimethoxysilane			
[3-(2,3-		Intermittent releases to water	1 mg/l
Epoxypropoxy)propyl]			
trimethoxysilane			
[3-(2,3-		Marine water	0.1 mg/l
Epoxypropoxy)propyl]			
trimethoxysilane			
[3-(2,3-		Sewage Treatment Plant	10 mg/l
Epoxypropoxy)propyl]			
trimethoxysilane			

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from UK HSC

8.2. Exposure controls

In addition, refer to the annex for more information.

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity. Gloves made from the following material(s) are recommended:

MaterialThickness (mm)Breakthrough TimePolymer laminateNo data availableNo data available

Applicable Norms/Standards Use gloves tested to EN 374

If this product is used in a manner that presents a higher potential for exposure (eg. spraying, high splash potential etc.), then use of protective coveralls may be necessary. Select and use body protection to prevent contact based on the results of an exposure assessment. The following protective clothing material(s) are recommended: Apron - polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

8.2.3. Environmental exposure controls

Refer to Annex

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:PasteColourBrownOdorLow Odor

Odour thresholdNo data available.Melting point/freezing pointNo data available.Boiling point/boiling rangeNot applicable.Flammability (solid, gas)Not classifiedFlammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Flash point >=93.3 °C [Test Method:Closed Cup]

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

pH substance/mixture is non-soluble (in water)

Kinematic ViscosityNo data available.Water solubilityNo data available.Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.Vapour pressureNot applicable.DensityNo data available.

Relative density 0.45 - 0.55 [*Ref Std*:WATER=1]

Relative Vapour Density *Not applicable.*

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds

No data available.

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part B

Evaporation rate

Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Amines.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, dryness, cracking, blistering, and pain. Allergic skin reaction (non-photo induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eve contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Genotoxicity:

Genotoxicity and Mutagenicity: May interact with genetic material and possibly alter gene expression.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Dust/Mist(4 hr)		No data available; calculated ATE >12.5 mg/l
Overall product	Ingestion		No data available; calculated ATE >2,000 - =5,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Dermal	Rabbit	LD50 > 6,000 mg/kg
Phenol-formaldehyde polymer, glycidyl ether	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 1.7 mg/l
Phenol-formaldehyde polymer, glycidyl ether	Ingestion	Rat	LD50 > 4,000 mg/kg
Glass, oxide, chemicals	Dermal		LD50 estimated to be > 5,000 mg/kg
Glass, oxide, chemicals	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Dermal	Rabbit	LD50 > 2,000 mg/kg
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.19 mg/l
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Ingestion	Rat	LD50 1,098 mg/kg
Aluminium hydroxide	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminium hydroxide	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 2.3 mg/l
Aluminium hydroxide	Ingestion	Rat	LD50 > 5,000 mg/kg
Graphite	Dermal		LD50 estimated to be > 5,000 mg/kg
Graphite	Ingestion	Rat	LD50 > 2,000 mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Rat	LD50 > 1,600 mg/kg
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Rat	LD50 > 1,000 mg/kg
Boron zinc hydroxide oxide	Dermal	Rabbit	LD50 > 5,000 mg/kg
Boron zinc hydroxide oxide	Inhalation- Dust/Mist	Rat	LC50 > 4.95 mg/l
Boron zinc hydroxide oxide	Ingestion	Rat	LD50 > 5,000 mg/kg
red phosphorus	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
red phosphorus	Ingestion	Rat	LD50 > 15,000 mg/kg
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Dermal	Rabbit	LD50 4,000 mg/kg
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.3 mg/l
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Ingestion	Rat	LD50 7,010 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Dermal	Rabbit	LD50 > 5,000 mg/kg
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Rat	LD50 > 5,110 mg/kg

sulphuric acid	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.375 mg/l
sulphuric acid	Ingestion	Rat	LD50 2,140 mg/kg
STANNOUS SULFATE	Inhalation- Dust/Mist (4 hours)	Rat	LC50 2 mg/l
STANNOUS SULFATE	Ingestion	Rat	LD50 2,207 mg/kg
STANNOUS SULFATE	Dermal	similar health hazards	LD50 estimated to be 2,000 - 5,000 mg/kg
methacrylonitrile	Dermal		estimated to be 200 - 1,000 mg/kg
methacrylonitrile	Inhalation- Dust/Mist		estimated to be > 12.5 mg/l
methacrylonitrile	Inhalation- Vapour		estimated to be 2 - 10 mg/l
methacrylonitrile	Ingestion		estimated to be 50 - 300 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Minimal irritation
Glass, oxide, chemicals	Professio	No significant irritation
	nal	
	judgemen	
	t	
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	In vitro	Irritant
	data	
Aluminium hydroxide	Rabbit	No significant irritation
Graphite	Rabbit	No significant irritation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Mild irritant
Boron zinc hydroxide oxide	Rabbit	No significant irritation
red phosphorus	Rabbit	No significant irritation
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Rabbit	Mild irritant
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
sulphuric acid	Professio	Corrosive
	nal	
	judgemen	
	t	
STANNOUS SULFATE	Professio	Irritant
	nal	
	judgemen	
	t	

Serious Eye Damage/Irritation

Name	Species	Value
Phenol-formaldehyde polymer, glycidyl ether	Rabbit	Mild irritant
Glass, oxide, chemicals	Professio nal judgemen t	No significant irritation
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	In vitro data	No significant irritation
Aluminium hydroxide	Rabbit	No significant irritation
Graphite	Rabbit	No significant irritation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Rabbit	Moderate irritant
Boron zinc hydroxide oxide	Rabbit	Severe irritant
red phosphorus	Rabbit	No significant irritation
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Rabbit	Corrosive
Siloxanes and Silicones, di-Me, reaction products with silica	Rabbit	No significant irritation
sulphuric acid	Rabbit	Corrosive

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part B

STANNOUS SULFATE	Professio	Corrosive
	nal	
	judgemen	
	t	

Skin Sensitisation

Name	Species	Value
Phenol-formaldehyde polymer, glycidyl ether	Human	Sensitising
	and	
	animal	
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Mouse	Sensitising
Aluminium hydroxide	Guinea	Not classified
·	pig	
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human	Sensitising
	and	
	animal	
Boron zinc hydroxide oxide	Guinea	Not classified
	pig	
red phosphorus	Guinea	Not classified
	pig	
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Guinea	Not classified
	pig	
Siloxanes and Silicones, di-Me, reaction products with silica	Human	Not classified
-	and	
	animal	
STANNOUS SULFATE	Human	Sensitising

Respiratory Sensitisation

Name	Species	Value
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
Phenol-formaldehyde polymer, glycidyl ether	In Vitro	Some positive data exist, but the data are not sufficient for classification
Glass, oxide, chemicals	In Vitro	Some positive data exist, but the data are not sufficient for classification
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	In vivo	Not mutagenic
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Graphite	In Vitro	Some positive data exist, but the data are not sufficient for classification
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In vivo	Not mutagenic
bis-[4-(2,3-epoxipropoxi)phenyl]propane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Boron zinc hydroxide oxide	In Vitro	Some positive data exist, but the data are not sufficient for classification
Boron zinc hydroxide oxide	In vivo	Mutagenic
red phosphorus	In Vitro	Not mutagenic
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	In vivo	Not mutagenic
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	In Vitro	Some positive data exist, but the data are not sufficient for classification
Siloxanes and Silicones, di-Me, reaction products with silica	In Vitro	Not mutagenic
sulphuric acid	In Vitro	Not mutagenic
STANNOUS SULFATE	In Vitro	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Glass, oxide, chemicals	Inhalation	Multiple	Some positive data exist, but the data are not

D 10 0

		animal species	sufficient for classification
Aluminium hydroxide	Not specified.	Multiple animal species	Not carcinogenic
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Mouse	Some positive data exist, but the data are not sufficient for classification
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Dermal	Mouse	Not carcinogenic
Siloxanes and Silicones, di-Me, reaction products with silica	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
sulphuric acid	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification
sulphuric acid	Inhalation	Human	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
1,4-Bis[(2,3- epoxypropoxy)methyl]cyclohexane	Ingestion	Not classified for female reproduction	Rat	NOAEL 300 mg/kg/day	premating into lactation
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Ingestion	Not classified for male reproduction	Rat	NOAEL 300 mg/kg/day	33 days
1,4-Bis[(2,3-epoxypropoxy)methyl]cyclohexane	Ingestion	Not classified for development	Rat	NOAEL 300 mg/kg/day	premating into lactation
Aluminium hydroxide	Ingestion	Not classified for development	Rat	NOAEL 768 mg/kg/day	during organogenesis
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for female reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for male reproduction	Rat	NOAEL 750 mg/kg/day	2 generation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Dermal	Not classified for development	Rabbit	NOAEL 300 mg/kg/day	during organogenesis
bis-[4-(2,3-epoxipropoxi)phenyl]propane	Ingestion	Not classified for development	Rat	NOAEL 750 mg/kg/day	2 generation
Boron zinc hydroxide oxide	Ingestion	Toxic to male reproduction	Rat	NOAEL 100 mg/kg/day	92 days
Boron zinc hydroxide oxide	Ingestion	Toxic to development	Rat	LOAEL 100 mg/kg/day	during gestation
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	1 generation
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	1 generation
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane	Ingestion	Not classified for development	Rat	NOAEL 3,000 mg/kg/day	during organogenesis
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Siloxanes and Silicones, di-Me, reaction products with silica	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
sulphuric acid	Inhalation	Not classified for development	Rat	NOAEL 19.3 mg/m³	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
						Duration

1,4-Bis[(2,3- epoxypropoxy)methyl]cycl ohexane	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
Boron zinc hydroxide oxide	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available	
sulphuric acid	Inhalation	respiratory irritation	May cause respiratory irritation	Rat	NOAEL Not available.	
STANNOUS SULFATE	Inhalation	respiratory irritation	May cause respiratory irritation	Professio nal judgeme nt	NOAEL Not available	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Glass, oxide, chemicals	Inhalation	respiratory system	Not classified	Human	NOAEL not available	occupational exposure
1,4-Bis[(2,3- epoxypropoxy)methyl]cycl ohexane	Ingestion	endocrine system gastrointestinal tract liver heart hematopoietic system immune system nervous system kidney and/or bladder	Not classified	Rat	NOAEL 300 mg/kg/day	33 days
Graphite	Inhalation	pneumoconiosis	Not classified	Human	NOAEL Not available	occupational exposure
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	liver	Not classified	Rat	NOAEL 1,000 mg/kg/day	2 years
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Dermal	nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	13 weeks
bis-[4-(2,3- epoxipropoxi)phenyl]prop ane	Ingestion	auditory system heart endocrine system hematopoietic system liver eyes kidney and/or bladder	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days
Boron zinc hydroxide oxide	Inhalation	immune system respiratory system heart endocrine system hematopoietic system liver nervous system kidney and/or bladder	Not classified	Rat	NOAEL 0.15 mg/l	2 weeks
Boron zinc hydroxide oxide	Ingestion	endocrine system liver kidney and/or bladder heart skin bone, teeth, nails, and/or hair hematopoietic system immune system nervous system eyes respiratory system vascular system	Not classified	Rat	NOAEL 375 mg/kg/day	92 days
[3-(2,3- Epoxypropoxy)propyl] trimethoxysilane	Ingestion	heart endocrine system bone, teeth, nails, and/or hair hematopoietic system liver immune system nervous system	Not classified	Rat	NOAEL 1,000 mg/kg/day	28 days

		kidney and/or bladder respiratory system				
Siloxanes and Silicones, di-Me, reaction products with silica	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
sulphuric acid	Inhalation	respiratory system	Not classified	Rat	NOAEL 5.52 mg/m³	28 days
STANNOUS SULFATE	Ingestion	hematopoietic system liver heart kidney and/or bladder	Not classified	Rat	NOAEL 40 mg/kg/day	4 weeks

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Golden Orfe	Experimental	96 hours	LC50	5.7 mg/l
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Water flea	Experimental	48 hours	EC50	3.5 mg/l
Glass, oxide, chemicals	65997-17-3	Green algae	Experimental	72 hours	EC50	>1,000 mg/l
Glass, oxide, chemicals	65997-17-3	Water flea	Experimental	72 hours	EC50	>1,000 mg/l
Glass, oxide, chemicals	65997-17-3	Zebra Fish	Experimental	96 hours	LC50	>1,000 mg/l
Glass, oxide, chemicals	65997-17-3	Green algae	Experimental	72 hours	NOEC	>=1,000 mg/l
1,4-Bis[(2,3- epoxypropoxy)methyl]c yclohexane	14228-73-0	Bacteria	Estimated	18 hours	EC50	10,264 mg/l
1,4-Bis[(2,3- epoxypropoxy)methyl]c yclohexane	14228-73-0	Green algae	Estimated	72 hours	EC50	26.7 mg/l
1,4-Bis[(2,3- epoxypropoxy)methyl]c yclohexane	14228-73-0	Rainbow trout	Estimated	96 hours	LC50	10.1 mg/l
1,4-Bis[(2,3- epoxypropoxy)methyl]c yclohexane	14228-73-0	Water flea	Estimated	48 hours	EC50	16.3 mg/l
1,4-Bis[(2,3- epoxypropoxy)methyl]c yclohexane	14228-73-0	Green algae	Estimated	72 hours	EC10	21.4 mg/l

1,4-Bis[(2,3-epoxypropoxy)methyl]c	14228-73-0	Water flea	Estimated	21 days	NOEC	11.7 mg/l
Aluminium hydroxide	21645-51-2	Fish	Experimental	96 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Aluminium hydroxide	21645-51-2	Green algae	Experimental	72 hours	No tox obs at lmt of water sol	100 mg/l
Graphite	7782-42-5	Activated sludge	Experimental	3 hours	NOEC	1,012.5 mg/l
Graphite	7782-42-5	Green algae	Experimental	72 hours	EC50	>100 mg/l
Graphite	7782-42-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
Graphite	7782-42-5	Zebra Fish	Experimental	96 hours	LC50	>100 mg/l
Graphite	7782-42-5	Green algae	Experimental	72 hours	NOEC	100 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Activated sludge	Analogous Compound	3 hours	IC50	>100 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Rainbow trout	Estimated	96 hours	LC50	2 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Water flea	Estimated	48 hours	EC50	1.8 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Green algae	Experimental	72 hours	ErC50	>11 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Green algae	Experimental	72 hours	NOEC	4.2 mg/l
bis-[4-(2,3- epoxipropoxi)phenyl]pr opane	1675-54-3	Water flea	Experimental	21 days	NOEC	0.3 mg/l
red phosphorus	7723-14-0	Activated sludge	Estimated	3 hours	NOEC	1,000 mg/l
red phosphorus	7723-14-0	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
red phosphorus	7723-14-0	Green algae	Experimental	72 hours	EL50	18.3 mg/l
red phosphorus	7723-14-0	Water flea	Experimental	48 hours	EL50	10.5 mg/l
red phosphorus	7723-14-0	Zebra Fish	Experimental	96 hours	EL50	2.5 mg/l
red phosphorus	7723-14-0	Green algae	Experimental	72 hours	EL10	6.6 mg/l
Boron zinc hydroxide oxide	138265-88-0	Activated sludge	Estimated	4 hours	NOEC	0.33 mg/l
Boron zinc hydroxide oxide	138265-88-0	Green algae	Estimated	72 hours	IC50	0.45 mg/l
Boron zinc hydroxide oxide	138265-88-0	Rainbow trout	Estimated	96 hours	LC50	0.56 mg/l
Boron zinc hydroxide oxide	138265-88-0	Water flea	Estimated	48 hours	EC50	0.33 mg/l
Boron zinc hydroxide oxide	138265-88-0	Green algae	Estimated	72 hours	NOEC	0.02 mg/l
Boron zinc hydroxide oxide	138265-88-0	Invertebrate	Estimated	24 days	NOEC	0.02 mg/l
Boron zinc hydroxide oxide	138265-88-0	Rainbow trout	Estimated	25 days	NOEC	0.08 mg/l
Boron zinc hydroxide oxide	138265-88-0	Water flea	Estimated	21 days	NOEC	0.12 mg/l

	50. (0.0	I	Ta a	I=	la c i	lx 0.50	1 "
	[3-(2,3-	2530-83-8	Common Carp	Experimental	96 hours	LC50	55 mg/l
Epoxypropoxy)propyl	trimethoxysilane						
Epoxypropoxy)propyl rimethoxysilane S30-83-8 Invertebrate Experimental 48 hours LC50 324 mg/l	[3-(2.3-	2530-83-8	Green algae	Experimental	96 hours	ErC50	350 mg/l
					, , , , , , , , , , , , , , , , , , , ,		
Epoxypropoxy)propyll trimethoxysilane [3-(2,3-Epoxypropoxy)propyl] trimethoxysilane [3-(2,3-Epoxypropoxypropyl] trimethoxysilane		2520 92 9	I	E	40 h	1.050	224 /1
trimethoxysilane	F- ()-	2530-83-8	Invertebrate	Experimental	48 nours	LC50	324 mg/1
[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane [3-(3-(3-Epoxypropoxy)propyl] trimethoxysilane [3-(3-(3-Epoxypropoxy)propyl] trimethoxysilane [3-(3-(3-Epoxypropoxy)propyl] trimethoxysilane [3-(3-(3-Epoxypropoxy)propyl] trimethoxysilane [3-(3-(3-(3-(3-(3-(3-(3-(3-(3-(3-(3-(3-(3	Epoxypropoxy)propyl]						
Epoxypropoxy)propy trimethoxysilane Experimental Experiment							
trimethoxysilane [3-(2,3-	[3-(2,3-	2530-83-8	Green algae	Experimental	96 hours	NOEC	130 mg/l
trimethoxysilane [3-(2,3-	Epoxypropoxy)propyl]			1			
Sulphuric acid Teber Teb							
Epoxypropoxy)propyl trimethoxysilane 2530-83-8 Activated sludge Experimental 3 hours EC50 >100 mg/l		2530-83-8	Water flea	Evnerimental	21 days	NOEC	100 mg/l
trimethoxysilane [3-(2,3-Epoxypropoxy)propyl] trimethoxysilane Siloxanes and Siloxanes		2550-05-0	water rica	Experimental	21 days	NOLC	100 mg/1
Siloxanes and							
Epoxypropoxy)propyl] trimethoxysilane Siloxanes and Silicones, di-Me, reaction products with silica sulphuric acid T664-93-9 Sulphuric acid T664-93-9 Green algae Experimental T2 hours EC50 FC50 FC50 FC50 FC50 FC50 FC50 FC50 F							100 "
trimethoxysilane Siloxanes and		2530-83-8	Activated sludge	Experimental	3 hours	EC50	>100 mg/l
Siloxanes and Silicones, di-Me, reaction products with silica sulphuric acid 7664-93-9 Green algae Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Water flea Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours NOEC 100 mg/l STANNOUS SULFATE STANNOUS STANNOUS SULFATE STANNOUS STANOUS STANNOUS STAN							
Silicones, di-Me, reaction products with silica sulphuric acid 7664-93-9 Green algae Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Water flea Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours NOEC 100 mg/l STANNOUS STANNOUS STANNOUS STANNOUS SULFATE	trimethoxysilane						
Silicones, di-Me, reaction products with silica sulphuric acid 7664-93-9 Green algae Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Water flea Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours NOEC 100 mg/l STANNOUS STANNOUS STANNOUS STANNOUS SULFATE	Siloxanes and	67762-90-7	N/A	Data not available	N/A	N/A	N/A
reaction products with silica sulphuric acid 7664-93-9 Green algae Experimental 72 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Water flea Experimental 48 hours EC50 >100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours NOEC 100 mg/l sulphuric acid 7664-93-9 Green algae Experimental 72 hours NOEC 100 mg/l STANNOUS 7488-55-3 Activated sludge Experimental 3 hours EC50 1,194 mg/l STANNOUS 7488-55-3 Diatom Laboratory 72 hours EC50 0.2 mg/l STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l			- "		- "	1	"""
silicaGreen algaeExperimental72 hoursEC50>100 mg/lsulphuric acid7664-93-9Water fleaExperimental48 hoursEC50>100 mg/lsulphuric acid7664-93-9Green algaeExperimental72 hoursNOEC100 mg/lSTANNOUS SULFATE7488-55-3Activated sludgeExperimental3 hoursEC501,194 mg/lSTANNOUS SULFATE7488-55-3DiatomLaboratory72 hoursEC500.2 mg/lSTANNOUS SULFATE7488-55-3Water fleaLaboratory48 hoursEC5039.08 mg/lSTANNOUS SULFATE7488-55-3Zebra FishLaboratory120 hoursNOEC9.48 mg/l							
sulphuric acid7664-93-9Green algaeExperimental72 hoursEC50>100 mg/lsulphuric acid7664-93-9Water fleaExperimental48 hoursEC50>100 mg/lsulphuric acid7664-93-9Green algaeExperimental72 hoursNOEC100 mg/lSTANNOUS SULFATE7488-55-3Activated sludgeExperimental3 hoursEC501,194 mg/lSTANNOUS SULFATE7488-55-3DiatomLaboratory72 hoursEC500.2 mg/lSTANNOUS SULFATE7488-55-3Water fleaLaboratory48 hoursEC5039.08 mg/lSTANNOUS SULFATE7488-55-3Zebra FishLaboratory120 hoursNOEC9.48 mg/l				ciassification			
sulphuric acid7664-93-9Water fleaExperimental48 hoursEC50>100 mg/lsulphuric acid7664-93-9Green algaeExperimental72 hoursNOEC100 mg/lSTANNOUS SULFATE7488-55-3Activated sludgeExperimental3 hoursEC501,194 mg/lSTANNOUS SULFATE7488-55-3DiatomLaboratory72 hoursEC500.2 mg/lSTANNOUS SULFATE7488-55-3Water fleaLaboratory48 hoursEC5039.08 mg/lSTANNOUS SULFATE7488-55-3Zebra FishLaboratory120 hoursNOEC9.48 mg/l					1		
sulphuric acid7664-93-9Green algaeExperimental72 hoursNOEC100 mg/lSTANNOUS SULFATE7488-55-3Activated sludgeExperimental3 hoursEC501,194 mg/lSTANNOUS SULFATE7488-55-3DiatomLaboratory72 hoursEC500.2 mg/lSTANNOUS SULFATE7488-55-3Water fleaLaboratory48 hoursEC5039.08 mg/lSTANNOUS SULFATE7488-55-3Zebra FishLaboratory120 hoursNOEC9.48 mg/l	sulphuric acid	7664-93-9	Green algae	Experimental	72 hours	EC50	>100 mg/l
sulphuric acid7664-93-9Green algaeExperimental72 hoursNOEC100 mg/lSTANNOUS SULFATE7488-55-3Activated sludgeExperimental3 hoursEC501,194 mg/lSTANNOUS SULFATE7488-55-3DiatomLaboratory72 hoursEC500.2 mg/lSTANNOUS SULFATE7488-55-3Water fleaLaboratory48 hoursEC5039.08 mg/lSTANNOUS SULFATE7488-55-3Zebra FishLaboratory120 hoursNOEC9.48 mg/l							
STANNOUS 7488-55-3 Activated sludge Experimental 3 hours EC50 1,194 mg/l SULFATE 7488-55-3 Diatom Laboratory 72 hours EC50 0.2 mg/l SULFATE STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE	sulphuric acid	7664-93-9	Water flea	Experimental	48 hours	EC50	>100 mg/l
STANNOUS 7488-55-3 Activated sludge Experimental 3 hours EC50 1,194 mg/l SULFATE 7488-55-3 Diatom Laboratory 72 hours EC50 0.2 mg/l SULFATE STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE				1			
STANNOUS 7488-55-3 Activated sludge Experimental 3 hours EC50 1,194 mg/l SULFATE 7488-55-3 Diatom Laboratory 72 hours EC50 0.2 mg/l SULFATE STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE	sulphuric acid	7664-93-9	Green algae	Experimental	72 hours	NOEC	100 mg/l
SULFATE STANNOUS SULFATE STANNOUS SULFATE STANNOUS STANNOUS STANNOUS SULFATE STANNOUS SULFATE STANNOUS	sarpharie dela	, , , , ,	Green angue	zperimentar	72 110 415	11020	100 mg 1
SULFATE STANNOUS SULFATE STANNOUS SULFATE STANNOUS STANNOUS STANNOUS SULFATE STANNOUS SULFATE STANNOUS	CT A NINIOU IC	7400 55 2	A ativated aludas	Exmanim antal	2 hayra	EC50	1 104 mg/l
STANNOUS 7488-55-3 Diatom Laboratory 72 hours EC50 0.2 mg/l SULFATE STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE		/400-33-3	Activated studge	Experimental	3 Hours	EC30	1,194 mg/1
SULFATE STANNOUS SULFATE SULFATE STANNOUS SULFATE SULFATE STANNOUS SULFATE SULFATE SULFATE STANNOUS SULFATE SULFATE SUL							
STANNOUS 7488-55-3 Water flea Laboratory 48 hours EC50 39.08 mg/l SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE		7488-55-3	Diatom	Laboratory	72 hours	EC50	0.2 mg/l
SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE							
SULFATE STANNOUS 7488-55-3 Zebra Fish Laboratory 120 hours NOEC 9.48 mg/l SULFATE	STANNOUS	7488-55-3	Water flea	Laboratory	48 hours	EC50	39.08 mg/l
SULFATE	SULFATE			,			
SULFATE	STANNOUS	7488-55-3	Zehra Fish	Laboratory	120 hours	NOEC	9 48 mg/l
		7400 33 3	Zcora i isii	Luboratory	120 110013	TOLE).40 mg/1
methacrylonitrile 126-98-7 Green algae Experimental /2 nours EC50 25.3 mg/l		126 00 7	C 1	F . 4.1	72.1	ECCO	25.2 //
	methacrylonitrile	120-98-7	Green algae	Experimental	/2 nours	ECSU	25.3 mg/1
methacrylonitrile 126-98-7 Water flea Experimental 48 hours EC50 205 mg/l	methacrylonitrile	126-98-7	Water flea	Experimental	48 hours	EC50	205 mg/l
methacrylonitrile 126-98-7 Zebra Fish Experimental 96 hours LC50 354 mg/l	methacrylonitrile	126-98-7	Zebra Fish	Experimental	96 hours	LC50	354 mg/l
				1			
methacrylonitrile 126-98-7 Green algae Experimental 72 hours NOEC 10 mg/l	methacrylonitrile	126-98-7	Green algae	Experimental	72 hours	NOEC	10 mg/l
inclinativolitatic 120-76-7 Orient algae Experimental 72 flours 170 flour	inculaci y lomune	120-90-7	Giccii aigac	Laperinicitai	/ 2 HOUIS	NOEC	10 mg/1
	4 1 2 2	126.00.7	XXX / C	lp.	01.1	NOEC	2.2 //
methacrylonitrile 126-98-7 Water flea Experimental 21 days NOEC 2.2 mg/l	methacrylonitrile	126-98-7	Water flea	Experimental	21 days	NOEC	2.2 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Laboratory Biodegradation	28 days	CO2 evolution	10-16 %CO2 evolution/THC O2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Glass, oxide, chemicals	65997-17-3	Data not availbl- insufficient	N/A	N/A	N/A	N/A
1,4-Bis[(2,3- epoxypropoxy)methyl]cyclo hexane	14228-73-0	Estimated Biodegradation	28 days	Dissolv. Organic Carbon Deplet	16.6 %removal of DOC	OECD 301F - Manometric respirometry
Aluminium hydroxide	21645-51-2	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Graphite	7782-42-5	Data not availbl- insufficient	N/A	N/A	N/A	N/A
bis-[4-(2,3- epoxipropoxi)phenyl]propa	1675-54-3	Experimental Biodegradation	28 days	BOD	5 %BOD/COD	OECD 301F - Manometric respirometry

Page: 17 of 23

ne						
bis-[4-(2,3-	1675-54-3	Experimental		Hydrolytic half-life	117 hours (t	OECD 111 Hydrolysis func
epoxipropoxi)phenyl]propa		Hydrolysis		(pH 7)	1/2)	of pH
ne						
red phosphorus	7723-14-0	Experimental Hydrolysis		Hydrolytic half-life	8.3 years (t 1/2)	
Boron zinc hydroxide oxide	138265-88-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
[3-(2,3-	2530-83-8	Experimental	28 days	Dissolv. Organic	37 %removal	EC C.4.A. DOC Die-Away
Epoxypropoxy)propyl]		Biodegradation		Carbon Deplet	of DOC	Test
trimethoxysilane				_		
[3-(2,3-	2530-83-8	Experimental		Hydrolytic half-life	6.5 hours (t	OECD 111 Hydrolysis func
Epoxypropoxy)propyl]		Hydrolysis		(pH 7)	1/2)	of pH
trimethoxysilane				<i>d</i> ,	 	1
Siloxanes and Silicones, di-	67762-90-7	Data not availbl-	N/A	N/A	N/A	N/A
Me, reaction products with		insufficient				
silica						
sulphuric acid	7664-93-9	Data not availbl- insufficient	N/A	N/A	N/A	N/A
STANNOUS SULFATE	7488-55-3	Data not availbl- insufficient	N/A	N/A	N/A	N/A
methacrylonitrile	126-98-7	Experimental Biodegradation	28 days	BOD	83 %BOD/ThO D	OECD 301C - MITI test (I)

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Phenol-formaldehyde polymer, glycidyl ether	28064-14-4	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Glass, oxide, chemicals	65997-17-3	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,4-Bis[(2,3-epoxypropoxy)methyl]cycl ohexane	14228-73-0	Estimated Bioconcentration		Bioaccumulation factor	3	
Aluminium hydroxide	21645-51-2	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Graphite	7782-42-5	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
bis-[4-(2,3- epoxipropoxi)phenyl]propa ne	1675-54-3	Experimental Bioconcentration		Log Kow	3.242	OECD 117 log Kow HPLC method
red phosphorus	7723-14-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Boron zinc hydroxide oxide	138265-88-0	Estimated BCF - Fish	56 days	Bioaccumulation factor	242	OECD305-Bioconcentration
[3-(2,3- Epoxypropoxy)propyl] trimethoxysilane	2530-83-8	Experimental Bioconcentration		Log Kow	0.5	Episuite TM
Siloxanes and Silicones, di- Me, reaction products with silica	67762-90-7	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
sulphuric acid	7664-93-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
STANNOUS SULFATE	7488-55-3	Estimated BCF - Other	1 days	Bioaccumulation factor	3000	
methacrylonitrile	126-98-7	Experimental Bioconcentration		Log Kow	0.68	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
1,4-Bis[(2,3-epoxypropoxy)methyl]cycl ohexane	14228-73-0	Estimated Mobility in Soil	Koc	57 l/kg	Episuite TM
bis-[4-(2,3- epoxipropoxi)phenyl]propa ne	1675-54-3	Modeled Mobility in Soil	Koc	450 l/kg	Episuite TM
[3-(2,3- Epoxypropoxy)propyl] trimethoxysilane	2530-83-8	Modeled Mobility in Soil	Koc	10 l/kg	Episuite TM

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Combustion products will include halogen acid (HCl/HF/HBr). Facility must be capable of handling halogenated materials. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	UN3077	UN3077	UN3077
14.2 UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S.(ZINC BORATE)
14.3 Transport hazard class(es)	9	9	9
14.4 Packing group	III	III	III

14.5 Environmental hazards	Environmentally Hazardous	Not applicable	Marine Pollutant
14.6 Special precautions for	Please refer to the other	Please refer to the other	Please refer to the other
user		sections of the SDS for further	sections of the SDS for
	further information.	information.	further information.
14.7 Marine Transport in	No data available.	No data available.	No data available.
bulk according to IMO			
instruments			
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	M7	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity

<u>Ingredient</u>	CAS Nbr	<u>Classification</u>	Regulation
bis-[4-(2,3-epoxipropoxi)phenyl]propane	1675-54-3	Gr. 3: Not classifiable	International Agency
			for Research on Cancer

Global inventory status

Contact 3M for more information.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1

Hazard Categories	Qualifying quantity (tonnes) for t	Qualifying quantity (tonnes) for the application of	
	Lower-tier requirements	Upper-tier requirements	
E2 Hazardous to the Aquatic	200	500	
environment			

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
methacrylonitrile	126-98-7	50	200

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part B

red phosphorus	7723-14-0	50	200
sulphuric acid	7664-93-9	100	500

Regulation (EU) No 649/2012

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

H225	Highly flammable liquid and vapour.
H228	Flammable solid.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H361df	Suspected of damaging fertility. Suspected of damaging the unborn child.
H361fd	Suspected of damaging fertility. Suspected of damaging the unborn child.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

- Section 12: Component ecotoxicity information information was modified.
- Section 12: Mobility in soil information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.

Annex

1. Title	
Substance identification	[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane;
	EC No. 219-784-2;
	CAS Nbr 2530-83-8;
Exposure Scenario Name	Industrial Packaging/Repackaging
Lifecycle Stage	Use at industrial sites
Contributing activities	PROC 09 -Transfer of substance or mixture into small containers (dedicated
	filling line, including weighing)
	ERC 02 -Formulation into mixture
Processes, tasks and activities covered	Transfer of substances/mixtures into small containers e.g. tubes , bottles or small

	reservoirs.	
2. Operational conditions and risk management measures		
Operating Conditions	Physical state:Liquid. General operating conditions: Duration of use: 8 hours/day; Emission days per year: 200 days per year; Indoor use with Local Exhaust Ventilation;	
Risk management measures	Under the operational conditions described above the following risk management measures apply: General risk management measures: Human health: Goggles - Chemical resistant; Local exhaust ventilation; Protective Gloves - Chemical resistant. Refer to Section 8 of the SDS for specific glove material.; Environmental: None needed;	
Waste management measures	Incinerate in an industrial or commercial facility in the presence of a combustible material;	
3. Prediction of exposure		
Prediction of exposure	Human and environmental exposures are not expected to exceed the DNELs and PNECs when the identified risk management measures are adopted.	

1 TM.	
1. Title Substance identification	[3-(2,3-Epoxypropoxy)propyl] trimethoxysilane;
Substance identification	EC No. 219-784-2;
	CAS Nbr 2530-83-8;
	C110 1101 2000 00 0,
Exposure Scenario Name	Industrial Use of Adhesives
Lifecycle Stage	Use at industrial sites
Contributing activities	PROC 13 -Treatment of articles by dipping and pouring
-	ERC 05 -Use at industrial site leading to inclusion into/onto article
Processes, tasks and activities covered	Application of product through a mixing nozzle
2. Operational conditions and risk mana	ngement measures
Operating Conditions	Physical state:Liquid.
	General operating conditions:
	Duration of use: 8 hours/day;
	Emission days per year: 200 days per year;
Risk management measures	Under the operational conditions described above the following risk management
	measures apply:
	General risk management measures:
	Human health:
	Goggles - Chemical resistant;
	Protective Gloves - Chemical resistant. Refer to Section 8 of the SDS for
	specific glove material.;
	Environmental:
	None needed;
Waste management measures	Incinerate in an industrial or commercial facility in the presence of a combustible
Truste management measures	material;
	,
3. Prediction of exposure	1
Prediction of exposure	Human and environmental exposures are not expected to exceed the DNELs and
_	PNECs when the identified risk management measures are adopted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our

3M(tm) Scotch-Weld(tm) Structural Void Filling Compound EC-3550 B/A FST: Part B

knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M United Kingdom MSDSs are available at www.3M.com/uk