



Safety Data Sheet

Copyright,2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|---------------------------------------|-------------------|-------------------------|------------|
| Document group: | 38-8821-1 | Version number: | 2.00 |
| Revision date: | 08/11/2019 | Supersedes date: | 02/05/2018 |
| Transportation version number: | 1.00 (02/05/2018) | | |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

3M™ Coconut Protein Rapid Kit

Product Identification Numbers

70-2011-7548-9

7100151334

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Screening for the presence of allergens in the food and beverage industry.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone: +44 (0)1344 858 000
E Mail: tox.uk@mmm.com
Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

This product is a kit or a multipart product which consists of multiple, independently packaged components. A Safety Data Sheet for each of these components is included. Please do not separate the component Safety Data Sheets from this cover page. The document numbers of the MSDSs for components of this product are:

38-5690-3

TRANSPORTATION INFORMATION

70-2011-7548-9

Not hazardous for transportation

KIT LABEL

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH210 Safety data sheet available on request.

Revision information:

Label: CLP Supplemental Hazard Statements information was added.



Safety Data Sheet

Copyright, 2019, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilising 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|---------------------------------------|-------------------|-------------------------|------------|
| Document group: | 38-5690-3 | Version number: | 1.03 |
| Revision date: | 25/09/2019 | Supersedes date: | 29/04/2019 |
| Transportation version number: | 1.00 (02/05/2018) | | |

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M Extraction Buffer

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Industrial use.

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.
Telephone: +44 (0)1344 858 000
E Mail: tox.uk@mmm.com
Website: www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

CLP REGULATION (EC) No 1272/2008

Not applicable

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

EUH210 Safety data sheet available on request.

3M Extraction Buffer

Information required per Regulation (EU) No 528/2012 on Biocidal Products:

Contains a biocidal product (preservative): C(M)IT/MIT (3:1).

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

| Ingredient | CAS Nbr | EC No. | REACH Registration No. | % by Wt | Classification |
|---------------------------|-----------|-----------|------------------------|---------|--|
| Non-Hazardous Ingredients | Mixture | | | 50 - 99 | Substance not classified as hazardous |
| Urea | 57-13-6 | 200-315-5 | | 0 - 15 | Substance not classified as hazardous |
| Glycerin | 56-81-5 | 200-289-5 | | 0 - 15 | Substance with a Community level exposure limit in the workplace |
| Ethanol | 64-17-5 | 200-578-6 | | 0 - 15 | Flam. Liq. 2, H225 Eye Irrit. 2, H319 |
| Gelatin | 9000-70-8 | 232-554-6 | | 0 - 2 | Substance not classified as hazardous |
| Sodium Chloride | 7647-14-5 | 231-598-3 | | 0 - 2 | Substance not classified as hazardous |

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

3M Extraction Buffer

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with water. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid eye contact. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|------------|---------|--------|---------------------------------------|---------------------|
| Glycerin | 56-81-5 | UK HSC | TWA(as mist):10 mg/m ³ | |
| Ethanol | 64-17-5 | UK HSC | TWA:1920 mg/m ³ (1000 ppm) | |

UK HSC : UK Health and Safety Commission

3M Extraction Buffer

TWA: Time-Weighted-Average
STEL: Short Term Exposure Limit
CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures: Information on recommended monitoring procedures can be obtained from UK HSC

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:
Indirect vented goggles.

Applicable Norms/Standards

Use eye protection conforming to EN 166

Skin/hand protection

No chemical protective gloves are required.

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates
Organic vapour respirators may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state

Liquid.

Colour

Clear Colorless, Light Yellow

Odor

Very Slight Alcohol

Odour threshold

No data available.

pH

No data available.

Boiling point/boiling range

No data available.

Melting point

No data available.

3M Extraction Buffer

| | |
|---|--|
| Flammability (solid, gas) | Not applicable. |
| Explosive properties | Not classified |
| Oxidising properties | Not classified |
| Flash point | Flash point > 93 °C (200 °F) [<i>Test Method:</i> Closed Cup] |
| Autoignition temperature | <i>No data available.</i> |
| Flammable Limits(LEL) | <i>No data available.</i> |
| Flammable Limits(UEL) | <i>No data available.</i> |
| Vapour pressure | <i>No data available.</i> |
| Relative density | 1.04 [<i>Ref Std:</i> WATER=1] |
| Water solubility | Soluble |
| Solubility- non-water | Complete |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Evaporation rate | <i>No data available.</i> |
| Vapour density | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| Viscosity | <i>No data available.</i> |
| Density | <i>No data available.</i> |

9.2. Other information

| | |
|--------------------------------------|---------------------------|
| EU Volatile Organic Compounds | <i>No data available.</i> |
| Molecular weight | <i>Not applicable.</i> |
| Percent volatile | <i>No data available.</i> |

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

None known.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1 Information on Toxicological effects

3M Extraction Buffer

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Additional information:

This product contains ethanol. Alcoholic beverages and ethanol in alcoholic beverages have been classified by the International Agency for Research on Cancer as carcinogenic to humans. There are also data associating human consumption of alcoholic beverages with developmental toxicity and liver toxicity. Exposure to ethanol during the foreseeable use of this product is not expected to cause cancer, developmental toxicity, or liver toxicity.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|-----------------|--------------------------------|---------|--|
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Ethanol | Dermal | Rabbit | LD50 > 15,800 mg/kg |
| Ethanol | Inhalation-Vapour (4 hours) | Rat | LC50 124.7 mg/l |
| Ethanol | Ingestion | Rat | LD50 17,800 mg/kg |
| Glycerin | Dermal | Rabbit | LD50 estimated to be > 5,000 mg/kg |
| Glycerin | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Urea | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Urea | Ingestion | Rat | LD50 14,300 mg/kg |
| Sodium Chloride | Dermal | Rabbit | LD50 > 10,000 mg/kg |
| Sodium Chloride | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 10.5 mg/l |
| Sodium Chloride | Ingestion | Rat | LD50 3,550 mg/kg |

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|-----------------|---------|---------------------------|
| Ethanol | Rabbit | No significant irritation |
| Glycerin | Rabbit | No significant irritation |
| Urea | Rabbit | No significant irritation |
| Sodium Chloride | Rabbit | No significant irritation |

Serious Eye Damage/Irritation

| Name | Species | Value |
|------|---------|-------|
|------|---------|-------|

3M Extraction Buffer

| | | |
|-----------------|--------|---------------------------|
| Ethanol | Rabbit | Severe irritant |
| Glycerin | Rabbit | No significant irritation |
| Urea | Rabbit | Moderate irritant |
| Sodium Chloride | Rabbit | Mild irritant |

Skin Sensitisation

| Name | Species | Value |
|----------|------------|----------------|
| Ethanol | Human | Not classified |
| Glycerin | Guinea pig | Not classified |

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------|----------|--|
| Ethanol | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Ethanol | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Urea | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Urea | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Sodium Chloride | In vivo | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------|-----------|-------------------------|--|
| Ethanol | Ingestion | Multiple animal species | Some positive data exist, but the data are not sufficient for classification |
| Glycerin | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Urea | Ingestion | Multiple animal species | Not carcinogenic |
| Sodium Chloride | Ingestion | Rat | Not carcinogenic |

Reproductive Toxicity**Reproductive and/or Developmental Effects**

| Name | Route | Value | Species | Test result | Exposure Duration |
|----------|------------|--|---------|-----------------------|--------------------------------|
| Ethanol | Inhalation | Not classified for development | Rat | NOAEL 38 mg/l | during gestation |
| Ethanol | Ingestion | Not classified for development | Rat | NOAEL 5,200 mg/kg/day | prematuring & during gestation |
| Glycerin | Ingestion | Not classified for female reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not classified for male reproduction | Rat | NOAEL 2,000 mg/kg/day | 2 generation |
| Glycerin | Ingestion | Not classified for development | Rat | NOAEL 2,000 mg/kg/day | 2 generation |

3M Extraction Buffer**Target Organ(s)****Specific Target Organ Toxicity - single exposure**

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|---------|------------|-----------------------------------|--|-------------------------|---------------------|-------------------|
| Ethanol | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | LOAEL 2.6 mg/l | 30 minutes |
| Ethanol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | LOAEL 9.4 mg/l | not available |
| Ethanol | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Multiple animal species | NOAEL not available | |
| Ethanol | Ingestion | kidney and/or bladder | Not classified | Dog | NOAEL 3,000 mg/kg | |
| Urea | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Professional judgement | NOAEL Not available | |

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|-----------------|------------|--|--|---------|------------------------|-------------------|
| Ethanol | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Rabbit | LOAEL 124 mg/l | 365 days |
| Ethanol | Inhalation | hematopoietic system immune system | Not classified | Rat | NOAEL 25 mg/l | 14 days |
| Ethanol | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 8,000 mg/kg/day | 4 months |
| Ethanol | Ingestion | kidney and/or bladder | Not classified | Dog | NOAEL 3,000 mg/kg/day | 7 days |
| Glycerin | Inhalation | respiratory system heart liver kidney and/or bladder | Not classified | Rat | NOAEL 3.91 mg/l | 14 days |
| Glycerin | Ingestion | endocrine system hematopoietic system liver kidney and/or bladder | Not classified | Rat | NOAEL 10,000 mg/kg/day | 2 years |
| Urea | Dermal | heart endocrine system hematopoietic system liver immune system nervous system kidney and/or bladder | Not classified | Rat | NOAEL Not available | 25 weeks |
| Urea | Ingestion | liver endocrine system kidney and/or bladder | Not classified | Rat | NOAEL 2,700 mg/kg/day | 28 days |
| Sodium Chloride | Ingestion | blood kidney and/or bladder vascular system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 2,240 mg/kg/day | 9 months |
| Sodium Chloride | Ingestion | nervous system eyes | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1,700 mg/kg/day | 90 days |
| Sodium Chloride | Ingestion | liver respiratory system | Not classified | Rat | NOAEL 33 mg/kg/day | 90 days |

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

3M Extraction Buffer

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

| Material | CAS # | Organism | Type | Exposure | Test endpoint | Test result |
|-----------------|-----------|----------------|---|----------|---------------|-------------|
| Ethanol | 64-17-5 | Rainbow trout | Experimental | 96 hours | LC50 | 42 mg/l |
| Ethanol | 64-17-5 | Water flea | Experimental | 48 hours | LC50 | 5,012 mg/l |
| Ethanol | 64-17-5 | Algae other | Experimental | 96 hours | NOEC | 1,580 mg/l |
| Ethanol | 64-17-5 | Water flea | Experimental | 10 days | NOEC | 9.6 mg/l |
| Glycerin | 56-81-5 | Rainbow trout | Experimental | 96 hours | LC50 | 54,000 mg/l |
| Glycerin | 56-81-5 | Water flea | Experimental | 48 hours | LC50 | 1,955 mg/l |
| Urea | 57-13-6 | Fish other | Experimental | 96 hours | LC50 | 130 mg/l |
| Urea | 57-13-6 | Water flea | Experimental | 48 hours | EC50 | 6,600 mg/l |
| Gelatin | 9000-70-8 | | Data not available or insufficient for classification | | | |
| Sodium Chloride | 7647-14-5 | Algae other | Experimental | 96 hours | EC50 | 2,430 mg/l |
| Sodium Chloride | 7647-14-5 | Bluegill | Experimental | 96 hours | LC50 | 5,840 mg/l |
| Sodium Chloride | 7647-14-5 | Water flea | Experimental | 48 hours | LC50 | 874 mg/l |
| Sodium Chloride | 7647-14-5 | Fathead minnow | Experimental | 33 days | NOEC | 252 mg/l |
| Sodium Chloride | 7647-14-5 | Water flea | Experimental | 21 days | NOEC | 314 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|-----------------|-----------|-------------------------------|----------|--------------------------------|-----------------|-------------------------------|
| Ethanol | 64-17-5 | Experimental Biodegradation | 14 days | BOD | 89 % BOD/ThBOD | OECD 301C - MITI test (I) |
| Glycerin | 56-81-5 | Experimental Biodegradation | 14 days | BOD | 63 % BOD/ThBOD | OECD 301C - MITI test (I) |
| Urea | 57-13-6 | Estimated Biodegradation | 21 days | Dissolv. Organic Carbon Deplet | 90-100 % weight | OECD 301A - DOC Die Away Test |
| Gelatin | 9000-70-8 | Data not availbl-insufficient | | | N/A | |
| Sodium Chloride | 7647-14-5 | Data not availbl-insufficient | | | N/A | |

12.3 : Bioaccumulative potential

| Material | Cas No. | Test type | Duration | Study Type | Test result | Protocol |
|----------|---------|-----------|----------|------------|-------------|----------|
|----------|---------|-----------|----------|------------|-------------|----------|

3M Extraction Buffer

| | | | | | | |
|-----------------|-----------|---|-----|---------|-------|---------------|
| Ethanol | 64-17-5 | Experimental Bioconcentration | | Log Kow | -0.35 | Other methods |
| Glycerin | 56-81-5 | Experimental Bioconcentration | | Log Kow | -1.76 | Other methods |
| Urea | 57-13-6 | Experimental Bioconcentration | | Log Kow | -1.73 | Other methods |
| Gelatin | 9000-70-8 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Sodium Chloride | 7647-14-5 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

This product has been classified as a non-hazardous waste. Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Empty and clean product containers may be disposed as non-hazardous waste. Consult your specific regulations and service providers to determine available options and requirements.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

180107 Chemicals other than those mentioned in 18 01 06

SECTION 14: Transportation information

ADR/IMDG/IATA: Not restricted for transport.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

H225 Highly flammable liquid and vapour.
H319 Causes serious eye irritation.

Revision information:

Section 09: Color information was added.

Section 09: Odor information was added.

Sections 3 and 9: Odour, colour, grade information information was deleted.

Section 15: Regulations - Inventories information was deleted.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M United Kingdom MSDSs are available at www.3M.com/uk