

Safety Data Sheet

Copyright, 2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 31-5717-9 **Version number:** 4.00

Revision date: 19/01/2024 **Supersedes date:** 08/05/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (1907/2006), as amended for GB.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Scotch® Glue Stick Classic

Product Identification Numbers

UU-0031-6741-6 UU-0082-9495-9 UU-0082-9513-9 UU-0082-9514-7 XA-0065-1041-7

7100078269 7100115379 7100115512 7100115623 7100193706

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Adhesive

1.3. Details of the supplier of the safety data sheet

Address: 3M United Kingdom PLC, 3M Centre, Cain Road, Bracknell, Berkshire, RG12 8HT.

 Telephone:
 +44 (0)1344 858 000

 E Mail:
 tox.uk@mmm.com

 Website:
 www.3M.com/uk

1.4. Emergency telephone number

+44 (0)1344 858 000

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

A similar mixture has been tested for eye damage/irritation and the test results do not meet the criteria for classification. A similar mixture has been tested for skin corrosion/irritation and the test results do not meet the criteria for classification.

CLASSIFICATION:

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended for Great Britain, on classification, labelling, and packaging of substances and mixtures.

2.2. Label elements

The retained CLP Regulation (EU) No 1272/2008 as amended for Great Britain Not applicable

Information required per Regulation (EU) No 528/2012, as amended for Great Britain on Biocidal Products: Contains a biocidal product (preservative): IPBC. Risk of skin sensitization.

2.3. Other hazards

None known.

This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	9/0	Classification according to Regulation (EC) No. 1272/2008 [CLP], as amended for GB
Water	(CAS-No.) 7732-18-5 (EC-No.) 231-791-2	40 - 55	Substance not classified as hazardous
Sucrose	(CAS-No.) 57-50-1 (EC-No.) 200-334-9	< 25	Substance with a national occupational exposure limit
2-Propenoic acid, 2-methyl-, polymer with butyl 2-propenoate, methyl 2-methyl-2- propenoate and methyl 2-propenoate	(CAS-No.) 67846-38-2	5 - 15	Substance not classified as hazardous
Sodium stearate	(CAS-No.) 822-16-2 (EC-No.) 212-490-5	3 - 7	Aquatic Chronic 3, H412
n-Vinylpyrrolidinone polymer	(CAS-No.) 9003-39-8	< 7	Substance not classified as hazardous
3-iodo-2-propynyl butylcarbamate	(CAS-No.) 55406-53-6 (EC-No.) 259-627-5	< 0.05	Acute Tox. 3, H331 Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1, H317 STOT RE 1, H372 Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=1
Glycerol	(CAS-No.) 56-81-5 (EC-No.) 200-289-5	< 5	Substance with a national occupational exposure limit
2-amino-2-methylpropanol	(CAS-No.) 124-68-5 (EC-No.) 204-709-8	< 1	Skin Irrit. 2, H315 Eye Irrit. 2, H319 Aquatic Chronic 3, H412

 (CAS-No.) 1310-73-2 (EC-No.) 215-185-5	Skin Corr. 1A, H314 Eye Dam. 1, H318 Met. Corr. 1, H290

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
sodium hydroxide	(EC-No.) 215-185-5	(C >= 5%) Skin Corr. 1A, H314 (2% =< C < 5%) Skin Corr. 1B, H314 (0.5% =< C < 2%) Skin Irrit. 2, H315 (C >= 2%) Eye Dam. 1, H318 (0.5% =< C < 2%) Eye Irrit. 2, H319

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you are concerned, get medical advice.

Skin contact

Wash with soap and water. If you are concerned, get medical advice.

Eye contact

No need for first aid is anticipated. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you are concerned, get medical advice.

4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

SubstanceConditionHydrocarbons.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.

5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep out of reach of children. Do not handle until all safety precautions have been read and understood. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
sodium hydroxide	1310-73-2	UK HSC	STEL:2 mg/m3	
Glycerol	56-81-5	UK HSC	TWA(as mist):10 mg/m3	
Sucrose	57-50-1	UK HSC	TWA:10 mg/m3;STEL:20	
			mg/m3	

UK HSC: UK Health and Safety Commission

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

8.2. Exposure controls

8.2.1. Engineering controls

No engineering controls required.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

None required.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Neoprene.	0.5	=>8 hours
Nitrile rubber.	0.35	=>8 hours

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing. Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state Solid. **Specific Physical Form:** solid Colour White

Odor Characteristic Odour **Odour threshold** No data available.

 $>=52 \, {}^{\circ}\text{C}$ Melting point/freezing point 100 °C Boiling point/boiling range Flammability (solid, gas) Not classified Flammable Limits(LEL) Not applicable. Flammable Limits(UEL) *Not applicable.* Flash point No flash point **Autoignition temperature** Not applicable.

No data available. **Decomposition temperature** 10.3 - 12

8,333 - 31,579 mm²/sec **Kinematic Viscosity**

80 - 100 % Water solubility No data available. **Solubility- non-water** No data available. Partition coefficient: n-octanol/water Vapour pressure No data available. 0.95 - 1.2 g/cm3 Density Relative density Not applicable.

Relative Vapour Density

Not applicable.

9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic Compounds 0.05 %

Evaporation ratePercent volatile
No data available.
No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material is considered to be non reactive under normal use conditions

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

High shear and high temperature conditions Temperatures above the boiling point.

10.5 Incompatible materials

None known.

10.6 Hazardous decomposition products

Substance

None known.

Condition

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from 3M assessments.

11.1. Information on hazard classes as defined in the retained CLP Regulation (EU) No 1272/2008, as amended for Great Britain.

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

No known health effects. This product may have a characteristic odour; however, no adverse health effects are anticipated.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Sucrose	Dermal		LD50 estimated to be > 5,000 mg/kg
Sucrose	Ingestion	Rat	LD50 29,700 mg/kg
n-Vinylpyrrolidinone polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
n-Vinylpyrrolidinone polymer	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 5.2 mg/l
n-Vinylpyrrolidinone polymer	Ingestion	Rat	LD50 100,000 mg/kg
Sodium stearate	Dermal	similar compoun ds	LD50 > 2,000 mg/kg
Sodium stearate	Ingestion	similar compoun ds	LD50 > 2,000 mg/kg
Glycerol	Dermal	Rabbit	LD50 estimated to be > 5,000 mg/kg
Glycerol	Ingestion	Rat	LD50 > 5,000 mg/kg
2-amino-2-methylpropanol	Dermal	Rabbit	LD50 > 2,000 mg/kg
2-amino-2-methylpropanol	Ingestion	Rat	LD50 2,900 mg/kg
3-iodo-2-propynyl butylcarbamate	Dermal	Rabbit	LD50 > 2,000 mg/kg
3-iodo-2-propynyl butylcarbamate	Inhalation- Dust/Mist (4 hours)	Rat	LC50 0.67 mg/l
3-iodo-2-propynyl butylcarbamate	Ingestion	Rat	LD50 1,056 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Overall product	Professio nal judgemen t	No significant irritation
n-Vinylpyrrolidinone polymer	Rabbit	No significant irritation
Sodium stearate	similar compoun ds	No significant irritation
Glycerol	Rabbit	No significant irritation
2-amino-2-methylpropanol	Rabbit	Irritant
sodium hydroxide	Rabbit	Corrosive
3-iodo-2-propynyl butylcarbamate	Rabbit	Minimal irritation

Serious Eye Damage/Irritation

Name	Species	Value
Overall product	Professio	No significant irritation

D. . . . 7 . C . 1

	nal judgemen t	
Sodium stearate	similar compoun ds	No significant irritation
Glycerol	Rabbit	No significant irritation
2-amino-2-methylpropanol	Rabbit	Corrosive
sodium hydroxide	Rabbit	Corrosive
3-iodo-2-propynyl butylcarbamate	Rabbit	Corrosive

Skin Sensitisation

Name	Species	Value
n-Vinylpyrrolidinone polymer	Human	Not classified
Sodium stearate	similar	Not classified
	compoun	
	ds	
Glycerol	Guinea	Not classified
	pig	
2-amino-2-methylpropanol	Guinea	Not classified
	pig	
sodium hydroxide	Human	Not classified
3-iodo-2-propynyl butylcarbamate	Multiple	Sensitising
	animal	
	species	

Respiratory Sensitisation

For the component/components, either no data is currently available or the data is not sufficient for classification.

Germ Cell Mutagenicity

or in Cen Franzencity			
Name	Route	Value	
n-Vinylpyrrolidinone polymer	In Vitro	Not mutagenic	
Sodium stearate	In Vitro	Not mutagenic	
2-amino-2-methylpropanol	In Vitro	Not mutagenic	
2-amino-2-methylpropanol	In vivo	Not mutagenic	
sodium hydroxide	In Vitro	Not mutagenic	
3-iodo-2-propynyl butylcarbamate	In Vitro	Not mutagenic	
3-iodo-2-propynyl butylcarbamate	In vivo	Not mutagenic	

Carcinogenicity

Name	Route	Species	Value
n-Vinylpyrrolidinone polymer	Ingestion	Rat	Not carcinogenic
Glycerol	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification
3-iodo-2-propynyl butylcarbamate	Ingestion	Mouse	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
n-Vinylpyrrolidinone polymer	Ingestion	Not classified for development	Rat	NOAEL 5,000 mg/kg/day	during gestation
Glycerol	Ingestion	Not classified for female reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation
Glycerol	Ingestion	Not classified for male reproduction	Rat	NOAEL 2,000 mg/kg/day	2 generation

Page: 8 of 15

Glycerol	Ingestion	Not classified for development	Rat	NOAEL 2,000 mg/kg/day	2 generation
2-amino-2-methylpropanol	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
2-amino-2-methylpropanol	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	37 days
2-amino-2-methylpropanol	Dermal	Not classified for development	Rat	NOAEL 300 mg/kg/day	during gestation
2-amino-2-methylpropanol	Ingestion	Toxic to development	Rat	NOAEL 100 mg/kg/day	premating into lactation
3-iodo-2-propynyl butylcarbamate	Ingestion	Not classified for female reproduction	Rat	NOAEL 37.5 mg/kg/day	2 generation
3-iodo-2-propynyl butylcarbamate	Ingestion	Not classified for male reproduction	Rat	NOAEL 37.5 mg/kg/day	2 generation
3-iodo-2-propynyl butylcarbamate	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-amino-2-methylpropanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Mouse	NOAEL Not available	
sodium hydroxide	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL Not available	
3-iodo-2-propynyl butylcarbamate	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	similar health hazards	NOAEL Not available.	

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Glycerol	Inhalation	respiratory system heart liver kidney and/or bladder	Not classified	Rat	NOAEL 3.91 mg/l	14 days
Glycerol	Ingestion	endocrine system hematopoietic system liver kidney and/or bladder	Not classified	Rat	NOAEL 10,000 mg/kg/day	2 years
2-amino-2-methylpropanol	Ingestion	liver	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 23 mg/kg/day	90 days
2-amino-2-methylpropanol	Ingestion	blood eyes kidney and/or bladder	Not classified	Dog	NOAEL 2.8 mg/kg/day	1 years
3-iodo-2-propynyl butylcarbamate	Dermal	skin heart hematopoietic system liver eyes kidney and/or bladder respiratory system	Not classified	Rat	NOAEL 500 mg/kg/day	90 days
3-iodo-2-propynyl butylcarbamate	Inhalation	respiratory system	Causes damage to organs through prolonged or repeated exposure	Rat	NOAEL 0.00116 mg/l	90 days
3-iodo-2-propynyl butylcarbamate	Inhalation	heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system liver immune system	Not classified	Rat	NOAEL 0.00625 mg/l	90 days

		muscles nervous system eyes kidney and/or bladder vascular system				
3-iodo-2-propynyl	Ingestion	liver hematopoietic	Not classified	Rat	NOAEL 125	90 days
butylcarbamate		system eyes			mg/kg/day	

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Туре	Exposure	Test endpoint	Test result
Sucrose	57-50-1	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, polymer with butyl 2- propenoate, methyl 2-methyl-2- propenoate and methyl 2- propenoate	67846-38-2	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
n- Vinylpyrrolidinone polymer	9003-39-8	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Sodium stearate	822-16-2	Green algae	Experimental	72 hours	EC50	150 mg/l
Sodium stearate	822-16-2	Medaka	Experimental	96 hours	LC50	>100 mg/l
Sodium stearate	822-16-2	Water flea	Experimental	48 hours	EC50	19 mg/l
Sodium stearate	822-16-2	Green algae	Experimental	72 hours	NOEC	31 mg/l
Sodium stearate	822-16-2	Water flea	Experimental	21 days	NOEC	0.48 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Activated sludge	Experimental	3 hours	EC50	44 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Green algae	Experimental	72 hours	ErC50	0.053 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Rainbow trout	Experimental	96 hours	LC50	0.067 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Water flea	Experimental	48 hours	LC50	0.645 mg/l

3-iodo-2-propynyl butylcarbamate	55406-53-6	Fathead minnow	Experimental	35 days	NOEC	0.0084 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Green algae	Experimental	72 hours	ErC10	0.013 mg/l
3-iodo-2-propynyl butylcarbamate	55406-53-6	Water flea	Experimental	21 days	NOEC	0.0499 mg/l
Glycerol	56-81-5	Bacteria	Experimental	16 hours	NOEC	10,000 mg/l
Glycerol	56-81-5	Rainbow trout	Experimental	96 hours	LC50	54,000 mg/l
Glycerol	56-81-5	Water flea	Experimental	48 hours	LC50	1,955 mg/l
2-amino-2- methylpropanol	124-68-5	Activated sludge	Experimental	3 hours	EC50	342.9 mg/l
2-amino-2- methylpropanol	124-68-5	Fish	Experimental	96 hours	LC50	184 mg/l
2-amino-2- methylpropanol	124-68-5	Green algae	Experimental	72 hours	EC50	520 mg/l
2-amino-2- methylpropanol	124-68-5	Water flea	Experimental	24 hours	EC50	65 mg/l
sodium hydroxide	1310-73-2	N/A	Data not available or insufficient for classification	N/A	N/A	N/A

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Sucrose	57-50-1	Data not availbl- insufficient	N/A	N/A	N/A	N/A
2-Propenoic acid, 2-methyl-, polymer with butyl 2- propenoate, methyl 2-methyl-2- propenoate and methyl 2- propenoate	67846-38-2	Data not availblinsufficient	N/A	N/A	N/A	N/A
n- Vinylpyrrolidinone polymer	9003-39-8	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Sodium stearate	822-16-2	Experimental Biodegradation	28 days	BOD	83 %BOD/ThOD	OECD 301C - MITI test (I)
3-iodo-2-propynyl butylcarbamate	55406-53-6	Experimental Biodegradation	28 days	BOD	21 %BOD/ThOD	OECD 301F - Manometric respirometry
Glycerol	56-81-5	Experimental Biodegradation	14 days	BOD	63 %BOD/ThOD	OECD 301C - MITI test (I)
2-amino-2- methylpropanol	124-68-5	Experimental Biodegradation	28 days	BOD	89.3 %BOD/ThOD	OECD 301F - Manometric respirometry
sodium hydroxide	1310-73-2	Data not availbl- insufficient	N/A	N/A	N/A	N/A

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Sucrose	57-50-1	Experimental Bioconcentration		Log Kow	-3.70	
2-Propenoic acid, 2-methyl-, polymer with butyl 2- propenoate, methyl 2-methyl-2- propenoate and methyl 2- propenoate		Data not available or insufficient for classification	N/A	N/A	N/A	N/A
n- Vinylpyrrolidinone	9003-39-8	Data not available or insufficient for	N/A	N/A	N/A	N/A

polymer		classification				
Sodium stearate	822-16-2	Data not available	N/A	N/A	N/A	N/A
		or insufficient for				
		classification				
3-iodo-2-propynyl	55406-53-6	Experimental		Log Kow	2.81	
butylcarbamate		Bioconcentration				
Glycerol	56-81-5	Experimental		Log Kow	-1.76	
		Bioconcentration				
2-amino-2-	124-68-5	Experimental		Log Kow	-0.63	
methylpropanol		Bioconcentration				
sodium hydroxide	1310-73-2	Data not available	N/A	N/A	N/A	N/A
		or insufficient for				
		classification				

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
3-iodo-2-propynyl butylcarbamate		Experimental Mobility in Soil	Koc	126	
Glycerol	56-81-5	Estimated Mobility in Soil	Koc	<1 l/kg	Episuite TM

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Other adverse effects

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

20 01 28 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

SECTION 14: Transportation information

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number	No data available.	No data available.	No data available.

14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.
14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Transport in bulk according to Annex II of Marpol 73/78 and IBC Code	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcin	ogenicity
Cui ciii	oscillety

Ingredient	CAS Nbr	<u>Classification</u>	Regulation
n-Vinylpyrrolidinone polymer	9003-39-8	Gr. 3: Not classifiable	International Agency for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Industrial Safety and Health Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information.

components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory.

COMAH Regulation, SI 2015/483

Seveso hazard categories, Annex 1, Part 1 None

TOHE

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
3-iodo-2-propynyl butylcarbamate	55406-53-6	50	200

Regulation (EU) No 649/2012, as amended for GB

No chemicals listed

H290

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended for GB.

SECTION 16: Other information

List of relevant H statements

11270	ividy be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H372	Causes damage to organs through prolonged or repeated exposure.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.

Revision information:

EU Section 09: pH information information was modified.

GB Section 15: Chemical Safety Assessment information was modified.

May be corrosive to metals.

Section 3: Composition/Information of ingredients table information was modified.

Section 6: Accidental release personal information information was modified.

Section 8: Personal Protection - Skin/hand information information was modified.

Section 09: Kinematic Viscosity information information was modified.

Section 9: Relative density information information was modified.

Section 9: Specific physical form information information was added.

Section 9: Vapour density text information was deleted.

Section 9: Vapour density value information was added.

Section 11: Health Effects - Inhalation information information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Scotch® Glue Stick Classic

Section 13: Standard Phrase Category Waste GHS information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M SDSs for Great Britain are available at www.3M.com/uk

For Northern Ireland documents, please contact your 3M representative to obtain a copy.