

## Safety Data Sheet

Copyright,2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	27-5049-5	Version number:	1.01
<b>Revision date:</b>	11/07/2022	Supersedes date:	03/06/2019

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier** 3M Finish Control Spray

**Product Identification Numbers** UU-0081-1084-1

7100113682

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Automotive.

#### 1.3. Details of the supplier of the safety data sheet

Address:3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.Telephone:+353 1 280 3555E Mail:tox.uk@mmm.comWebsite:www.3M.com

#### 1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

## **SECTION 2: Hazard identification**

## 2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

#### **CLASSIFICATION:**

Aerosol, Category 3 - Aerosol 3; H229

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

**SIGNAL WORD** WARNING.

# HAZARD STATEMENTS:H229Pressurised container: may burst if heated.

#### PRECAUTIONARY STATEMENTS

## Prevention:

P210 P251 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Do not pierce or burn, even after use.

#### Storage:

P410 + P412

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F.

5% of the mixture consists of components of unknown acute oral toxicity. 5% of the mixture consists of components of unknown acute dermal toxicity.

#### Notes on labelling

Updated per Regulation (EC) No. 648/2004 on detergents. Ingredients required per 648/2004: <5%: Aliphatic hydrocarbons. 10% by mass of the contents are flammable. Product is nonflammable, per flammability test results.

#### 2.3. Other hazards

None known. This material does not contain any substances that are assessed to be a PBT or vPvB

## **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation
			(EC) No. 1272/2008 [CLP]
Water	Mixture	80 - 100	Substance not classified as hazardous
isobutane	(CAS-No.) 75-28-5	0.5 - 1.5	Liquified gas, H280
	(EC-No.) 200-857-2		Nota C,U
	(REACH-No.) 01-		
	2119485395-27		
propane	(CAS-No.) 74-98-6	0.5 - 1.5	Liquified gas, H280
	(EC-No.) 200-827-9		Nota U
	(REACH-No.) 01-		
	2119486944-21		
2-butoxyethanol	(CAS-No.) 111-76-2	3 - 7	Acute Tox. 4, H332
-	(EC-No.) 203-905-0		Acute Tox. 4, H302(LD50 = 1200 mg/kg
	(REACH-No.) 01-		**ATE values per Annex VI**)

	2119475108-36	Skin Irrit. 2, H315 Eye Irrit. 2, H319
butane	(CAS-No.) 106-97-8 (EC-No.) 203-448-7 (REACH-No.) 01- 2119474691-32	Liquified gas, H280 Nota C,U
ammonia	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (REACH-No.) 01- 2119488876-14	Skin Corr. 1B, H314 STOT SE 3, H335 Aquatic Acute 1, H400,M=1 Nota B Met. Corr. 1, H290

Please see section 16 for the full text of any H statements referred to in this section

#### **Specific Concentration Limits**

Ingredient	Identifier(s)	Specific Concentration Limits
ammonia	(CAS-No.) 1336-21-6 (EC-No.) 215-647-6 (REACH-No.) 01- 2119488876-14	(C >= 5%) STOT SE 3, H335

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

## **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. Get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### 4.3. Indication of any immediate medical attention and special treatment required

Exposure may increase myocardial irritability. Do not administer sympathomimetic drugs unless absolutely necessary.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Extinguishing media

Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

#### Hazardous Decomposition or By-Products

<u>Substance</u> Carbon monoxide Carbon dioxide. Irritant vapours or gases.

#### 5.3. Advice for fire-fighters

No special protective actions for fire-fighters are anticipated.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

#### 6.3. Methods and material for containment and cleaning up

If possible, seal leaking container. Place leaking containers in a well-ventilated area, preferably an operating exhaust hood, or if necessary outdoors on an impermeable surface until appropriate packaging for the leaking container or its contents is available. Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Seal the container. Dispose of collected material as soon as possible.

#### 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

## **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not use in a confined area with minimal air exchange. Keep out of reach of children. Do not pierce or burn, even after use. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling.

#### 7.2. Conditions for safe storage including any incompatibilities

Protect from sunlight. Do not expose to temperatures exceeding 50°C/122°F. Store away from heat.

#### 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

## **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### **Occupational exposure limits**

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

#### <u>Condition</u> During combustion. During combustion. During combustion.

for the component.				
Ingredient	CAS Nbr	Agency	Limit type	Additional comments
butane	106-97-8	Ireland OELs	STEL(15 minutes):1000 ppm	
2-butoxyethanol	111-76-2	Ireland OELs	TWA(8 hours):20 ppm(98 mg/m3);STEL(15 minutes):50 ppm(246 mg/m3)	SKIN
isobutane	75-28-5	Ireland OELs	STEL(15 minutes):1000 ppm	
Ireland OELs : Ireland. OELs TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling				

#### **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Recommended monitoring procedures:**Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

#### 8.2. Exposure controls

#### 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Indirect vented goggles.

*Applicable Norms/Standards* Use eye protection conforming to EN 166

#### Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Butyl rubber.	0.5	=>8 hours
Fluoroelastomer	0.4	=>8 hours

The glove data presented are based on the substance driving dermal toxicity and the conditions present at the time of testing. Breakthrough time may be altered when the glove is subjected to use conditions that place additional stress on the glove.

Applicable Norms/Standards Use gloves tested to EN 374

#### **Respiratory protection**

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part

of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure: Half facepiece or full facepiece air-purifying respirator suitable for organic vapours

For questions about suitability for a specific application, consult with your respirator manufacturer.

#### Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter type A

## **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Liquid.
Aerosol
Colourless
Sweet Odor, Spicy
No data available.
No data available.
Not applicable.
Not applicable.
No data available.
No data available.
Not applicable.
No data available.
No data available.
substance/mixture is non-polar/aprotic
Not applicable.
No data available.
No data available.
Not applicable.
No data available.
0.958 g/ml
0.958 [ <i>Ref Std</i> :WATER=1]
No data available.

#### 9.2. Other information

9.2.2 Other safety characteristics EU Volatile Organic Compounds Evaporation rate Percent volatile

*No data available. Not applicable.* 10.4 % weight

## **SECTION 10: Stability and reactivity**

#### **10.1 Reactivity**

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

## **10.2 Chemical stability** Stable.

#### Studie.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

**10.4 Conditions to avoid** Heat.

**10.5 Incompatible materials** None known.

#### **10.6 Hazardous decomposition products**

**Substance** 

None known.

**Condition** 

Refer to section 5.2 for hazardous decomposition products during combustion.

## **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

#### Skin contact

Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

#### Additional Health Effects:

#### Single exposure may cause target organ effects:

Single exposure, above recommended guidelines, may cause: Cardiac Sensitization: Signs/symptoms may include irregular heartbeat (arrhythmia), faintness, chest pain, and may be fatal.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal		No data available; calculated ATE >5,000 mg/kg
Overall product	Inhalation- Vapour(4 hr)		No data available; calculated ATE >50 mg/l

Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
2-butoxyethanol	Dermal	Guinea pig	LD50 > 2,000 mg/kg
2-butoxyethanol	Inhalation- Vapour (4 hours)	Guinea pig	LC50 > 2.6 mg/l
2-butoxyethanol	Ingestion	Guinea pig	LD50 1,200 mg/kg
butane	Inhalation- Gas (4 hours)	Rat	LC50 277,000 ppm
isobutane	Inhalation- Gas (4 hours)	Rat	LC50 276,000 ppm
propane	Inhalation- Gas (4 hours)	Rat	LC50 > 200,000 ppm
ammonia	Ingestion	Rat	LD50 350 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
2-butoxyethanol	Rabbit	Irritant
butane	Professio	No significant irritation
	nal	
	judgemen	
	t	
isobutane	Professio	No significant irritation
	nal	-
	judgemen	
	t	
propane	Rabbit	Minimal irritation
ammonia	Rabbit	Corrosive

#### Serious Eye Damage/Irritation

Name	Species	Value
2-butoxyethanol	Rabbit	Severe irritant
butane	Rabbit	No significant irritation
isobutane	Professio	No significant irritation
	nal	
	judgemen	
	t	
propane	Rabbit	Mild irritant
ammonia	Rabbit	Corrosive

#### **Skin Sensitisation**

Name	Species	Value
2-butoxyethanol	Guinea pig	Not classified

#### **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

#### Germ Cell Mutagenicity

Name	Route	Value
2-butoxyethanol	In Vitro	Some positive data exist, but the data are not
		sufficient for classification
butane	In Vitro	Not mutagenic

## 3M Finish Control Spray

isobutane	In Vitro	Not mutagenic
propane	In Vitro	Not mutagenic

#### Carcinogenicity

Name	Route	Species	Value
2-butoxyethanol	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

## **Reproductive Toxicity**

## **Reproductive and/or Developmental Effects**

Name	Route	Value	Species	Test result	Exposure Duration
2-butoxyethanol	Dermal	Not classified for development	Rat	NOAEL 1,760 mg/kg/day	during gestation
2-butoxyethanol	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	during organogenesis
2-butoxyethanol	Inhalation	Not classified for development	Multiple animal species	NOAEL 0.48 mg/l	during organogenesis

## Target Organ(s)

## Specific Target Organ Toxicity - single exposure

Name	Route Target Organ(s) Value   I Dermal endocrine system Not classified		Value	Species	Test result	Exposure Duration	
2-butoxyethanol			Rabbit	NOAEL 902 mg/kg	6 hours		
2-butoxyethanol	Dermal	liver	Not classified	Rabbit	LOAEL 72 mg/kg	not available	
2-butoxyethanol	Dermal	kidney and/or bladder	Not classified	Rabbit	LOAEL 451 mg/kg	6 hours	
2-butoxyethanol	Dermal	blood	Not classified	Multiple animal species	NOAEL Not available		
2-butoxyethanol	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available		
2-butoxyethanol	Inhalation	respiratory irritation	Some positive data exist, but the data are not sufficient for classification	Human	NOAEL Not available		
2-butoxyethanol	Inhalation	blood	Not classified	Multiple animal species	NOAEL Not available		
2-butoxyethanol	Ingestion	central nervous system depression	May cause drowsiness or dizziness	Professio nal judgeme nt	NOAEL Not available		
2-butoxyethanol	Ingestion	blood	Not classified	Multiple animal species	NOAEL Not available		
2-butoxyethanol	Ingestion	kidney and/or bladder	Not classified	Human	NOAEL Not available	poisoning and/or abuse	
butane	Inhalation	cardiac sensitisation	Causes damage to organs	Human	NOAEL Not available		
butane	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available		
butane	Inhalation	heart	Not classified	Dog	NOAEL 5,000 ppm	25 minutes	
butane	Inhalation	respiratory irritation	Not classified	Rabbit	NOAEL Not available		
isobutane	Inhalation	cardiac sensitisation	Causes damage to organs	Multiple animal	NOAEL Not available		

				species	
isobutane	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human and animal	NOAEL Not available
isobutane	Inhalation	respiratory irritation	Not classified	Mouse	NOAEL Not available
propane	Inhalation	cardiac sensitisation	Causes damage to organs	Human	NOAEL Not available
propane	Inhalation	central nervous system depression	May cause drowsiness or dizziness	Human	NOAEL Not available
propane	Inhalation	respiratory irritation	Not classified	Human	NOAEL Not available
ammonia	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL not available

#### Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
2-butoxyethanol	Dermal	blood	Not classified	Multiple animal species	NOAEL Not available	not available
2-butoxyethanol	Dermal	endocrine system	Not classified	Rabbit	NOAEL 150 mg/kg/day	90 days
2-butoxyethanol	Inhalation	liver	Not classified	Rat	NOAEL 2.4 mg/l	14 weeks
2-butoxyethanol	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 0.15 mg/l	14 weeks
2-butoxyethanol	Inhalation	blood	Not classified	Rat	LOAEL 0.15 mg/l	6 months
2-butoxyethanol	Inhalation	endocrine system	Not classified	Dog	LOAEL 1.9 mg/l	8 days
2-butoxyethanol	Ingestion	blood	Not classified	Rat	LOAEL 69 mg/kg/day	13 weeks
2-butoxyethanol	Ingestion	kidney and/or bladder	Not classified	Multiple animal species	NOAEL Not available	not available
butane	Inhalation	kidney and/or bladder   blood	Not classified	Rat	NOAEL 4,489 ppm	90 days
isobutane	Inhalation	kidney and/or bladder	Not classified	Rat	NOAEL 4,500 ppm	13 weeks

#### Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

# Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

## **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

#### 12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Туре	Exposure	Test endpoint	Test result
isobutane	75-28-5		Data not available or insufficient for classification			N/A
propane	74-98-6		Data not available or insufficient for classification			N/A
2-butoxyethanol	111-76-2	Activated sludge	Experimental	16 hours	IC50	>1,000 mg/l
2-butoxyethanol	111-76-2	Eastern oyster	Experimental	96 hours	LC50	89.4 mg/l
2-butoxyethanol	111-76-2	Green algae	Experimental	72 hours	ErC50	1,840 mg/l
2-butoxyethanol	111-76-2	Rainbow trout	Experimental	96 hours	LC50	1,474 mg/l
2-butoxyethanol	111-76-2	Water flea	Experimental	48 hours	EC50	1,550 mg/l
2-butoxyethanol	111-76-2	Green algae	Experimental	72 hours	ErC10	679 mg/l
2-butoxyethanol	111-76-2	Water flea	Experimental	21 days	NOEC	100 mg/l
butane	106-97-8		Data not available or insufficient for classification			N/A
ammonia	1336-21-6	Algae or other aquatic plants	Analogous Compound	72 hours	IC50	21.5 mg/l
ammonia	1336-21-6	Fish	Analogous Compound	96 hours	LC50	3.5 mg/l
ammonia	1336-21-6	Grass Shrimp	Analogous Compound	48 hours	EC50	20 mg/l
ammonia	1336-21-6	Algae or other aquatic plants	Analogous Compound	72 hours	NOEC	1.5 mg/l
ammonia	1336-21-6	Bluegill	Analogous Compound	32 days	NOEC	4.1 mg/l
ammonia	1336-21-6	Water flea	Analogous Compound	21 days	NOEC	49.2 mg/l

## 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
isobutane	75-28-5	Experimental Photolysis		Photolytic half-life (in air)	13.4 days (t 1/2)	Non-standard method
propane	74-98-6	Experimental Photolysis		Photolytic half-life (in air)	27.5 days (t 1/2)	Non-standard method
2-butoxyethanol	111-76-2	Experimental Biodegradation	28 days	Dissolv. Organic Carbon Deplet	100 %removal of DOC	OECD 302B Zahn- Wellens/EVPA
2-butoxyethanol	111-76-2	Experimental Biodegradation	28 days	CO2 evolution	90.4 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
butane	106-97-8	Experimental Photolysis		Photolytic half-life (in air)	12.3 days (t 1/2)	Non-standard method
ammonia	1336-21-6	Data not availbl- insufficient	N/A	N/A	N/A	N/A

## 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
isobutane	75-28-5	Experimental Bioconcentration		Log Kow	2.76	Non-standard method
propane	74-98-6	Experimental Bioconcentration		Log Kow	2.36	Non-standard method
2-butoxyethanol	111-76-2	Experimental Bioconcentration		Log Kow	0.81	
butane	106-97-8	Experimental Bioconcentration		Log Kow	2.89	Non-standard method

ammonia	1336-21-6	Analogous	Log Kow	-1.14	OECD 107 log Kow shke
		Compound			flsk mtd
		Bioconcentration			

#### 12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
2-butoxyethanol		Estimated Mobility in Soil	Koc	67 l/kg	

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

#### **12.6. Endocrine disrupting properties**

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

## **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Facility must be capable of handling aerosol cans. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

#### EU waste code (product as sold)

16 05 04\* Gases in pressure containers (including halons) containing dangerous substances

#### EU waste code (product container after use)

15 01 04 Metallic packaging

## **SECTION 14: Transportation information**

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	UN1950	UN1950	UN1950
14.2 UN proper shipping name	AEROSOLS	AEROSOLS, NON- FLAMMABLE	AEROSOLS

14.3 Transport hazard class(es)	2.2	2.2	2.2
14.4 Packing group	Not applicable.	Not applicable.	Not applicable.
14.5 Environmental hazards	Not Environmentally Hazardous	Not applicable	Not a Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	5A	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

## **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity <u>Ingredient</u> 2-butoxyethanol

<u>CAS Nbr</u> 111-76-2 <u>Classification</u> Gr. 3: Not classifiable <u>Regulation</u> International Agency for Research on Cancer

Global inventory status

Contact 3M for more information.

#### DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of
----------------------	---------------	---

		Lower-tier requirements	Upper-tier requirements
ammonia	1336-21-6	50	200
ammonia	1336-21-6	100	200
butane	106-97-8	10	50
isobutane	75-28-5	10	50
propane	74-98-6	10	50

#### Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

### **SECTION 16: Other information**

#### List of relevant H statements

H229	Pressurised container: may burst if heated.
H280	Contains gas under pressure; may explode if heated.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H332	Harmful if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.

#### **Revision information:**

EU Section 09: pH information information was added.

Section 1: Emergency telephone information was modified.

Section 1: Product use information information was modified.

Label: CLP Classification information was modified.

Label: CLP Percent Unknown information was added.

Label: CLP Precautionary - General information was deleted.

Label: CLP Precautionary - Prevention information was modified.

Label: CLP Precautionary - Storage information was modified.

Section 03: Composition table % Column heading information was added.

Section 3: Composition/ Information of ingredients table information was modified.

Section 03: SCL table information was added.

Section 03: Substance not applicable information was added.

Section 04: Information on toxicological effects information was modified.

Section 5: Fire - Extinguishing media information information was modified.

Section 5: Hazardous combustion products table information was modified.

Section 6: Accidental release clean-up information information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 8: glove data value information was modified.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

Section 09: Color information was added.

Section 9: Evaporation Rate information information was deleted.

Section 9: Explosive properties information information was deleted.

Section 09: Kinematic Viscosity information information was added. Section 9: Melting point information information was modified. Section 09: Odor information was added. Sections 3 and 9: Odour, colour, grade information information was deleted. Section 9: Oxidising properties information information was deleted. Section 9: pH information information was deleted. Section 9: Property description for optional properties information was modified. Section 9: Vapor density text information was added. Section 9: Vapor density text information was deleted. Section 9: Viscosity information information was deleted. Section 11: Acute Toxicity table information was modified. Section 11: Carcinogenicity Table information was modified. Section 11: Classification disclaimer information was modified. Section 11: Germ Cell Mutagenicity Table information was modified. Section 11: No endocrine disruptor information available warning information was added. Section 11: Reproductive Toxicity Table information was modified. Section 11: Serious Eye Damage/Irritation Table information was modified. Section 11: Single exposure may cause standard phrases information was modified. Section 11: Skin Corrosion/Irritation Table information was modified. Section 11: Skin Sensitization Table information was modified. Section 11: Target Organs - Repeated Table information was added. Section 11: Target Organs - Repeated Table information was deleted. Section 11: Target Organs - Single Table information was modified. Section 12: 12.6. Endocrine Disrupting Properties information was added. Section 12: 12.7. Other adverse effects information was modified. Section 12: Component ecotoxicity information information was modified. Section 12: Contact manufacturer for more detail. information was deleted. Section 12: Mobility in soil information information was added. Section 12: No endocrine disruptor information available warning information was added. Section 12: Persistence and Degradability information information was modified. Section 12: Bioccumulative potential information information was modified. Section 14 Classification Code - Main Heading information was added. Section 14 Classification Code - Regulation Data information was added. Section 14 Control Temperature – Main Heading information was added. Section 14 Control Temperature – Regulation Data information was added. Section 14 Disclaimer Information information was added. Section 14 Emergency Temperature - Main Heading information was added. Section 14 Emergency Temperature – Regulation Data information was added. Section 14 Hazard Class + Sub Risk - Main Heading information was added. Section 14 Hazard Class + Sub Risk - Regulation Data information was added. Section 14 Hazardous/Not Hazardous for Transportation information was added. Section 14 Other Dangerous Goods - Main Heading information was added. Section 14 Other Dangerous Goods - Regulation Data information was added. Section 14 Packing Group - Main Heading information was added. Section 14 Packing Group - Regulation Data information was added. Section 14 Proper Shipping Name information was added. Section 14 Regulations - Main Headings information was added. Section 14 Segregation – Regulation Data information was added. Section 14 Segregation Code - Main Heading information was added. Section 14 Special Precautions - Main Heading information was added. Section 14 Special Precautions - Regulation Data information was added. Section 14 Transport in bulk - Regulation Data information was added. Section 14 Marine transport in bulk according to IMO instruments - Main Heading information was added. Section 14 UN Number Column data information was added. Section 14 UN Number information was added. Section 15: Carcinogenicity information information was modified.

Section 15: Seveso Substance Text information was added.

Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material. information was modified.

Sectio 16: UK disclaimer information was deleted.

Section 2: No PBT/vPvB information available warning information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

#### 3M Ireland MSDSs are available at www.3M.com