

# Safety Data Sheet

Copyright, 2022, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

 Document group:
 10-0381-3
 Version number:
 11.00

 Revision date:
 07/10/2022
 Supersedes date:
 05/09/2017

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1. Product identifier

3M<sup>TM</sup> Hot Melt Adhesive 3762-AE, 3762-PG, 3762-TC, 3762-Q

#### **Product Identification Numbers**

62-3762-9132-4 62-3762-9830-3

7100023053 7100020333

# 1.2. Relevant identified uses of the substance or mixture and uses advised against

#### **Identified uses**

Adhesive

#### 1.3. Details of the supplier of the safety data sheet

**Address:** 3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.

Telephone: +353 1 280 3555 E Mail: tox.uk@mmm.com Website: www.3M.com

# 1.4. Emergency telephone number

+44 (0)1344 858 000

# **SECTION 2: Hazard identification**

# 2.1. Classification of the substance or mixture

CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

# **CLASSIFICATION:**

This material is not classified as hazardous according to Regulation (EC) No. 1272/2008, as amended, on classification, labelling, and packaging of substances and mixtures.

# 2.2. Label elements

# CLP REGULATION (EC) No 1272/2008

Not applicable

#### SUPPLEMENTAL INFORMATION:

# **Supplemental Hazard Statements:**

EUH210 Safety data sheet available on request.

# **Supplemental Precautionary Statements:**

Avoid contact with hot extruded molten material or applicator tip. Avoid direct eye exposure to vapours. In case of eye/skin contact with molten material, immediately flush with cold water and cover with a clean dressing. Do not attempt to remove molten material. Have burn treated by a physician.

#### 2.3. Other hazards

May cause thermal burns.

This material does not contain any substances that are assessed to be a PBT or vPvB

# **SECTION 3: Composition/information on ingredients**

#### 3.1. Substances

Not applicable

## 3.2. Mixtures

Ingredient	Identifier(s)   %		Classification according to Regulation (EC) No. 1272/2008 [CLP]
Ethylene - vinyl acetate polymer	(CAS-No.) 24937-78-8	30 - 60	Substance not classified as hazardous
Naphtha, light steam-cracked aromatic, piperylene concentrate, polymerised	(CAS-No.) 68478-07-9	20 - 40	Substance not classified as hazardous
Non-Volatile Compounds	Trade Secret	< 20	Substance not classified as hazardous
Paraffin Wax	(CAS-No.) 8002-74-2 (EC-No.) 232-315-6	1 - 20	Substance with a national occupational exposure limit
Szintetikus kolofónium gyanta	Trade Secret	< 10	Substance not classified as hazardous
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	(CAS-No.) 31393-98-3	< 10	Aquatic Chronic 4, H413
chlorine	(CAS-No.) 7782-50-5 (EC-No.) 231-959-5	< 0.005	Ox. Gas 1, H270 Liquified gas, H280 Acute Tox. 3, H331 Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335 Aquatic Acute 1, H400,M=100 Nota U

Please see section 16 for the full text of any H statements referred to in this section

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

# **SECTION 4: First aid measures**

# 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Immediately flush skin with large amounts of cold water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Cover affected area with a clean dressing. Get immediate medical attention.

#### Eve contact

Immediately flush eyes with large amounts of water for at least 15 minutes. DO NOT ATTEMPT TO REMOVE MOLTEN MATERIAL. Get immediate medical attention.

#### If swallowed

No need for first aid is anticipated.

# 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

## 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

## 5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

# 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

## **Hazardous Decomposition or By-Products**

SubstanceConditionAldehydes.During combustion.Carbon monoxideDuring combustion.Carbon dioxide.During combustion.Toxic vapour, gas, particulate.During combustion.

## 5.3. Advice for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

# **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Ventilate the area with fresh air. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

## 6.2. Environmental precautions

Avoid release to the environment.

## 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate

authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible.

## 6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid skin contact with hot material. For industrial/occupational use only. Not for consumer sale or use. Avoid release to the environment.

## 7.2. Conditions for safe storage including any incompatibilities

No special storage requirements.

## 7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

# SECTION 8: Exposure controls/personal protection

# 8.1 Control parameters

# Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Tot the component.				
Ingredient	CAS Nbr	Agency	Limit type	Additional comments
chlorine	7782-50-5	Ireland OELs	STEL(15 minutes):0.5 ppm(1.5	
			mg/m3)	
Paraffin Wax	8002-74-2	Ireland OELs	TWA(as fume)(8 hours):2	
			mg/m3;STEL(as fume)(15	
			minutes):6 mg/m3	

Ireland OELs : Ireland. OELs TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

# **Biological limit values**

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

**Recommended monitoring procedures:** Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

## 8.2. Exposure controls

## 8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

## 8.2.2. Personal protective equipment (PPE)

## **Eve/face protection**

None required.

# Skin/hand protection

No chemical protective gloves are required.

# Respiratory protection

None required.

#### Thermal hazards

Wear heat insulating gloves Wear heat insulating gloves, indirect vented goggles, and a full face shield when handling hot material to prevent thermal burns.

Applicable Norms/Standards Use gloves tested to EN 407

# **SECTION 9: Physical and chemical properties**

9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:Waxy SolidColourTanOdorOdourless

Odour thresholdNo data available.Melting point/freezing pointNo data available.Boiling point/boiling rangeNot applicable.Flammability (solid, gas)Not classifiedFlammable Limits(LEL)Not applicable.Flammable Limits(UEL)Not applicable.

Flash point 260 °C [Test Method: Cleveland Open Cup]

[Details: Conditions: ASTM D-92-72]

Autoignition temperatureNo data available.Decomposition temperatureNo data available.

oH substance/mixture is non-soluble (in water)

Kinematic Viscosity Not applicable.

Water solubility Nil

Solubility- non-waterNo data available.Partition coefficient: n-octanol/waterNo data available.

**Density** 0.95 g/ml

**Relative density** 0.95 [*Ref Std:* WATER=1]

Relative Vapor Density Nil

## 9.2. Other information

9.2.2 Other safety characteristics

EU Volatile Organic CompoundsNo data available.Evaporation rateNot applicable.Molecular weightNo data available.Percent volatile0 % weightSolids content100 %

# **SECTION 10: Stability and reactivity**

## 10.1 Reactivity

This material is considered to be non reactive under normal use conditions

# 10.2 Chemical stability

Stable.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

None known.

## 10.5 Incompatible materials

None known.

# 10.6 Hazardous decomposition products

**Substance** 

**Condition** 

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

# 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

## Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

## Inhalation

No health effects are expected.

#### Skin contact

Thermal burns: Signs/symptoms may include intense pain, redness and swelling, and tissue destruction.

#### Eye contact

Thermal burns: Signs/symptoms may include severe pain, redness and swelling, and tissue destruction.

#### Ingestion

No known health effects.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Ethylene - vinyl acetate polymer	Dermal		LD50 estimated to be > 5,000 mg/kg
Ethylene - vinyl acetate polymer	Ingestion	Rat	LD50 > 1,000 mg/kg
Naphtha, light steam-cracked aromatic, piperylene concentrate, polymerised	Dermal	Rabbit	LD50 > 3,160 mg/kg
Naphtha, light steam-cracked aromatic, piperylene concentrate, polymerised	Ingestion	Rat	LD50 > 5,000 mg/kg
Non-Volatile Compounds	Dermal	Rat	LD50 > 2,000 mg/kg
Non-Volatile Compounds	Ingestion	Rat	LD50 > 2,000 mg/kg

Paraffin Wax	Dermal	Rat	LD50 > 5,000 mg/kg
Paraffin Wax	Ingestion	Rat	LD50 > 5,000 mg/kg
Szintetikus kolofónium gyanta	Dermal	Rabbit	LD50 > 2,500 mg/kg
Szintetikus kolofónium gyanta	Ingestion	Rat	LD50 > 31,500 mg/kg
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	Ingestion	Rat	LD50 > 2,000 mg/kg
chlorine	Dermal		estimated to be > 5,000 mg/kg
chlorine	Inhalation- Dust/Mist		estimated to be > 12.5 mg/l
chlorine	Inhalation- Vapour		estimated to be > 50 mg/l
chlorine	Ingestion		estimated to be > 5,000 mg/kg

ATE = acute toxicity estimate

# Skin Corrosion/Irritation

Name	Species	Value
Ethylene - vinyl acetate polymer	Professio nal judgemen t	No significant irritation
Naphtha, light steam-cracked aromatic, piperylene concentrate, polymerised	similar	No significant irritation
	compoun ds	
Non-Volatile Compounds	Rabbit	No significant irritation
Paraffin Wax	Rabbit	No significant irritation
Szintetikus kolofónium gyanta	Rabbit	Minimal irritation
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	In vitro data	No significant irritation

Serious Eye Damage/Irritation

Serious Lye Damage/Irritation		T
Name	Species	Value
Ethylene - vinyl acetate polymer	Professio	No significant irritation
	nal	
	judgemen	
	t	
Naphtha, light steam-cracked aromatic, piperylene concentrate, polymerised	similar	Mild irritant
	compoun	
	ds	
Non-Volatile Compounds	Rabbit	Mild irritant
Paraffin Wax	Rabbit	No significant irritation
Szintetikus kolofónium gyanta	Rabbit	Moderate irritant
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-	In vitro	No significant irritation
methylenebicyclo[3.1.1]heptane	data	

# **Skin Sensitisation**

Name	Species	Value
Non-Volatile Compounds	Human and animal	Not classified
Paraffin Wax	Guinea pig	Not classified
Szintetikus kolofónium gyanta	Guinea pig	Not classified
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	Multiple animal species	Not classified

# **Respiratory Sensitisation**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Germ Cell Mutagenicity** 

Name	Route	Value
Paraffin Wax	In Vitro	Not mutagenic
2,6,6-Trimethylbicyclo[3.1.1]hept-2-ene, polymer with 6,6-dimethyl-2-methylenebicyclo[3.1.1]heptane	In Vitro	Not mutagenic

Carcinogenicity

Name	Route	Species	Value
Paraffin Wax	Ingestion	Rat	Not carcinogenic
Szintetikus kolofónium gyanta	Ingestion	Rat	Not carcinogenic

# **Reproductive Toxicity**

# Reproductive and/or Developmental Effects

For the component/components, either no data is currently available or the data is not sufficient for classification.

# Target Organ(s)

# **Specific Target Organ Toxicity - single exposure**

For the component/components, either no data is currently available or the data is not sufficient for classification.

**Specific Target Organ Toxicity - repeated exposure** 

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Ethylene - vinyl acetate polymer	Ingestion	liver	Not classified	Rat	NOAEL 4,000 mg/kg/day	90 days
Paraffin Wax	Ingestion	heart	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 15 mg/kg/day	90 days
Paraffin Wax	Ingestion	hematopoietic system   liver   immune system   skin   endocrine system   bone, teeth, nails, and/or hair   muscles   nervous system   eyes   kidney and/or bladder   respiratory system   vascular system	Not classified	Rat	NOAEL 1,500 mg/kg/day	90 days
Szintetikus kolofónium gyanta	Ingestion	hematopoietic system   liver   kidney and/or bladder   heart   endocrine system   bone marrow   immune system   nervous system   respiratory system	Not classified	Rat	NOAEL 1,000 mg/kg/day	90 days
2,6,6- Trimethylbicyclo[3.1.1]he pt-2-ene, polymer with 6,6-dimethyl-2- methylenebicyclo[3.1.1]he ptane	Ingestion	heart   gastrointestinal tract   hematopoietic system   liver   nervous system   eyes   kidney and/or bladder	Not classified	Rat	NOAEL 331 mg/kg/day	90 days

Page: 8 of 15

#### **Aspiration Hazard**

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

#### 11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

# **SECTION 12: Ecological information**

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

# 12.1. Toxicity

No product test data available.

Material	CAS#	Organism	Type	Exposure	Test endpoint	Test result
Ethylene - vinyl acetate polymer	24937-78-8	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Naphtha, light steam- cracked aromatic, piperylene concentrate, polymerised	68478-07-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Non-Volatile Compounds	Trade Secret	Green algae	Estimated	72 hours	No tox obs at lmt of water sol	>100 mg/l
Non-Volatile Compounds	Trade Secret	Rainbow trout	Estimated	96 hours	No tox obs at lmt of water sol	>100 mg/l
Non-Volatile Compounds	Trade Secret	Water flea	Estimated	48 hours	No tox obs at lmt of water sol	>100 mg/l
Non-Volatile Compounds	Trade Secret	Green algae	Estimated	72 hours	No tox obs at lmt of water sol	>100 mg/l
Paraffin Wax	8002-74-2	Green algae	Analogous Compound	96 hours	EC50	>1,000 mg/l
Paraffin Wax	8002-74-2	Rainbow trout	Analogous Compound	96 hours	LC50	>1,000 mg/l
Paraffin Wax	8002-74-2	Water flea	Analogous Compound	48 hours	EC50	>10,000 mg/l
2,6,6- Trimethylbicyclo[3.1.1] hept-2-ene, polymer with 6,6-dimethyl-2- methylenebicyclo[3.1.1] lheptane	31393-98-3	Activated sludge	Experimental	3 hours	NOEC	1,000 mg/l
2,6,6- Trimethylbicyclo[3.1.1] hept-2-ene, polymer with 6,6-dimethyl-2- methylenebicyclo[3.1.1] heptane	31393-98-3	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
2,6,6- Trimethylbicyclo[3.1.1] hept-2-ene, polymer with 6,6-dimethyl-2- methylenebicyclo[3.1.1] heptane	31393-98-3	Water flea	Endpoint not reached	21 days	EL10	>100 mg/l

Szintetikus kolofónium	Trade Secret	Fathead minnow	Analogous	96 hours	LC50	1.7 mg/l
gyanta			Compound			
Szintetikus kolofónium	Trade Secret	Green algae	Analogous	72 hours	ErC50	39.6 mg/l
gyanta			Compound			
Szintetikus kolofónium	Trade Secret	Water flea	Analogous	48 hours	EC50	1.6 mg/l
gyanta			Compound			
Szintetikus kolofónium	Trade Secret	Green algae	Analogous	72 hours	NOEC	6.25 mg/l
gyanta			Compound			
chlorine	7782-50-5	Invertebrate	Experimental	48 hours	EC50	0.005 mg/l
chlorine	7782-50-5	Invertebrate	Experimental	48 hours	EC50	0.00967 mg/l
chlorine	7782-50-5	Rainbow trout	Experimental	96 hours	LC50	0.014 mg/l

# 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Ethylene - vinyl acetate polymer	24937-78-8	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Naphtha, light steam- cracked aromatic, piperylene concentrate, polymerised	68478-07-9	Data not availblinsufficient	N/A	N/A	N/A	N/A
Non-Volatile Compounds	Trade Secret	Experimental Biodegradation	28 days	CO2 evolution	47.3 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
Paraffin Wax	8002-74-2	Analogous Compound Biodegradation	28 days	BOD	40 %BOD/ThO D	OECD 301F - Manometric respirometry
2,6,6- Trimethylbicyclo[3.1.1]hept -2-ene, polymer with 6,6- dimethyl-2- methylenebicyclo[3.1.1]hep tane	31393-98-3	Experimental Biodegradation	28 days	BOD	4 %BOD/ThO D	OECD 301D - Closed bottle test
Szintetikus kolofónium gyanta	Trade Secret	Analogous Compound Biodegradation	28 days	CO2 evolution	56 %CO2 evolution/THC O2 evolution	OECD 301B - Modified sturm or CO2
chlorine	7782-50-5	Data not availbl- insufficient	N/A	N/A	N/A	N/A

# 12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
Ethylene - vinyl acetate polymer	24937-78-8	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Naphtha, light steam- cracked aromatic, piperylene concentrate, polymerised	68478-07-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Non-Volatile Compounds	Trade Secret	Estimated Bioconcentration		Bioaccumulation factor	7.4	
Paraffin Wax	8002-74-2	Modeled Bioconcentration		Log Kow	10.2	Episuite™
2,6,6- Trimethylbicyclo[3,1.1]hep t-2-ene, polymer with 6,6- dimethyl-2- methylenebicyclo[3,1.1]he ptane	31393-98-3	Experimental Bioconcentration		Log Kow	7.41	
Szintetikus kolofónium gyanta	Trade Secret	Modeled Bioconcentration		Bioaccumulation factor	≤32	Catalogic™
chlorine	7782-50-5	Data not available or insufficient for	N/A	N/A	N/A	N/A

# 3M<sup>™</sup> Hot Melt Adhesive 3762-AE, 3762-PG, 3762-TC, 3762-Q

I	1 '0" .:		
	classification		

#### 12.4. Mobility in soil

No test data available.

#### 12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

## 12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

#### 12.7. Other adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

## EU waste code (product as sold)

Waste adhesives and sealants other than those mentioned in 08 04 09 20 01 28 Paint, inks, adhesives and resins other than those mentioned in 20 01 27

# **SECTION 14: Transportation information**

Not hazardous for transportation.

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	No data available.	No data available.	No data available.
14.2 UN proper shipping name	No data available.	No data available.	No data available.
14.3 Transport hazard class(es)	No data available.	No data available.	No data available.

14.4 Packing group	No data available.	No data available.	No data available.
14.5 Environmental hazards	No data available.	No data available.	No data available.
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
<b>Emergency Temperature</b>	No data available.	No data available.	No data available.
ADR Classification Code	No data available.	No data available.	No data available.
IMDG Segregation Code	No data available.	No data available.	No data available.

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

# Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

#### **DIRECTIVE 2012/18/EU**

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes)	for the application of
		Lower-tier requirements	Upper-tier requirements

# 3M<sup>TM</sup> Hot Melt Adhesive 3762-AE, 3762-PG, 3762-TC, 3762-Q

chlorine	7782-50-5	10	25

## Regulation (EU) No 649/2012

No chemicals listed

#### 15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this mixture. Chemical safety assessments for the contained substances may have been carried out by the registrants of the substances in accordance with Regulation (EC) No 1907/2006, as amended.

# **SECTION 16: Other information**

#### List of relevant H statements

H270	May cause or intensify fire; oxidiser.
H280	Contains gas under pressure; may explode if heated.
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H331	Toxic if inhaled.
H335	May cause respiratory irritation.
H400	Very toxic to aquatic life.
H413	May cause long lasting harmful effects to aquatic life.

#### **Revision information:**

EU Section 09: pH information information was added.

Section 1: Product identification numbers information was modified.

Section 1: Product name information was modified.

Section 01: SAP Material Numbers information was modified.

Section 02: CLP Classification Statements information was added.

Label: CLP Classification information was deleted.

Label: CLP Supplemental Hazard Statements information was added.

Section 02: SDS Elements: CLP Supplemental Precautionary Statements information was added.

Section 03: Composition table % Column heading information was added.

Section 3: Composition/Information of ingredients table information was modified.

Section 03: Substance not applicable information was added.

Section 04: Information on toxicological effects information was modified.

Section 5: Fire - Advice for fire fighters information information was modified.

Section 5: Hazardous combustion products table information was modified.

Section 6: Accidental release personal information information was modified.

Section 7: Conditions safe storage information was modified.

Section 7: Precautions safe handling information information was modified.

Section 8: Eye protection information information was added.

Section 8: Eye/face protection information information was deleted.

Section 8: Occupational exposure limit table information was modified.

OEL Reg Agency Desc information was modified.

Section 8: Personal Protection - Eye information information was deleted.

Section 8: Personal Protection - Thermal hazards information information was modified.

Section 09: Color information was added.

Section 9: Evaporation Rate information information was deleted.

Section 9: Explosive properties information information was deleted.

Section 09: Kinematic Viscosity information information was added.

Section 9: Melting point information information was modified.

Section 09: Odor information was added.

Sections 3 and 9: Odour, colour, grade information information was deleted.

Section 9: Oxidising properties information information was deleted.

- Section 9: pH information information was deleted.
- Section 9: Property description for optional properties information was modified.
- Section 9: Vapor density text information was added.
- Section 9: Vapor density text information was deleted.
- Section 9: Viscosity information information was deleted.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Carcinogenicity Table information was modified.
- Section 11: Classification disclaimer information was modified.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Health Effects Eye information information was modified.
- Section 11: Health Effects Skin information information was modified.
- Section 11: No endocrine disruptor information available warning information was added.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Target Organs Repeated Table information was added.
- Section 11: Target Organs Repeated Table information was deleted.
- Section 12: 12.6. Endocrine Disrupting Properties information was added.
- Section 12: 12.7. Other adverse effects information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Contact manufacturer for more detail. information was deleted.
- Section 12: No Data text for mobility in soil information was added.
- Section 12: No endocrine disruptor information available warning information was added.
- Section 12: No PBT/vPvB information available warning information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 13: 13.1. Waste disposal note information was modified.
- Section 13: Standard Phrase Category Waste GHS information was modified.
- Section 14 Classification Code Main Heading information was added.
- Section 14 Classification Code Regulation Data information was added.
- Section 14 Control Temperature Main Heading information was added.
- Section 14 Control Temperature Regulation Data information was added.
- Section 14 Disclaimer Information information was added.
- Section 14 Emergency Temperature Main Heading information was added.
- Section 14 Emergency Temperature Regulation Data information was added.
- Section 14 Hazard Class + Sub Risk Main Heading information was added.
- Section 14 Hazard Class + Sub Risk Regulation Data information was added.
- Section 14 Hazardous/Not Hazardous for Transportation information was added.
- Section 14 Other Dangerous Goods Main Heading information was added.
- Section 14 Other Dangerous Goods Regulation Data information was added.
- Section 14 Packing Group Main Heading information was added.
- Section 14 Packing Group Regulation Data information was added.
- Section 14 Proper Shipping Name information was added.
- Section 14 Regulations Main Headings information was added.
- Section 14 Segregation Regulation Data information was added.
- Section 14 Segregation Code Main Heading information was added.
- Section 14 Special Precautions Main Heading information was added.
- Section 14 Special Precautions Regulation Data information was added.
- Section 14 Transport in bulk Regulation Data information was added.
- Section 14 Marine transport in bulk according to IMO instruments Main Heading information was added.
- Section 14 UN Number Column data information was added.
- Section 14 UN Number information was added.
- Section 15: Chemical Safety Assessment information was modified.
- Section 15: Regulations Inventories information was modified.
- Section 15: Seveso Substance Text information was added.
- Two-column table displaying the unique list of H Codes and statements (std phrases) for all components of the given material.

# 3M<sup>TM</sup> Hot Melt Adhesive 3762-AE, 3762-PG, 3762-TC, 3762-Q

information was added.

Sectio 16: UK disclaimer information was deleted.

Section 2: No PBT/vPvB information available warning information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M Ireland MSDSs are available at www.3M.com