

Safety Data Sheet

Copyright,2024, 3M Company All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group:	33-0293-2	Version number:	5.02
Revision date:	19/01/2024	Supersedes date:	13/06/2023

This Safety Data Sheet has been prepared in accordance with the REACH Regulation (EC) 1907/2006 and its modifications.

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

3M[™] Scotch-Weld[™] Surface Insensitive Instant Adhesive SI Gel, Clear

Product Identification Numbers UU-0015-0341-4

7100034061

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses

Adhesive

1.3. Details of the supplier of the safety data sheet

Address:3M Ireland Limited, The Iveagh Building, The Park, Carrickmines, Dublin 18.Telephone:+353 1 280 3555E Mail:tox.uk@mmm.comWebsite:www.3M.com

1.4. Emergency telephone number

Emergency medical information: 8am-10pm (seven days) contact National Poisons Information Centre, Beaumont Hospital, Dublin 9 DOV2NO, Ireland. Telephone Number: +353 (0)1 809 2166

SECTION 2: Hazard identification

2.1. Classification of the substance or mixture CLP REGULATION (EC) No 1272/2008

The health and environmental classifications of this material have been derived using the calculation method, except in cases where test data are available or the physical form impacts classification. Classification(s) based on test data or physical form are noted below, if applicable.

CLASSIFICATION:

Skin Corrosion/Irritation, Category 2 - Skin Irrit. 2; H315 Serious Eye Damage/Eye Irritation, Category 2 - Eye Irrit. 2; H319

Specific Target Organ Toxicity-Single Exposure, Category 3 - STOT SE 3; H335

For full text of H phrases, see Section 16.

2.2. Label elements CLP REGULATION (EC) No 1272/2008

SIGNAL WORD

WARNING.

Symbols GHS07 (Exclamation mark) |

Pictograms



Ingredients: Ingredient	CAS Nbr	EC No.	% by Wt
ethyl 2-cyanoacrylate	7085-85-0	230-391-5	80 - 95

HAZARD STATEMENTS:

Causes skin irritation.
Causes serious eye irritation.
May cause respiratory irritation

PRECAUTIONARY STATEMENTS

Prevention:

P261A

EUH202

H315 H319 H335

Avoid breathing vapours.

Response:

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

For containers not exceeding 125 ml the following Hazard and Precautionary statements may be used:

No hazard statements are required for containers <=125 mL. No precautionary statements are required for containers <=125 mL.

SUPPLEMENTAL INFORMATION:

Supplemental Hazard Statements:

Cyanoacrylate. Danger. Bonds skin and eyes in seconds. Keep out of the reach of children.

Supplemental Precautionary Statements:

Avoid eye and skin contact. If eyelids are bonded, do not force open. In case of skin bonding, quickly soak in warm water and avoid excessive force to free bonded area.

Contains 7% of components with unknown hazards to the aquatic environment.

2.3. Other hazards

May bond tissue rapidly. Contact through clothing may cause thermal burns. This material does not contain any substances that are assessed to be a PBT or vPvB

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Ingredient	Identifier(s)	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
ethyl 2-cyanoacrylate	(CAS-No.) 7085-85-0 (EC-No.) 230-391-5	80 - 95	Skin Irrit. 2, H315 Eye Irrit. 2, H319 STOT SE 3, H335
Non-hazardous Resin	Trade Secret	1 - 10	Substance not classified as hazardous
Non-respirable Filler	Trade Secret	1 - 10	Substance with a national occupational exposure limit
1,4-dihydroxybenzene	(CAS-No.) 123-31-9 (EC-No.) 204-617-8	< 0.1	Acute Tox. 4, H302 Eye Dam. 1, H318 Skin Sens. 1B, H317 Muta. 2, H341 Carc. 2, H351 Aquatic Acute 1, H400,M=10 Aquatic Chronic 1, H410,M=1

Please see section 16 for the full text of any H statements referred to in this section

Specific Concentration Limits

Ingredient	Identifier(s)	Specific Concentration Limits
ethyl 2-cyanoacrylate	(CAS-No.) 7085-85-0 (EC-No.) 230-391-5	(C>= 10%) STOT SE 3, H335

For information on ingredient occupational exposure limits or PBT or vPvB status, see sections 8 and 12 of this SDS

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

For skin bonds: Quickly soak in warm water and avoid use of excessive force to free bonded area. If unable to free bonded area, or if lips or mouth are bonded, get medical attention. If irritation persists, get medical attention.

Eye contact

Immediately flush eyes with large amounts of water for at least 15 minutes. Get immediate medical attention. DO NOT force eyelids open.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

The most important symptoms and effects based on the CLP classification include: Irritating to the respiratory tract (coughing, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain). Irritation to the skin (localized redness, swelling, itching, and dryness). Serious irritation to the eyes (significant redness, swelling, pain, tearing, and impaired vision).

4.3. Indication of any immediate medical attention and special treatment required Not applicable

SECTION 5: Fire-fighting measures

5.1. Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

<u>Substance</u>	<u>Condition</u>
Carbon monoxide	During combustion.
Carbon dioxide.	During combustion.
Hydrogen cyanide.	During combustion.
Oxides of nitrogen.	During combustion.

5.3. Advice for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapours, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapours in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a closed container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible.

6.4. Reference to other sections

Refer to Section 8 and Section 13 for more information

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.)

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed to prevent contamination with water or air. If contamination is suspected, do not reseal container. Store away from heat. Store away from acids. Store away from strong bases. Store away from oxidising agents. Store away from amines.

7.3. Specific end use(s)

See information in Section 7.1 and 7.2 for handling and storage recommendations. See Section 8 for exposure controls and personal protection recommendations.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
1,4-dihydroxybenzene	123-31-9	Ireland OELs	TWA(8 hours):0.5 mg/m3	
ethyl 2-cyanoacrylate	7085-85-0	Ireland OELs	TWA(8 hours):0.2	
			ppm;STEL(15 minutes):1 ppm	
Non-respirable Filler	Trade Secre	t Ireland OELs	TWA(Total inhalable dust)(8	
			hours):6 mg/m3;TWA(as	
			respirable dust)(8 hours):2.4	
			mg/m3	
Ireland OELs : Ireland. OELs				

Ireland OELs : Ireland. OELs TWA: Time-Weighted-Average STEL: Short Term Exposure Limit CEIL: Ceiling

Biological limit values

No biological limit values exist for any of the components listed in Section 3 of this safety data sheet.

Recommended monitoring procedures:Information on recommended monitoring procedures can be obtained from Indust. Inspect./Ministry (IE)

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields. Indirect vented goggles.

Applicable Norms/Standards Use eye protection conforming to EN 166

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Do not wear cotton gloves. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended:

Material	Thickness (mm)	Breakthrough Time
Polymer laminate	No data available	No data available

When only incidental contact is anticipated, alternative glove material(s) may be used. If contact with the glove does occur, remove immediately and replace with a set of new gloves. For incidental contact, gloves made of the following material(s) may be used:Nitrile rubber.

Applicable Norms/Standards Use gloves tested to EN 374

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

Applicable Norms/Standards

Use a respirator conforming to EN 140 or EN 136: filter types A & P

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid.	
Colourless	
Sharp Odor, Pungent Odor	
No data available.	
Not applicable.	
150 °C	
Not applicable.	
No data available.	
No data available.	
85 °C [Test Method:Closed Cup]	
No data available.	
No data available.	
substance/mixture is non-soluble (in water)	

Kinematic Viscosity Water solubility Solubility- non-water Partition coefficient: n-octanol/water Vapour pressure Density Relative density Relative Vapour Density

9.2. Other information

9.2.2 Other safety characteristics EU Volatile Organic Compounds Evaporation rate Molecular weight Percent volatile 95,238 mm²/sec Nil No data available. 39.1 Pa [@ 23.9 °C] 1.05 g/ml 1.05 [Ref Std:WATER=1] No data available.

No data available. No data available. No data available. 80 - 95 % weight [*Test Method*:Estimated]

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation may occur. Material polymerizes rapidly by contact with water, alcohol, amines and alkalis.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong oxidising agents. Water Strong bases. Amines. Alcohols.

10.6 Hazardous decomposition products

Substance None known. **Condition**

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 11 are based on UN GHS calculation rules and classifications derived from internal hazard assessments.

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Bonds skin rapidly. Mild Skin Irritation: Signs/symptoms may include localised redness, swelling, itching, and dryness. Contact through clothing may cause thermal burns.

Eye contact

Bonds eyelids rapidly. Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
ethyl 2-cyanoacrylate	Dermal	Rabbit	LD50 > 2,000 mg/kg
ethyl 2-cyanoacrylate	Ingestion	Rat	LD50 > 5,000 mg/kg
Non-hazardous Resin	Dermal		LD50 estimated to be > 5,000 mg/kg
Non-respirable Filler	Dermal	Rabbit	LD50 > 5,000 mg/kg
Non-hazardous Resin	Ingestion	Rat	LD50 > 5,000 mg/kg
Non-respirable Filler	Inhalation- Dust/Mist (4 hours)	Rat	LC50 > 0.691 mg/l
Non-respirable Filler	Ingestion	Rat	LD50 > 5,110 mg/kg
1,4-dihydroxybenzene	Dermal	Rat	LD50 > 4,800 mg/kg
1,4-dihydroxybenzene	Ingestion	Rat	LD50 302 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
ethyl 2-cyanoacrylate	Rabbit	Mild irritant
Non-hazardous Resin	Rabbit	No significant irritation
Non-respirable Filler	Rabbit	No significant irritation
1,4-dihydroxybenzene	Human	Minimal irritation
	and	
	animal	

Serious Eye Damage/Irritation

Name	Species	Value
ethyl 2-cyanoacrylate	Rabbit	Severe irritant
Non-hazardous Resin	Rabbit	Mild irritant
Non-respirable Filler	Rabbit	No significant irritation
1,4-dihydroxybenzene	Human	Corrosive

Skin Sensitisation

Name	Species	Value

ethyl 2-cyanoacrylate	Human	Not classified
Non-respirable Filler	Human	Not classified
	and	
	animal	
1,4-dihydroxybenzene	Guinea	Sensitising
	pig	

Respiratory Sensitisation

Name	Species	Value
ethyl 2-cyanoacrylate	Human	Not classified

Germ Cell Mutagenicity

Name	Route	Value
ethyl 2-cyanoacrylate	In Vitro	Not mutagenic
Non-respirable Filler	In Vitro	Not mutagenic
1,4-dihydroxybenzene	In Vitro	Some positive data exist, but the data are not sufficient for classification
1,4-dihydroxybenzene	In vivo	Some positive data exist, but the data are not sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Non-respirable Filler	Not specified.	Mouse	Some positive data exist, but the data are not sufficient for classification
1,4-dihydroxybenzene	Dermal	Mouse	Not carcinogenic
1,4-dihydroxybenzene	Ingestion	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Non-respirable Filler	Ingestion	Not classified for female reproduction	Rat	NOAEL 509 mg/kg/day	1 generation
Non-respirable Filler	Ingestion	Not classified for male reproduction	Rat	NOAEL 497 mg/kg/day	1 generation
Non-respirable Filler	Ingestion	Not classified for development	Rat	NOAEL 1,350 mg/kg/day	during organogenesis
1,4-dihydroxybenzene	Ingestion	Not classified for female reproduction	Rat	NOAEL 150 mg/kg/day	2 generation
1,4-dihydroxybenzene	Ingestion	Not classified for male reproduction	Rat	NOAEL 150 mg/kg/day	2 generation
1,4-dihydroxybenzene	Ingestion	Not classified for development	Rat	NOAEL 100 mg/kg/day	during organogenesis

Target Organ(s)

Specific Target Organ Toxicity - single exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure
						Duration
ethyl 2-cyanoacrylate	Inhalation	respiratory irritation	May cause respiratory irritation	Human	NOAEL Not	occupational
					available	exposure
1,4-dihydroxybenzene	Ingestion	nervous system	May cause damage to organs	Rat	NOAEL Not	not applicable
	-				available	**
1,4-dihydroxybenzene	Ingestion	kidney and/or	Not classified	Rat	NOAEL 400	not applicable
	_	bladder			mg/kg	

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Non-respirable Filler	Inhalation	respiratory system silicosis	Not classified	Human	NOAEL Not available	occupational exposure
1,4-dihydroxybenzene	Ingestion	blood	Not classified	Rat	NOAEL Not available	40 days
1,4-dihydroxybenzene	Ingestion	bone marrow liver	Not classified	Rat	NOAEL Not available	9 weeks
1,4-dihydroxybenzene	Ingestion	kidney and/or bladder	Not classified	Rat	LOAEL 50 mg/kg/day	15 months
1,4-dihydroxybenzene	Ocular	eyes	Not classified	Human	NOAEL Not available	occupational exposure

Specific Target Organ Toxicity - repeated exposure

Aspiration Hazard

For the component/components, either no data is currently available or the data is not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

11.2. Information on other hazards

This material does not contain any substances that are assessed to be an endocrine disruptor for human health.

SECTION 12: Ecological information

The information below may not agree with the EU material classification in Section 2 and/or the ingredient classifications in Section 3 if specific ingredient classifications are mandated by a competent authority. In addition, statements and data presented in Section 12 are based on UN GHS calculation rules and classifications derived from 3M assessments.

12.1. Toxicity

No product test data available.

Material	CAS #	Organism	Туре	Exposure	Test endpoint	Test result
ethyl 2-cyanoacrylate	7085-85-0	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Non-hazardous Resin	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Non-respirable Filler	Trade Secret	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
1,4-dihydroxybenzene	123-31-9	Activated sludge	Experimental	2 hours	IC50	71 mg/l
1,4-dihydroxybenzene	123-31-9	Green algae	Experimental	72 hours	ErC50	0.053 mg/l
1,4-dihydroxybenzene	123-31-9	Rainbow trout	Experimental	96 hours	LC50	0.044 mg/l
1,4-dihydroxybenzene	123-31-9	Water flea	Experimental	48 hours	EC50	0.061 mg/l
1,4-dihydroxybenzene	123-31-9	Fathead minnow	Experimental	32 days	NOEC	>=0.066 mg/l
1,4-dihydroxybenzene	123-31-9	Green algae	Experimental	72 hours	NOEC	0.0015 mg/l
1,4-dihydroxybenzene	123-31-9	Water flea	Experimental	21 days	NOEC	0.0029 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
ethyl 2-cyanoacrylate	7085-85-0	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Non-hazardous Resin	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
Non-respirable Filler	Trade Secret	Data not availbl- insufficient	N/A	N/A	N/A	N/A
1,4-dihydroxybenzene	123-31-9	Experimental Biodegradation	14 days	BOD	70 %BOD/ThO D	OECD 301C - MITI test (I)

12.3 : Bioaccumulative potential

Material	Cas No.	Test type	Duration	Study Type	Test result	Protocol
ethyl 2-cyanoacrylate	7085-85-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Non-hazardous Resin	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Non-respirable Filler	Trade Secret	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,4-dihydroxybenzene	123-31-9	Experimental Bioconcentration		Log Kow	0.59	

12.4. Mobility in soil

Material	Cas No.	Test type	Study Type	Test result	Protocol
1,4-dihydroxybenzene	123-31-9	Modeled Mobility in Soil	Koc	40 l/kg	Episuite™

12.5. Results of the PBT and vPvB assessment

This material does not contain any substances that are assessed to be a PBT or vPvB

12.6. Endocrine disrupting properties

This material does not contain any substances that are assessed to be an endocrine disruptor for environmental effects

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. Proper destruction may require the use of additional fuel during incineration processes. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

The coding of a waste stream is based on the application of the product by the consumer. Since this is out of the control of 3M, no waste code(s) for products after use will be provided. Please refer to the European Waste Code (EWC - 2000/532/EC

and amendments) to assign the correct waste code to your waste stream. Ensure national and/or regional regulations are complied with and always use a licensed waste contractor.

EU waste code (product as sold)

08 04 09*Waste adhesives and sealants containing organic solvents or other dangerous substances20 01 27*Paint, inks, adhesives and resins containing dangerous substances

SECTION 14: Transportation information

	Ground Transport (ADR)	Air Transport (IATA)	Marine Transport (IMDG)
14.1 UN number or ID number	0000	UN3334	0000
14.2 UN proper shipping name	NOT REGULATED	AVIATION REGULATED LIQUID, N.O.S.(CYANOACRYLATE ESTER)	NOT REGULATED
14.3 Transport hazard class(cs)	Not applicable.	9	Not applicable.
14.4 Packing group	Not applicable.	III	Not applicable.
14.5 Environmental hazards	Not Environmentally Hazardous	Not applicable	Not a Marine Pollutant
14.6 Special precautions for user	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.	Please refer to the other sections of the SDS for further information.
14.7 Marine Transport in bulk according to IMO instruments	No data available.	No data available.	No data available.
Control Temperature	No data available.	No data available.	No data available.
Emergency Temperature	No data available.	No data available.	No data available.
ADR Classification Code	Not applicable.	Not applicable.	Not applicable.
IMDG Segregation Code	Not applicable.	Not applicable.	NONE

Please contact the address or phone number listed on the first page of the SDS for additional information on the transport/shipment of the material by rail (RID) or inland waterways (ADN).

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Carcinogenicity			
<u>Ingredient</u>	<u>CAS Nbr</u>	Classification	Regulation
1,4-dihydroxybenzene	123-31-9	Carc. 2	Regulation (EC) No.
			1272/2008, Table 3.1
1,4-dihydroxybenzene	123-31-9	Gr. 3: Not classifiable	International Agency
			for Research on Cancer
Non-hazardous Resin	Trade Secret	Gr. 3: Not classifiable	International Agency
			for Research on Cancer

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Japan Chemical Substance Control Law. Certain restrictions may apply. Contact the selling division for additional information. The components of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

DIRECTIVE 2012/18/EU

Seveso hazard categories, Annex 1, Part 1 None

Seveso named dangerous substances, Annex 1, Part 2

Dangerous Substances	Identifier(s)	Qualifying quantity (tonnes) for the application of	
		Lower-tier requirements	Upper-tier requirements
1,4-dihydroxybenzene	123-31-9	100	200

Regulation (EU) No 649/2012

No chemicals listed

15.2. Chemical Safety Assessment

A chemical safety assessment has not been carried out for this substance/mixture in accordance with Regulation (EC) No 1907/2006, as amended.

SECTION 16: Other information

List of relevant H statements

H302	Harmful if swallowed.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.

H351	Suspected of causing cancer.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.

Revision information:

Label: CLP Precautionary - Prevention information was added. Label: CLP Precautionary - Response information was added. Section 3: Composition/ Information of ingredients table information was modified. Section 04: First Aid - Symptoms and Effects (CLP) information was added. Section 04: Information on toxicological effects information was modified. Section 8: Eye/face protection information information was modified. Section 8: Occupational exposure limit table information was modified. Section 11: Acute Toxicity table information was modified. Section 11: Carcinogenicity Table information was modified. Section 11: Germ Cell Mutagenicity Table information was modified. Section 11: Reproductive Toxicity Table information was modified. Section 11: Serious Eye Damage/Irritation Table information was modified. Section 11: Skin Corrosion/Irritation Table information was modified. Section 11: Skin Sensitization Table information was modified. Section 11: Target Organs - Repeated Table information was modified. Section 12: Component ecotoxicity information information was modified. Section 12: Persistence and Degradability information information was modified. Section 12:Bioccumulative potential information information was modified.

Section 15: Carcinogenicity information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into the European Union, you are responsible for all regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration.

3M Ireland MSDSs are available at www.3M.com