



Safety Data Sheet

Copyright,2021, 3M India Limited.All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

| | | | |
|------------------------|------------|-------------------------|------------|
| Document group: | 10-2442-1 | Version number: | 1.06 |
| Issue Date: | 06/07/2021 | Supersedes date: | 03/07/2021 |

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

SECTION 1: Identification

1.1. Product identifier

3M™ Nitrile High Performance Plastic Adhesive 1099

Product Identification Numbers

62-1099-2631-1 62-1099-6530-1 62-1099-8530-9

1.2. Recommended use and restrictions on use

Recommended use

Adhesive, Industrial use.

1.3. Supplier's details

Address: 3M India Limited, plot-48-51, Electronic city, Hosur road, Bangalore-560100
Telephone: 080-45543000, contact Product EHS team
E Mail: productehs.in@mmm.com
Website: <http://solutions.3mindia.co.in>

1.4. Emergency telephone number

080-45543000 (Contact hours: 8:00 AM to 5:00 PM)

SECTION 2: Hazard identification

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

2.1. Classification of the substance or mixture

Flammable Liquid: Category 2.
Serious Eye Damage/Irritation: Category 2A
Skin Corrosion/Irritation: Category 3.
Reproductive Toxicity: Category 1B.
Specific Target Organ Toxicity (single exposure): Category 3.
Specific Target Organ Toxicity (repeated exposure): Category 1.
Acute Aquatic Toxicity: Category 2.
Chronic Aquatic Toxicity: Category 2.

2.2. Label elements

Signal Word

DANGER!

Symbols

Flame | Exclamation mark | Health Hazard | Environment |

Pictograms



HAZARD STATEMENTS:

| | |
|------|---|
| H225 | Highly flammable liquid and vapour. |
| H319 | Causes serious eye irritation. |
| H316 | Causes mild skin irritation. |
| H336 | May cause drowsiness or dizziness. |
| H360 | May damage fertility or the unborn child. |
| H372 | Causes damage to organs through prolonged or repeated exposure: nervous system sensory organs |
| H411 | Toxic to aquatic life with long lasting effects. |

PRECAUTIONARY STATEMENTS

Prevention:

| | |
|-------|---|
| P201 | Obtain special instructions before use. |
| P210A | Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. |
| P260 | Do not breathe dust/fume/gas/mist/vapours/spray. |
| P280E | Wear protective gloves. |
| P273 | Avoid release to the environment. |

Response:

| | |
|--------------------|--|
| P305 + P351 + P338 | IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| P308 + P313 | IF exposed or concerned: Get medical advice/attention. |
| P370 + P378G | In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish. |

Disposal:

| | |
|------|--|
| P501 | Dispose of contents/container in accordance with applicable local/regional/national/international regulations. |
|------|--|

2.3. Other hazards

None known.

SECTION 3: Composition/information on ingredients

This material is a mixture.

| Ingredient | CAS Nbr | % by Wt |
|--|------------|---------|
| Acetone | 67-64-1 | 60 - 70 |
| Acrylonitrile-Butadiene Polymer | 9003-18-3 | 10 - 20 |
| Phenolic Polymer | 55185-45-0 | 5 - 10 |
| Phenolic Resin | 25085-50-1 | 5 - 10 |
| Butanone | 78-93-3 | < 3 |
| Salicylic acid | 69-72-7 | < 3 |
| Zinc oxide | 1314-13-2 | < 2.2 |
| Cyclohexane | 110-82-7 | < 2 |
| Methyl Acetate | 79-20-9 | < 2 |
| Toluene | 108-88-3 | < 2 |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | < 1 |
| Phenol | 108-95-2 | < 0.5 |
| o-Cresol | 95-48-7 | < 0.3 |
| Dichloromethane | 75-09-2 | < 0.01 |

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get medical attention.

Eye contact

Immediately flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. Get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Central nervous system depression (headache, dizziness, drowsiness, incoordination, nausea, slurred speech, giddiness, and unconsciousness). Target organ effects following prolonged or repeated exposure. See Section 11 for additional details.

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable Extinguishing media

In case of fire: Use a fire fighting agent suitable for flammable liquids such as dry chemical or carbon dioxide to extinguish.

5.2. Special hazards arising from the substance or mixture

Closed containers exposed to heat from fire may build pressure and explode.

Hazardous Decomposition or By-Products

Substance

Hydrocarbons.
Formaldehyde
Carbon monoxide.
Carbon dioxide.

Condition

During combustion.
During combustion.
During combustion.
During combustion.

Oxides of nitrogen.

During combustion.

5.3. Special protective actions for fire-fighters

Water may not effectively extinguish fire; however, it should be used to keep fire-exposed containers and surfaces cool and prevent explosive rupture. Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Warning! A motor could be an ignition source and could cause flammable gases or vapors in the spill area to burn or explode. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment. For larger spills, cover drains and build dykes to prevent entry into sewer systems or bodies of water.

6.3. Methods and material for containment and cleaning up

Contain spill. Cover spill area with a fire-extinguishing foam. Working from around the edges of the spill inward, cover with bentonite, vermiculite, or commercially available inorganic absorbent material. Mix in sufficient absorbent until it appears dry. Remember, adding an absorbent material does not remove a physical, health, or environmental hazard. Collect as much of the spilled material as possible using non-sparking tools. Place in a metal container approved for transportation by appropriate authorities. Clean up residue with an appropriate solvent selected by a qualified and authorised person. Ventilate the area with fresh air. Read and follow safety precautions on the solvent label and Safety Data Sheet. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

For industrial/occupational use only. Not for consumer sale or use. Do not handle until all safety precautions have been read and understood. Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Use only non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/fume/gas/mist/vapours/spray. Do not get in eyes, on skin, or on clothing. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Wear low static or properly grounded shoes. Use personal protective equipment (eg. gloves, respirators...) as required. To minimize the risk of ignition, determine applicable electrical classifications for the process using this product and select specific local exhaust ventilation equipment to avoid flammable vapor accumulation. Ground/bond container and receiving equipment if there is potential for static electricity accumulation during transfer.

7.2. Conditions for safe storage including any incompatibilities

Store in a well-ventilated place. Keep cool. Keep container tightly closed. Store away from heat. Store away from acids. Store away from oxidising agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available

for the component.

| Ingredient | CAS Nbr | Agency | Limit type | Additional comments |
|-------------------|----------------|---------------|--|--|
| Toluene | 108-88-3 | ACGIH | TWA:20 ppm | A4: Not class. as human carcin, Ototoxicant |
| Phenol | 108-95-2 | ACGIH | TWA:5 ppm | A4: Not class. as human carcin, Danger of cutaneous absorption |
| Cyclohexane | 110-82-7 | ACGIH | TWA:100 ppm | |
| Zinc oxide | 1314-13-2 | ACGIH | TWA(respirable fraction):2 mg/m ³ ;STEL(respirable fraction):10 mg/m ³ | |
| Acetone | 67-64-1 | ACGIH | TWA:250 ppm;STEL:500 ppm | A4: Not class. as human carcin |
| Dichloromethane | 75-09-2 | ACGIH | TWA:50 ppm | A3: Confirmed animal carcin. |
| Butanone | 78-93-3 | ACGIH | TWA:200 ppm;STEL:300 ppm | |
| Methyl Acetate | 79-20-9 | ACGIH | TWA:200 ppm;STEL:250 ppm | |
| o-Cresol | 95-48-7 | ACGIH | TWA(inhalable fraction and vapor):20 mg/m ³ | A4: Not class. as human carcin, Danger of cutaneous absorption |

ACGIH : American Conference of Governmental Industrial Hygienists

AIHA : American Industrial Hygiene Association

CMRG : Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average

STEL: Short Term Exposure Limit

CEIL: Ceiling

8.2. Exposure controls

8.2.1. Engineering controls

Use general dilution ventilation and/or local exhaust ventilation to control airborne exposures to below relevant Exposure Limits and/or control dust/fume/gas/mist/vapours/spray. If ventilation is not adequate, use respiratory protection equipment. Use explosion-proof ventilation equipment.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Indirect vented goggles.

Skin/hand protection

Select and use gloves and/or protective clothing approved to relevant local standards to prevent skin contact based on the results of an exposure assessment. Selection should be based on use factors such as exposure levels, concentration of the substance or mixture, frequency and duration, physical challenges such as temperature extremes, and other use conditions. Consult with your glove and/or protective clothing manufacturer for selection of appropriate compatible gloves/protective clothing. Note: Nitrile gloves may be worn over polymer laminate gloves to improve dexterity.

Gloves made from the following material(s) are recommended: Polymer laminate

Respiratory protection

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for organic vapours and particulates

Organic vapor respirators may have short service life.

For questions about suitability for a specific application, consult with your respirator manufacturer.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

| | |
|---|---|
| Physical state | Liquid. |
| Color | Light Tan, Pink, White |
| Odor | Ketones. |
| Odour threshold | <i>No data available.</i> |
| pH | <i>Not applicable.</i> |
| Melting point/Freezing point: NA | <i>No data available.</i> |
| Boiling point/Initial boiling point/Boiling range | ≥ 56 °C |
| Flash point | -20 °C [Test Method: Closed Cup] [Details: Acetone] |
| Evaporation rate | 1.9 [Ref Std: ETHER=1] |
| Flammability (solid, gas) | Not applicable. |
| Flammable Limits (LEL) | 2.6 % volume [Details: Acetone] |
| Flammable Limits (UEL) | 12.8 % volume [Details: Acetone] |
| Vapour pressure | $\leq 24,664.6$ Pa [@ 20 °C] |
| Vapor Density and/or Relative Vapor Density | 2 [Ref Std: AIR=1] |
| Density | 0.89 g/ml |
| Relative density | 0.89 [Ref Std: WATER=1] |
| Water solubility | Slight (less than 10%) |
| Solubility- non-water | <i>No data available.</i> |
| Partition coefficient: n-octanol/water | <i>No data available.</i> |
| Autoignition temperature | <i>No data available.</i> |
| Decomposition temperature | <i>No data available.</i> |
| Viscosity/Kinematic Viscosity | 2,000 - 4,000 mPa-s [@ 27 °C] |
| Volatile organic compounds (VOC) | |
| Percent volatile | |
| VOC less H ₂ O & exempt solvents | ≤ 20 g/l [Test Method: calculated SCAQMD rule 443.1] |
| Molecular weight | <i>No data available.</i> |
| Solids content | 20 - 40 % |

Nanoparticles

This material does not contain nanoparticles.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

Sparks and/or flames.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

| <u>Substance</u> | <u>Condition</u> |
|------------------|------------------|
| None known. | |

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain. May cause additional health effects (see below).

Skin contact

Mild Skin Irritation: Signs/symptoms may include localized redness, swelling, itching, and dryness. Allergic Skin Reaction (non-photo induced) in sensitive people: Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Severe eye irritation: Signs/symptoms may include significant redness, swelling, pain, tearing, cloudy appearance of the cornea, and impaired vision.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Single exposure may cause target organ effects:

Central nervous system (CNS) depression: Signs/symptoms may include headache, dizziness, drowsiness, incoordination, nausea, slowed reaction time, slurred speech, giddiness, and unconsciousness.

Prolonged or repeated exposure may cause target organ effects:

Ocular effects: Signs/symptoms may include blurred or significantly impaired vision. Auditory effects: Signs/symptoms may include hearing impairment, balance dysfunction and ringing in the ears. Olfactory effects: Signs/symptoms may include decreased ability to detect odours and complete loss of smell. Neurological effects: Signs/symptoms may include personality changes, lack of coordination, sensory loss, tingling or numbness of the extremities, weakness, tremors, and changes in blood pressure and heart rate.

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

| Name | Route | Species | Value |
|---|--------------------------------|---------|--|
| Overall product | Dermal | | No data available; calculated ATE >5,000 mg/kg |
| Overall product | Inhalation-Vapor(4 hr) | | No data available; calculated ATE >50 mg/l |
| Overall product | Ingestion | | No data available; calculated ATE >5,000 mg/kg |
| Acetone | Dermal | Rabbit | LD50 > 15,688 mg/kg |
| Acetone | Inhalation-Vapor (4 hours) | Rat | LC50 76 mg/l |
| Acetone | Ingestion | Rat | LD50 5,800 mg/kg |
| Acrylonitrile-Butadiene Polymer | Dermal | Rabbit | LD50 > 15,000 mg/kg |
| Acrylonitrile-Butadiene Polymer | Ingestion | Rat | LD50 > 30,000 mg/kg |
| Phenolic Resin | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Phenolic Resin | Ingestion | Rat | LD50 5,660 mg/kg |
| Phenolic Polymer | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Phenolic Polymer | Ingestion | | LD50 estimated to be 2,000 - 5,000 mg/kg |
| Butanone | Dermal | Rabbit | LD50 > 8,050 mg/kg |
| Butanone | Inhalation-Vapor (4 hours) | Rat | LC50 34.5 mg/l |
| Butanone | Ingestion | Rat | LD50 2,737 mg/kg |
| Salicylic acid | Dermal | Rat | LD50 > 2,000 mg/kg |
| Salicylic acid | Ingestion | Rat | LD50 891 mg/kg |
| Toluene | Dermal | Rat | LD50 12,000 mg/kg |
| Toluene | Inhalation-Vapor (4 hours) | Rat | LC50 30 mg/l |
| Toluene | Ingestion | Rat | LD50 5,550 mg/kg |
| Methyl Acetate | Dermal | Rat | LD50 > 2,000 mg/kg |
| Methyl Acetate | Inhalation-Vapor (4 hours) | Rat | LC50 > 49 mg/l |
| Methyl Acetate | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Cyclohexane | Dermal | Rat | LD50 > 2,000 mg/kg |
| Cyclohexane | Inhalation-Vapor (4 hours) | Rat | LC50 > 32.9 mg/l |
| Cyclohexane | Ingestion | Rat | LD50 6,200 mg/kg |
| Zinc oxide | Dermal | | LD50 estimated to be > 5,000 mg/kg |
| Zinc oxide | Inhalation-Dust/Mist (4 hours) | Rat | LC50 > 5.7 mg/l |
| Zinc oxide | Ingestion | Rat | LD50 > 5,000 mg/kg |
| Phenol | Inhalation-Vapor | | LC50 estimated to be 2 - 10 mg/l |
| Phenol | Dermal | Rat | LD50 670 mg/kg |
| Phenol | Ingestion | Rat | LD50 340 mg/kg |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | Dermal | Rat | LD50 > 2,000 mg/kg |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | Ingestion | Rat | LD50 > 5,000 mg/kg |
| o-Cresol | Dermal | Rabbit | LD50 890 mg/kg |
| o-Cresol | Inhalation-Vapor (4 hours) | Rat | LC50 > 24.5 mg/l |
| o-Cresol | Ingestion | Rat | LD50 121 mg/kg |
| Dichloromethane | Dermal | Rat | LD50 > 2,000 mg/kg |
| Dichloromethane | Inhalation-Vapor (4 hours) | Rat | LC50 63.7 mg/l |

| | | | |
|-----------------|-----------|-----|------------------|
| Dichloromethane | Ingestion | Rat | LD50 1,410 mg/kg |
|-----------------|-----------|-----|------------------|

ATE = acute toxicity estimate

Skin Corrosion/Irritation

| Name | Species | Value |
|---------------------------------|------------------------|---------------------------|
| Acetone | Mouse | Minimal irritation |
| Acrylonitrile-Butadiene Polymer | Professional judgement | No significant irritation |
| Butanone | Rabbit | Minimal irritation |
| Salicylic acid | Rabbit | No significant irritation |
| Toluene | Rabbit | Irritant |
| Methyl Acetate | Rabbit | No significant irritation |
| Cyclohexane | Rabbit | Mild irritant |
| Zinc oxide | Human and animal | No significant irritation |
| Phenol | Rat | Corrosive |
| o-Cresol | Rabbit | Corrosive |
| Dichloromethane | Rabbit | Irritant |

Serious Eye Damage/Irritation

| Name | Species | Value |
|---------------------------------|------------------------|---------------------------|
| Acetone | Rabbit | Severe irritant |
| Acrylonitrile-Butadiene Polymer | Professional judgement | No significant irritation |
| Butanone | Rabbit | Severe irritant |
| Salicylic acid | Rabbit | Corrosive |
| Toluene | Rabbit | Moderate irritant |
| Methyl Acetate | Rabbit | Moderate irritant |
| Cyclohexane | Rabbit | Mild irritant |
| Zinc oxide | Rabbit | Mild irritant |
| Phenol | Rabbit | Corrosive |
| o-Cresol | Rabbit | Corrosive |
| Dichloromethane | Rabbit | Severe irritant |

Sensitization:

Skin Sensitisation

| Name | Species | Value |
|----------------|------------|--|
| Phenolic Resin | Human | Some positive data exist, but the data are not sufficient for classification |
| Salicylic acid | Mouse | Not classified |
| Toluene | Guinea pig | Not classified |
| Methyl Acetate | Human | Not classified |
| Zinc oxide | Guinea pig | Not classified |
| Phenol | Guinea pig | Not classified |

Photosensitisation

| Name | Species | Value |
|----------------|---------|-----------------|
| Salicylic acid | Mouse | Not sensitizing |

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

| Name | Route | Value |
|-----------------|----------|--|
| Acetone | In vivo | Not mutagenic |
| Acetone | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Butanone | In Vitro | Not mutagenic |
| Salicylic acid | In Vitro | Not mutagenic |
| Salicylic acid | In vivo | Not mutagenic |
| Toluene | In Vitro | Not mutagenic |
| Toluene | In vivo | Not mutagenic |
| Methyl Acetate | In Vitro | Not mutagenic |
| Methyl Acetate | In vivo | Not mutagenic |
| Cyclohexane | In Vitro | Not mutagenic |
| Cyclohexane | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Zinc oxide | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Zinc oxide | In vivo | Some positive data exist, but the data are not sufficient for classification |
| Phenol | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Phenol | In vivo | Some positive data exist, but the data are not sufficient for classification |
| o-Cresol | In vivo | Not mutagenic |
| o-Cresol | In Vitro | Some positive data exist, but the data are not sufficient for classification |
| Dichloromethane | In vivo | Not mutagenic |
| Dichloromethane | In Vitro | Some positive data exist, but the data are not sufficient for classification |

Carcinogenicity

| Name | Route | Species | Value |
|-----------------|----------------|-------------------------|--|
| Acetone | Not specified. | Multiple animal species | Not carcinogenic |
| Butanone | Inhalation | Human | Not carcinogenic |
| Toluene | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |
| Toluene | Inhalation | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Phenol | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Phenol | Ingestion | Rat | Some positive data exist, but the data are not sufficient for classification |
| o-Cresol | Dermal | Mouse | Some positive data exist, but the data are not sufficient for classification |
| o-Cresol | Ingestion | Mouse | Some positive data exist, but the data are not sufficient for classification |
| Dichloromethane | Inhalation | Multiple animal species | Carcinogenic. |

Reproductive Toxicity

Reproductive and/or Developmental Effects

| Name | Route | Value | Species | Test result | Exposure Duration |
|---------|-----------|--------------------------------------|---------|-----------------------------|-------------------|
| Acetone | Ingestion | Not classified for male reproduction | Rat | NOAEL 1,700 mg/kg/day | 13 weeks |

| | | | | | |
|-----------------|------------|--|-------------------------|---------------------|------------------------------|
| Acetone | Inhalation | Not classified for development | Rat | NOAEL 5.2 mg/l | during organogenesis |
| Butanone | Inhalation | Not classified for development | Rat | LOAEL 8.8 mg/l | during gestation |
| Salicylic acid | Ingestion | Toxic to development | Rat | NOAEL 75 mg/kg/day | during organogenesis |
| Toluene | Inhalation | Not classified for female reproduction | Human | NOAEL Not available | occupational exposure |
| Toluene | Inhalation | Not classified for male reproduction | Rat | NOAEL 2.3 mg/l | 1 generation |
| Toluene | Ingestion | Toxic to development | Rat | LOAEL 520 mg/kg/day | during gestation |
| Toluene | Inhalation | Toxic to development | Human | NOAEL Not available | poisoning and/or abuse |
| Cyclohexane | Inhalation | Not classified for female reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| Cyclohexane | Inhalation | Not classified for male reproduction | Rat | NOAEL 24 mg/l | 2 generation |
| Cyclohexane | Inhalation | Not classified for development | Rat | NOAEL 6.9 mg/l | 2 generation |
| Zinc oxide | Ingestion | Not classified for reproduction and/or development | Multiple animal species | NOAEL 125 mg/kg/day | premating & during gestation |
| Phenol | Ingestion | Not classified for female reproduction | Rat | NOAEL 321 mg/kg/day | 2 generation |
| Phenol | Ingestion | Not classified for male reproduction | Rat | NOAEL 321 mg/kg/day | 2 generation |
| Phenol | Ingestion | Not classified for development | Rat | NOAEL 120 mg/kg/day | during organogenesis |
| o-Cresol | Ingestion | Not classified for female reproduction | Rat | NOAEL 450 mg/kg/day | 2 generation |
| o-Cresol | Ingestion | Not classified for male reproduction | Rat | NOAEL 450 mg/kg/day | 2 generation |
| o-Cresol | Ingestion | Not classified for development | Rat | NOAEL 175 mg/kg/day | 2 generation |
| Dichloromethane | Inhalation | Not classified for female reproduction | Rat | NOAEL 5.2 mg/l | 2 generation |
| Dichloromethane | Inhalation | Not classified for male reproduction | Rat | NOAEL 5.2 mg/l | 2 generation |
| Dichloromethane | Inhalation | Not classified for development | Multiple animal species | NOAEL 4.3 mg/l | during gestation |

Target Organ(s)

Specific Target Organ Toxicity - single exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------|------------|-----------------------------------|--|-------------------------|---------------------|------------------------|
| Acetone | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Acetone | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Acetone | Inhalation | immune system | Not classified | Human | NOAEL 1.19 mg/l | 6 hours |
| Acetone | Inhalation | liver | Not classified | Guinea pig | NOAEL Not available | |
| Acetone | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| Butanone | Inhalation | central nervous system depression | May cause drowsiness or dizziness | official classification | NOAEL Not available | |
| Butanone | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Butanone | Ingestion | central nervous | May cause drowsiness or | Professio | NOAEL Not | |

3M™ Nitrile High Performance Plastic Adhesive 1099

| | | | | | | |
|-----------------|------------|--|--|-------------------------|---------------------|------------------------|
| | | system depression | dizziness | nal judgement | available | |
| Butanone | Ingestion | liver | Not classified | Rat | NOAEL Not available | not applicable |
| Butanone | Ingestion | kidney and/or bladder | Not classified | Rat | LOAEL 1,080 mg/kg | not applicable |
| Toluene | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | |
| Toluene | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL 0.004 mg/l | 3 hours |
| Toluene | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | poisoning and/or abuse |
| Methyl Acetate | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Methyl Acetate | Inhalation | respiratory irritation | May cause respiratory irritation | Human and animal | NOAEL Not available | |
| Methyl Acetate | Inhalation | blindness | Not classified | | NOAEL Not available | |
| Methyl Acetate | Ingestion | central nervous system depression | May cause drowsiness or dizziness | | NOAEL Not available | |
| Cyclohexane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human and animal | NOAEL Not available | |
| Cyclohexane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human and animal | NOAEL Not available | |
| Cyclohexane | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Professional judgement | NOAEL Not available | |
| Phenol | Dermal | hematopoietic system | Causes damage to organs | Rat | LOAEL 108 mg/kg | not available |
| Phenol | Dermal | heart nervous system kidney and/or bladder | Causes damage to organs | Rat | LOAEL 107 mg/kg | 24 hours |
| Phenol | Dermal | liver | Not classified | Human | NOAEL Not available | not available |
| Phenol | Inhalation | respiratory irritation | May cause respiratory irritation | Multiple animal species | NOAEL Not available | not available |
| Phenol | Ingestion | kidney and/or bladder | Causes damage to organs | Rat | NOAEL 120 mg/kg/day | not applicable |
| Phenol | Ingestion | respiratory system | Causes damage to organs | Human | NOAEL not available | poisoning and/or abuse |
| Phenol | Ingestion | endocrine system liver | Not classified | Rat | NOAEL 224 mg/kg | not applicable |
| Phenol | Ingestion | heart | Not classified | Human | NOAEL Not available | poisoning and/or abuse |
| o-Cresol | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |
| o-Cresol | Ingestion | central nervous system depression | May cause drowsiness or dizziness | Rat | LOAEL 68 mg/kg | |
| Dichloromethane | Dermal | blood | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL Not available | 4 hours |
| Dichloromethane | Inhalation | central nervous system depression | May cause drowsiness or dizziness | Human | NOAEL Not available | occupational exposure |
| Dichloromethane | Inhalation | blood | Some positive data exist, but the data are not sufficient for classification | Human | NOAEL Not available | |

| | | | | | | |
|-----------------|------------|------------------------|--|--|---------------------|--|
| Dichloromethane | Inhalation | respiratory irritation | Some positive data exist, but the data are not sufficient for classification | | NOAEL Not available | |
|-----------------|------------|------------------------|--|--|---------------------|--|

Specific Target Organ Toxicity - repeated exposure

| Name | Route | Target Organ(s) | Value | Species | Test result | Exposure Duration |
|----------------|------------|--|--|------------|------------------------|------------------------|
| Acetone | Dermal | eyes | Not classified | Guinea pig | NOAEL Not available | 3 weeks |
| Acetone | Inhalation | hematopoietic system | Not classified | Human | NOAEL 3 mg/l | 6 weeks |
| Acetone | Inhalation | immune system | Not classified | Human | NOAEL 1.19 mg/l | 6 days |
| Acetone | Inhalation | kidney and/or bladder | Not classified | Guinea pig | NOAEL 119 mg/l | not available |
| Acetone | Inhalation | heart liver | Not classified | Rat | NOAEL 45 mg/l | 8 weeks |
| Acetone | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 900 mg/kg/day | 13 weeks |
| Acetone | Ingestion | heart | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| Acetone | Ingestion | hematopoietic system | Not classified | Rat | NOAEL 200 mg/kg/day | 13 weeks |
| Acetone | Ingestion | liver | Not classified | Mouse | NOAEL 3,896 mg/kg/day | 14 days |
| Acetone | Ingestion | eyes | Not classified | Rat | NOAEL 3,400 mg/kg/day | 13 weeks |
| Acetone | Ingestion | respiratory system | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| Acetone | Ingestion | muscles | Not classified | Rat | NOAEL 2,500 mg/kg | 13 weeks |
| Acetone | Ingestion | skin bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 11,298 mg/kg/day | 13 weeks |
| Butanone | Dermal | nervous system | Not classified | Guinea pig | NOAEL Not available | 31 weeks |
| Butanone | Inhalation | liver kidney and/or bladder heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system immune system muscles | Not classified | Rat | NOAEL 14.7 mg/l | 90 days |
| Butanone | Ingestion | liver | Not classified | Rat | NOAEL Not available | 7 days |
| Butanone | Ingestion | nervous system | Not classified | Rat | NOAEL 173 mg/kg/day | 90 days |
| Salicylic acid | Ingestion | liver | Not classified | Rat | NOAEL 500 mg/kg/day | 3 days |
| Toluene | Inhalation | auditory system eyes olfactory system | Causes damage to organs through prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| Toluene | Inhalation | nervous system | May cause damage to organs though prolonged or repeated exposure | Human | NOAEL Not available | poisoning and/or abuse |
| Toluene | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 2.3 mg/l | 15 months |
| Toluene | Inhalation | heart liver kidney and/or bladder | Not classified | Rat | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Inhalation | endocrine system | Not classified | Rat | NOAEL 1.1 | 4 weeks |

3M™ Nitrile High Performance Plastic Adhesive 1099

| | | | | | mg/l | |
|----------------|------------|---|--|-------------------------|-----------------------|-----------------------|
| Toluene | Inhalation | immune system | Not classified | Mouse | NOAEL Not available | 20 days |
| Toluene | Inhalation | bone, teeth, nails, and/or hair | Not classified | Mouse | NOAEL 1.1 mg/l | 8 weeks |
| Toluene | Inhalation | hematopoietic system vascular system | Not classified | Human | NOAEL Not available | occupational exposure |
| Toluene | Inhalation | gastrointestinal tract | Not classified | Multiple animal species | NOAEL 11.3 mg/l | 15 weeks |
| Toluene | Ingestion | nervous system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 625 mg/kg/day | 13 weeks |
| Toluene | Ingestion | heart | Not classified | Rat | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | liver kidney and/or bladder | Not classified | Multiple animal species | NOAEL 2,500 mg/kg/day | 13 weeks |
| Toluene | Ingestion | hematopoietic system | Not classified | Mouse | NOAEL 600 mg/kg/day | 14 days |
| Toluene | Ingestion | endocrine system | Not classified | Mouse | NOAEL 105 mg/kg/day | 28 days |
| Toluene | Ingestion | immune system | Not classified | Mouse | NOAEL 105 mg/kg/day | 4 weeks |
| Methyl Acetate | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 1.1 mg/l | 28 days |
| Methyl Acetate | Inhalation | endocrine system hematopoietic system liver immune system kidney and/or bladder | Not classified | Rat | NOAEL 6.1 mg/l | 28 days |
| Cyclohexane | Inhalation | liver | Not classified | Rat | NOAEL 24 mg/l | 90 days |
| Cyclohexane | Inhalation | auditory system | Not classified | Rat | NOAEL 1.7 mg/l | 90 days |
| Cyclohexane | Inhalation | kidney and/or bladder | Not classified | Rabbit | NOAEL 2.7 mg/l | 10 weeks |
| Cyclohexane | Inhalation | hematopoietic system | Not classified | Mouse | NOAEL 24 mg/l | 14 weeks |
| Cyclohexane | Inhalation | peripheral nervous system | Not classified | Rat | NOAEL 8.6 mg/l | 30 weeks |
| Zinc oxide | Ingestion | nervous system | Not classified | Rat | NOAEL 600 mg/kg/day | 10 days |
| Zinc oxide | Ingestion | endocrine system hematopoietic system kidney and/or bladder | Not classified | Other | NOAEL 500 mg/kg/day | 6 months |
| Phenol | Dermal | nervous system | May cause damage to organs though prolonged or repeated exposure | Rabbit | LOAEL 260 mg/kg/day | 18 days |
| Phenol | Inhalation | heart liver kidney and/or bladder respiratory system | Causes damage to organs through prolonged or repeated exposure | Guinea pig | LOAEL 0.1 mg/l | 41 days |
| Phenol | Inhalation | nervous system | May cause damage to organs though prolonged or repeated exposure | Multiple animal species | LOAEL 0.1 mg/l | 14 days |
| Phenol | Inhalation | hematopoietic system | Not classified | Human | NOAEL Not available | occupational exposure |
| Phenol | Inhalation | immune system | Not classified | Rat | NOAEL 0.1 mg/l | 2 weeks |
| Phenol | Ingestion | kidney and/or bladder | Causes damage to organs through prolonged or repeated exposure | Rat | NOAEL 12 mg/kg/day | 14 days |
| Phenol | Ingestion | hematopoietic system | Causes damage to organs through prolonged or repeated exposure | Mouse | LOAEL 1.8 mg/kg/day | 28 days |

| | | | | | | |
|-----------------|------------|--|--|-------------------------|-----------------------|-----------|
| Phenol | Ingestion | nervous system | May cause damage to organs though prolonged or repeated exposure | Rat | LOAEL 308 mg/kg/day | 13 weeks |
| Phenol | Ingestion | liver | Not classified | Rat | NOAEL 40 mg/kg/day | 14 days |
| Phenol | Ingestion | respiratory system | Not classified | Rat | LOAEL 40 mg/kg/day | 14 days |
| Phenol | Ingestion | immune system | Not classified | Mouse | NOAEL 1.8 mg/kg/day | 28 days |
| Phenol | Ingestion | endocrine system | Not classified | Rat | NOAEL 120 mg/kg/day | 14 days |
| Phenol | Ingestion | skin bone, teeth, nails, and/or hair | Not classified | Multiple animal species | NOAEL 1,204 mg/kg/day | 103 weeks |
| o-Cresol | Ingestion | nervous system | Not classified | Rat | NOAEL 600 mg/kg/day | 90 days |
| o-Cresol | Ingestion | hematopoietic system liver immune system kidney and/or bladder | Not classified | Rat | NOAEL 2,024 mg/kg/day | 90 days |
| Dichloromethane | Inhalation | kidney and/or bladder | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 6.95 mg/l | 2 years |
| Dichloromethane | Inhalation | liver | Some positive data exist, but the data are not sufficient for classification | Rat | NOAEL 0.17 mg/l | 2 years |
| Dichloromethane | Inhalation | respiratory system | Some positive data exist, but the data are not sufficient for classification | Multiple animal species | LOAEL 35 mg/l | 8 weeks |
| Dichloromethane | Inhalation | heart | Not classified | Human | NOAEL Not available | |
| Dichloromethane | Inhalation | immune system | Not classified | Rat | NOAEL 18 mg/l | 28 days |
| Dichloromethane | Ingestion | liver | Some positive data exist, but the data are not sufficient for classification | Rat | LOAEL 1,200 mg/kg/day | 3 months |
| Dichloromethane | Ingestion | blood | Not classified | Rat | NOAEL 249 mg/kg/day | 2 years |
| Dichloromethane | Ingestion | kidney and/or bladder | Not classified | Rat | NOAEL 1,469 mg/kg/day | 3 months |
| Dichloromethane | Ingestion | eyes | Not classified | Rat | NOAEL 249 mg/kg/day | 104 weeks |

Aspiration Hazard

| Name | Value |
|-------------|-------------------|
| Toluene | Aspiration hazard |
| Cyclohexane | Aspiration hazard |

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

GHS Acute 2: Toxic to aquatic life.

Chronic aquatic hazard:

GHS Chronic 2: Toxic to aquatic life with long lasting effects.

No product test data available.

| Material | CAS Nbr | Organism | Type | Exposure | Test endpoint | Test result |
|---------------------------------|------------|------------------|---|----------|---------------|-------------|
| Acetone | 67-64-1 | Algae other | Experimental | 96 hours | EC50 | 11,493 mg/l |
| Acetone | 67-64-1 | Crustacea other | Experimental | 24 hours | LC50 | 2,100 mg/l |
| Acetone | 67-64-1 | Rainbow trout | Experimental | 96 hours | LC50 | 5,540 mg/l |
| Acetone | 67-64-1 | Water flea | Experimental | 21 days | NOEC | 1,000 mg/l |
| Acetone | 67-64-1 | Bacteria | Experimental | 16 hours | NOEC | 1,700 mg/l |
| Acetone | 67-64-1 | Redworm | Experimental | 48 hours | LC50 | >100 |
| Acrylonitrile-Butadiene Polymer | 9003-18-3 | | Data not available or insufficient for classification | | | N/A |
| Phenolic Polymer | 55185-45-0 | | Data not available or insufficient for classification | | | N/A |
| Phenolic Resin | 25085-50-1 | | Data not available or insufficient for classification | | | N/A |
| Butanone | 78-93-3 | Activated sludge | Experimental | 12 hours | IC50 | 1,873 mg/l |
| Butanone | 78-93-3 | Bacteria | Experimental | 16 hours | NOEC | 1,150 mg/l |
| Butanone | 78-93-3 | Fathead minnow | Experimental | 96 hours | LC50 | 2,993 mg/l |
| Butanone | 78-93-3 | Green algae | Experimental | 96 hours | EC50 | 2,029 mg/l |
| Butanone | 78-93-3 | Water flea | Experimental | 48 hours | EC50 | 308 mg/l |
| Butanone | 78-93-3 | Green Algae | Experimental | 96 hours | EC10 | 1,289 mg/l |
| Butanone | 78-93-3 | Water flea | Experimental | 21 days | NOEC | 100 mg/l |
| Salicylic acid | 69-72-7 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Salicylic acid | 69-72-7 | Medaka | Experimental | 96 hours | LC50 | >100 mg/l |
| Salicylic acid | 69-72-7 | Water flea | Experimental | 48 hours | EC50 | 870 mg/l |
| Salicylic acid | 69-72-7 | Water flea | Experimental | 21 days | NOEC | 10 mg/l |
| Salicylic acid | 69-72-7 | Activated sludge | Experimental | 3 hours | EC50 | >3,200 |
| Salicylic acid | 69-72-7 | Bacteria | Experimental | 18 hours | EC10 | 465 |
| Zinc oxide | 1314-13-2 | Activated sludge | Estimated | 3 hours | EC50 | 6.5 mg/l |
| Zinc oxide | 1314-13-2 | Green Algae | Estimated | 72 hours | EC50 | 0.052 mg/l |
| Zinc oxide | 1314-13-2 | Rainbow trout | Estimated | 96 hours | LC50 | 0.21 mg/l |
| Zinc oxide | 1314-13-2 | Water flea | Estimated | 48 hours | EC50 | 0.07 mg/l |
| Zinc oxide | 1314-13-2 | Green Algae | Estimated | 72 hours | NOEC | 0.006 mg/l |
| Zinc oxide | 1314-13-2 | Water flea | Estimated | 7 days | NOEC | 0.02 mg/l |
| Cyclohexane | 110-82-7 | Bacteria | Experimental | 24 hours | IC50 | 97 mg/l |
| Cyclohexane | 110-82-7 | Fathead minnow | Experimental | 96 hours | LC50 | 4.53 mg/l |
| Cyclohexane | 110-82-7 | Water flea | Experimental | 48 hours | EC50 | 0.9 mg/l |

3M™ Nitrile High Performance Plastic Adhesive 1099

| | | | | | | |
|---|------------|------------------|--------------|----------|------|------------------------------|
| Methyl Acetate | 79-20-9 | Bacteria | Experimental | 16 hours | EC50 | 6,000 mg/l |
| Methyl Acetate | 79-20-9 | Green algae | Experimental | 72 hours | EC50 | >120 mg/l |
| Methyl Acetate | 79-20-9 | Water flea | Experimental | 48 hours | EC50 | 1,026.7 mg/l |
| Methyl Acetate | 79-20-9 | Green algae | Experimental | 72 hours | NOEC | 120 mg/l |
| Toluene | 108-88-3 | Coho Salmon | Experimental | 96 hours | LC50 | 5.5 mg/l |
| Toluene | 108-88-3 | Grass Shrimp | Experimental | 96 hours | LC50 | 9.5 mg/l |
| Toluene | 108-88-3 | Green Algae | Experimental | 72 hours | EC50 | 12.5 mg/l |
| Toluene | 108-88-3 | Leopard frog | Experimental | 9 days | LC50 | 0.39 mg/l |
| Toluene | 108-88-3 | Pink Salmon | Experimental | 96 hours | LC50 | 6.41 mg/l |
| Toluene | 108-88-3 | Water flea | Experimental | 48 hours | EC50 | 3.78 mg/l |
| Toluene | 108-88-3 | Coho Salmon | Experimental | 40 days | NOEC | 1.39 mg/l |
| Toluene | 108-88-3 | Diatom | Experimental | 72 hours | NOEC | 10 mg/l |
| Toluene | 108-88-3 | Water flea | Experimental | 7 days | NOEC | 0.74 mg/l |
| Toluene | 108-88-3 | Activated sludge | Experimental | 12 hours | IC50 | 292 mg/l |
| Toluene | 108-88-3 | Bacteria | Experimental | 16 hours | NOEC | 29 mg/l |
| Toluene | 108-88-3 | Bacteria | Experimental | 24 hours | EC50 | 84 mg/l |
| Toluene | 108-88-3 | Redworm | Experimental | 28 days | LC50 | >150 mg per kg of bodyweight |
| Toluene | 108-88-3 | Soil microbes | Experimental | 28 days | NOEC | <26 mg/kg (Dry Weight) |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Activated sludge | Experimental | 3 hours | EC50 | >100 mg/l |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Green algae | Experimental | 72 hours | EC50 | >100 mg/l |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Water flea | Experimental | 24 hours | EC50 | 0.82 mg/l |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Zebra Fish | Experimental | 96 hours | LC50 | >71 mg/l |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4- | 68411-46-1 | Green algae | Experimental | 72 hours | NOEC | 10 mg/l |

| | | | | | | |
|---|------------|---------------------|--------------|------------|------|------------|
| Trimethylpente ne | | | | | | |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4- Trimethylpente ne | 68411-46-1 | Water flea | Experimental | 21 days | EC10 | 1.69 mg/l |
| Phenol | 108-95-2 | Bacteria | Experimental | 24 hours | IC50 | 21 mg/l |
| Phenol | 108-95-2 | Green algae | Experimental | 96 hours | EC50 | 61.1 mg/l |
| Phenol | 108-95-2 | Rainbow trout | Experimental | 96 hours | LC50 | 8.9 mg/l |
| Phenol | 108-95-2 | Water flea | Experimental | 48 hours | EC50 | 3.1 mg/l |
| Phenol | 108-95-2 | Fish other | Experimental | 60 days | NOEC | 0.077 mg/l |
| Phenol | 108-95-2 | Water flea | Experimental | 16 days | NOEC | 0.16 mg/l |
| o-Cresol | 95-48-7 | Activated sludge | Experimental | 5 days | EC50 | 940 mg/l |
| o-Cresol | 95-48-7 | Bacteria | Experimental | 16 hours | NOEC | 33 mg/l |
| o-Cresol | 95-48-7 | Fish other | Experimental | 96 hours | LC50 | 6.2 mg/l |
| o-Cresol | 95-48-7 | Green Algae | Experimental | 96 hours | EC50 | 65 mg/l |
| o-Cresol | 95-48-7 | Water flea | Experimental | 48 hours | LC50 | 9.6 mg/l |
| o-Cresol | 95-48-7 | Fathead minnow | Estimated | 32 days | NOEC | 1.35 mg/l |
| o-Cresol | 95-48-7 | Water flea | Estimated | 21 days | NOEC | 1 mg/l |
| o-Cresol | 95-48-7 | Algae | Experimental | 96 hours | NOEC | 40 mg/l |
| Dichlorometha ne | 75-09-2 | Fathead minnow | Experimental | 96 hours | LC50 | 193 mg/l |
| Dichlorometha ne | 75-09-2 | Green Algae | Experimental | 72 hours | EC50 | 242 mg/l |
| Dichlorometha ne | 75-09-2 | Water flea | Experimental | 48 hours | LC50 | 27 mg/l |
| Dichlorometha ne | 75-09-2 | Fathead minnow | Experimental | 28 days | NOEC | 83 mg/l |
| Dichlorometha ne | 75-09-2 | Green Algae | Experimental | 72 hours | EC10 | 115 mg/l |
| Dichlorometha ne | 75-09-2 | Activated sludge | Experimental | 40 minutes | EC50 | 2,590 mg/l |

12.2. Persistence and degradability

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|--|------------|--|----------|-----------------------------------|---|-----------------------------------|
| Acetone | 67-64-1 | Experimental Photolysis | | Photolytic half- life (in air) | 147 days (t 1/2) | |
| Acetone | 67-64-1 | Experimental Biodegradation | 28 days | BOD | 78 % BOD/ThBOD | OECD 301D - Closed bottle test |
| Acrylonitrile- Butadiene Polymer | 9003-18-3 | Data not available- insufficient | | | N/A | |
| Phenolic Polymer | 55185-45-0 | Data not available- insufficient | | | N/A | |
| Phenolic Resin | 25085-50-1 | Experimental Biodegradation | 28 days | CO2 evolution | 0 %CO2 evolution/THC O2 evolution | |

| | | | | | | |
|---|------------|---------------------------------|-----------|-------------------------------|-------------------|-------------------------------------|
| Butanone | 78-93-3 | Experimental Biodegradation | 28 days | BOD | 98 % BOD/ThBOD | OECD 301D - Closed bottle test |
| Salicylic acid | 69-72-7 | Experimental Biodegradation | 14 days | BOD | 88.1 % BOD/ThBOD | OECD 301C - MITI test (I) |
| Zinc oxide | 1314-13-2 | Data not available-insufficient | | | N/A | |
| Cyclohexane | 110-82-7 | Experimental Photolysis | | Photolytic half-life (in air) | 4.14 days (t 1/2) | Non-standard method |
| Cyclohexane | 110-82-7 | Experimental Biodegradation | 28 days | BOD | 77 % BOD/ThBOD | OECD 301F - Manometric respirometry |
| Methyl Acetate | 79-20-9 | Experimental Biodegradation | 28 days | BOD | 70 % weight | OECD 301D - Closed bottle test |
| Toluene | 108-88-3 | Experimental Photolysis | | Photolytic half-life (in air) | 5.2 days (t 1/2) | |
| Toluene | 108-88-3 | Experimental Biodegradation | 20 days | BOD | 80 % BOD/ThBOD | APHA Std Meth Water/Wastewater |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Experimental Biodegradation | 28 days | CO2 evolution | <=1 % weight | OECD 301B - Modified sturm or CO2 |
| Phenol | 108-95-2 | Experimental Biodegradation | 100 hours | BOD | 62 % BOD/ThBOD | OECD 301C - MITI test (I) |
| o-Cresol | 95-48-7 | Experimental Biodegradation | 20 days | BOD | 86 % BOD/ThBOD | Non-standard method |
| Dichloromethane | 75-09-2 | Experimental Photolysis | | Photolytic half-life (in air) | 226 days (t 1/2) | |
| Dichloromethane | 75-09-2 | Experimental Biodegradation | 28 days | BOD | 68 % BOD/ThBOD | OECD 301D - Closed bottle test |

12.3 : Bioaccumulative potential

| Material | CAS Nbr | Test type | Duration | Study Type | Test result | Protocol |
|---------------------------------|------------|---|----------|------------------------|-------------|---------------------|
| Acetone | 67-64-1 | Experimental BCF - Other | | Bioaccumulation factor | 0.65 | |
| Acetone | 67-64-1 | Experimental Bioconcentration | | Log Kow | -0.24 | |
| Acrylonitrile-Butadiene Polymer | 9003-18-3 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Phenolic Polymer | 55185-45-0 | Data not available or insufficient for classification | N/A | N/A | N/A | N/A |
| Phenolic Resin | 25085-50-1 | Estimated Bioconcentration | | Bioaccumulation factor | 7.4 | Non-standard method |
| Butanone | 78-93-3 | Experimental | | Log Kow | 0.29 | Non-standard method |

| | | | | | | |
|---|------------|-------------------------------|----------|------------------------|------|--|
| | | Bioconcentration | | | | |
| Salicylic acid | 69-72-7 | Experimental Bioconcentration | | Log Kow | 2.26 | |
| Zinc oxide | 1314-13-2 | Experimental BCF-Carp | 56 days | Bioaccumulation factor | ≤217 | OECD 305E - Bioaccumulation flow-through fish test |
| Cyclohexane | 110-82-7 | Experimental BCF-Carp | 56 days | Bioaccumulation factor | 129 | OECD 305E - Bioaccumulation flow-through fish test |
| Methyl Acetate | 79-20-9 | Experimental Bioconcentration | | Log Kow | 0.18 | Non-standard method |
| Toluene | 108-88-3 | Experimental BCF - Other | 72 hours | Bioaccumulation factor | 90 | |
| Toluene | 108-88-3 | Experimental Bioconcentration | | Log Kow | 2.73 | |
| Benzenamine, N-Phenyl-, Reaction Products With 2,4,4-Trimethylpentene | 68411-46-1 | Estimated BCF-Carp | 42 days | Bioaccumulation factor | 1730 | Non-standard method |
| Phenol | 108-95-2 | Experimental Bioconcentration | | Log Kow | 1.47 | Non-standard method |
| o-Cresol | 95-48-7 | Experimental BCF - Other | | Bioaccumulation factor | 10.7 | OECD 305E - Bioaccumulation flow-through fish test |
| Dichloromethane | 75-09-2 | Experimental BCF-Carp | 42 days | Bioaccumulation factor | ≤40 | OECD305-Bioconcentration |
| Dichloromethane | 75-09-2 | Experimental Bioconcentration | | Log Kow | 1.25 | |

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other Adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Incinerate in a permitted waste incineration facility. As a disposal alternative, utilize an acceptable permitted waste disposal facility. Empty drums/barrels/containers used for transporting and handling hazardous chemicals (chemical substances/mixtures/preparations classified as Hazardous as per applicable regulations) shall be considered, stored, treated & disposed of as hazardous wastes unless otherwise defined by applicable waste regulations. Consult with the respective regulating authorities to determine the available treatment and disposal facilities.

SECTION 14: Transport Information

Air Transport (IATA) Regulations

UN No UN1133

Proper Shipping Name Adhesives

Hazard Class/Division 3

Subsidiary Risk Not applicable

Packing Group: II

Marine Transport (IMDG)

UN No UN1133

Proper Shipping Name Adhesives

Hazard Class/Division 3

Subsidiary Risk Not applicable

Packing Group: II

Environmental Hazards: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information. The components of this material are in compliance with the provisions of the Korea Chemical Control Act. Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Australia National Industrial Chemical Notification and Assessment Scheme (NICNAS). Certain restrictions may apply. Contact the selling division for additional information. The components of this material are in compliance with the provisions of Philippines RA 6969 requirements. Certain restrictions may apply. Contact the selling division for additional information. The components of this product are in compliance with the new substance notification requirements of CEPA. This product complies with Measures on Environmental Management of New Chemical Substances. All ingredients are listed on or exempt from on China IECSC inventory. The components of this product are in compliance with the chemical notification requirements of TSCA. All required components of this product are listed on the active portion of the TSCA Inventory.

Applicable Environmental, Health and Safety Regulations

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989

Hazardous Waste(Management , Handling & Transboundary) Rules, 2008

Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules

2-Butanone

Acetone

Cyclohexane

Butanone

Dichloromethane

o-Cresol

Phenol

Phenol, 2-methyl-

Toluene

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

The product is classified as Very Highly Flammable liquid as per MSIHC Rules, 1989.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 3 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision information:

Section 2: Ingredient table information was modified.

Section 11: Acute Toxicity table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12: Biocumulative potential information information was modified.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M India SDSs are available at <http://solutions.3mindia.co.in>