

## **Safety Data Sheet**

Copyright, 2018, 3M India Company.

All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

**Document group:** 30-2867-7 **Version number:** 1.01

**Issue Date:** 23/07/2018 **Supersedes date:** 09/03/2017

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

### **SECTION 1: Identification**

#### 1.1. Product identifier

3M<sup>TM</sup> ESPE<sup>TM</sup> RETRACTION CAPSULE

#### **Product Identification Numbers**

70-2011-3729-9 70-2011-3730-7 70-2011-3731-5

#### 1.2. Recommended use and restrictions on use

#### Recommended use

Dental Product, Retraction Paste

#### Restrictions on use

For use by dental professionals only.

### 1.3. Supplier's details

Address: 3M India Limited, plot-48-51, Electronic city, Hosur road, Bangalore-560100

**Telephone:** 080-39143000, contact Product EHS team

E Mail: productehs.in@mmm.com
Website: http://solutions.3mindia.co.in

### 1.4. Emergency telephone number

080-39143000 (Contact hours: 8:00 AM to 5:00 PM)

### **SECTION 2: Hazard identification**

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

### 2.1. Classification of the substance or mixture

Acute Toxicity (oral): Category 5. Acute Aquatic Toxicity: Category 3. Chronic Aquatic Toxicity: Category 3.

#### 2.2. Label elements

Signal Word

WARNING!

**Symbols** 

**Pictograms** 

**HAZARD STATEMENTS:** 

H303 May be harmful if swallowed.

H412 Harmful to aquatic life with long lasting effects.

#### PRECAUTIONARY STATEMENTS

Disposal:

P501 Dispose of contents/container in accordance with applicable

local/regional/national/international regulations.

#### 2.3. Other hazards

None known.

# **SECTION 3: Composition/information on ingredients**

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
MICA GROUP MINERALS	12001-26-2	60 - 70
Aluminium chloride, hexahydrate	7784-13-6	< 20
Water	7732-18-5	10 - 20
Kaolin	1332-58-7	< 5
POLY(dimethylsiloxane)	63148-62-9	< 5

### **SECTION 4: First aid measures**

### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

See Section 11.1 Information on toxicological effects

### 4.3. Indication of any immediate medical attention and special treatment required

Not applicable

# **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **Hazardous Decomposition or By-Products**

SubstanceConditionCarbon monoxide.During combustion.Carbon dioxide.During combustion.Hydrogen ChlorideDuring combustion.Oxides of nitrogen.During combustion.

#### 5.3. Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

#### 6.2. Environmental precautions

Avoid release to the environment.

### 6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

# **SECTION 7: Handling and storage**

#### 7.1. Precautions for safe handling

Avoid prolonged or repeated skin contact. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Avoid release to the environment.

#### 7.2. Conditions for safe storage including any incompatibilities

Store away from heat.

### **SECTION 8: Exposure controls/personal protection**

#### 8.1 Control parameters

#### Occupational exposure limits

If a component is disclosed in section 3 but does not appear in the table below, an occupational exposure limit is not available for the component.

Ingredient	CAS Nbr	Agency	Limit type	Additional comments
MICA GROUP MINERALS	12001-26-2	ACGIH	TWA(respirable fraction):3	
			mg/m3	
Kaolin	1332-58-7	ACGIH	TWA(respirable fraction):2	A4: Not class. as human

mg/m3 carein

ACGIH: American Conference of Governmental Industrial Hygienists

AIHA: American Industrial Hygiene Association

CMRG: Chemical Manufacturer's Recommended Guidelines

TWA: Time-Weighted-Average STEL: Short Term Exposure Limit

CEIL: Ceiling

#### 8.2. Exposure controls

### 8.2.1. Engineering controls

Use in a well-ventilated area.

#### 8.2.2. Personal protective equipment (PPE)

#### Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

#### Skin/hand protection

See Section 7.1 for additional information on skin protection.

#### **Respiratory protection**

None required.

# **SECTION 9: Physical and chemical properties**

#### 9.1. Information on basic physical and chemical properties

Physical stateSolid.Specific Physical Form:Paste

Appearance/Odour odourless, light blue, paste

**Odour threshold** *No data available.* 

**pH** 3.2 - 4 [Details:10% aqueous solution]

Melting point/Freezing point: NA

Not applicable.

Not applicable.

Not applicable.

Flash point > 93 °C (200 °F)

Evaporation rate

Flammability (solid, gas)

Flammable Limits(LEL)

Flammable Limits(UEL)

Vapour pressure

Vapour density

No data available.

1.8 g/cm3 - 2.2 g/cm3

**Relative density** 1.8 - 2.2 [*Ref Std*:WATER=1]

Water solubility Appreciable Solubility- non-water No data available. Partition coefficient: n-octanol/water No data available. **Autoignition temperature** No data available. **Decomposition temperature** No data available. Viscosity No data available. Volatile organic compounds (VOC) No data available. VOC less H2O & exempt solvents No data available.

# **SECTION 10: Stability and reactivity**

#### 10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

#### 10.2 Chemical stability

Stable.

#### 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

#### 10.4 Conditions to avoid

Heat

#### 10.5 Incompatible materials

None known.

#### 10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

#### 11.1 Information on Toxicological effects

#### Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

No known health effects.

#### Skin contact

Contact with the skin during product use is not expected to result in significant irritation.

#### Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

#### Ingestion

May be harmful if swallowed.

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or

\_\_\_\_\_\_

the data are not sufficient for classification.

#### **Acute Toxicity**

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE2,000 - 5,000 mg/kg
MICA GROUP MINERALS	Dermal		LD50 estimated to be > 5,000 mg/kg
MICA GROUP MINERALS	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Kaolin	Dermal		LD50 estimated to be > 5,000 mg/kg
Kaolin	Ingestion	Human	LD50 > 15,000 mg/kg
POLY(dimethylsiloxane)	Dermal	Rabbit	LD50 > 19,400 mg/kg
POLY(dimethylsiloxane)	Ingestion	Rat	LD50 > 17,000 mg/kg

ATE = acute toxicity estimate

#### Skin Corrosion/Irritation

Name	Species	Value
Overall product	Rabbit	No significant irritation
Kaolin	Professio	No significant irritation
	nal	
	judgemen	
	t	
POLY(dimethylsiloxane)	Rabbit	No significant irritation

### Serious Eye Damage/Irritation

serious Lye Luminger irritation		
Name	Species	Value
Overall product	Rabbit	No significant irritation
Kaolin	Professio	No significant irritation
	nal	
	judgemen	
	t	
POLY(dimethylsiloxane)	Rabbit	No significant irritation

#### **Skin Sensitisation**

Name	Species	Value
Overall product	Guinea pig	Not classified

### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### **Germ Cell Mutagenicity**

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Carcinogenicity

Name	Route	Species	Value
Kaolin	Inhalation	Multiple	Not carcinogenic
		animal	
		species	

### Reproductive Toxicity

#### Reproductive and/or Developmental Effects

For the component/components, either no data are currently available or the data are not sufficient for classification.

### Target Organ(s)

### Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
MICA GROUP MINERALS	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL Not available	occupational exposure
Kaolin	Inhalation	pneumoconiosis	Causes damage to organs through prolonged or repeated exposure	Human	NOAEL NA	occupational exposure
Kaolin	Inhalation	pulmonary fibrosis	Not classified	Rat	NOAEL Not available	

#### **Aspiration Hazard**

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

### **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

#### 12.1. Toxicity

#### Acute aquatic hazard:

GHS Acute 3: Harmful to aquatic life.

### Chronic aquatic hazard:

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
MICA GROUP MINERALS	12001-26-2		Data not available or insufficient for classification			
Aluminium chloride, hexahydrate	7784-13-6	Green Algae	Estimated	72 hours	EC50	19.7 mg/l
Aluminium chloride, hexahydrate	7784-13-6	Rainbow trout	Estimated	96 hours	LC50	5.1 mg/l
Aluminium chloride, hexahydrate	7784-13-6	Water flea	Estimated	48 hours	EC50	2.72 mg/l
Kaolin	1332-58-7	Water flea	Experimental	48 hours	LC50	>1,100 mg/l
POLY(dimethy lsiloxane)	63148-62-9		Data not available or insufficient for classification			

### 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
MICA GROUP	12001-26-2	Data not			N/A	
MINERALS		available-				
		insufficient				
Aluminium	7784-13-6	Data not			N/A	
chloride,		available-				
hexahydrate		insufficient				
Kaolin	1332-58-7	Data not			N/A	
		available-				
		insufficient				
POLY(dimethy	63148-62-9	Data not			N/A	
lsiloxane)		available-				
		insufficient				

### 12.3: Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
MICA GROUP	12001-26-2	Data not	N/A	N/A	N/A	N/A
MINERALS		available or				
		insufficient for				
		classification				
Aluminium	7784-13-6	Data not	N/A	N/A	N/A	N/A
chloride,		available or				
hexahydrate		insufficient for				
		classification				
Kaolin	1332-58-7	Data not	N/A	N/A	N/A	N/A
		available or				
		insufficient for				
		classification				
POLY(dimethy	63148-62-9	Data not	N/A	N/A	N/A	N/A
lsiloxane)		available or				
		insufficient for				
		classification				

### 12.4. Mobility in soil

Please contact manufacturer for more details

### 12.5 Other Adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of waste product in a permitted industrial waste facility.

# **SECTION 14: Transport Information**

Not hazardous for transportation.

Air Transport (IATA)Regulations

\_\_\_\_\_\_

UN No Not applicable

Proper Shipping Name Not applicable
Hazard Classs/Division Not applicable
Subsidiary Risk Not applicable
Packing Group: Not applicable

#### **Marine Transport (IMDG)**

UN No Not applicable

Proper Shipping NameNot applicableHazard Classs/DivisionNot applicableSubsidiary RiskNot applicablePacking Group:Not applicable

**Environmental Hazards:** Not applicable

### **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Global inventory status

Contact 3M for more information. The components of this product are in compliance with the new substance notification requirements of CEPA.

#### Applicable Environmental, Health and Safety Regulations

Not applicable

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules

None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

Product is classified as non-hazardous

### **SECTION 16: Other information**

#### NFPA Hazard Classification

Health: 0 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

#### **Revision information:**

Section 14: Packing group (IMO) information was added.

Section 6: Accidental release clean-up information information was modified.

Section 11: Skin Sensitization Table information was modified.

Section 11: Target Organs - Repeated Table information was modified.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

Section 12:Bioccumulative potential information information was modified.

Section 13: 13.1. Waste disposal note information was modified.

Section 14: Environmental hazards information was added.

Section 14: IMO Subsidiary Risk information was added.

Section 14: IMO transport hazard classes information was added.

D. O.

Section 14: Proper Shipping Name (IMO) information was added.

Section 14: UN Number (IMO) information was added.

DISCLAIMER: The information on this Safety Data Sheet is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this Data Sheet or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own test to satisfy themselves as to the suitability of the product for their own intended applications.

3M India SDSs are available at http://solutions.3mindia.co.in