

# Safety Data Sheet

Copyright,2024, 3M India Limited.All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

This product is defined as an article as per the Occupational Safety and Health Administration's Hazard Communication Standard (29 CFR 1910.1200(b)(6)(v)). As defined in this Standard:

'Article' means a manufactured item other than a fluid or particle: (i) which is formed to a specific shape or design during manufacture; (ii) which has end use function(s) dependent in whole or in part upon its shape or design during end use; and (iii) which under normal conditions of use does not release more than very small quantities, e.g., minute or trace amounts of a hazardous chemical, and which does not pose a physical hazard or health risk to employees.

When used under reasonable conditions and in accordance with the directions for use, the product should not present a health and safety hazard. However, use or processing of the product in a manner not in accordance with the directions for use may affect its performance and present potential health and safety hazards.

Document group:	19-4935-3	Version number:	1.01
Issue Date:	07/02/2024	Supersedes date:	23/09/2021

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

# **SECTION 1: Identification**

## 1.1. Product identifier

3M<sup>™</sup> Interam<sup>™</sup> Mat Mount 1600HTE

#### 1.2. Recommended use and restrictions on use

## **Recommended use**

Mounting of catalytic converters and diesel filters

## 1.3. Supplier's details

Address:	3M India Limited, plot-48-51, Electronic city, Hosur road, Bangalore-560100
Telephone:	080-45543000, contact Product EHS team
E Mail:	productehs.in@mmm.com
Website:	http://solutions.3mindia.co.in

**1.4. Emergency telephone number** 

080-45543000 (Contact hours: 8:00 AM to 5:00 PM)

# **SECTION 2: Hazard identification**

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

## 2.1. Classification of the substance or mixture

Not classified as hazardous according to UN GHS criteria.

## **2.2. Label elements Signal Word** Not applicable.

**Symbols** Not applicable

# Pictograms

Not applicable

## 2.3. Other hazards

None known.

## **SECTION 3: Composition/information on ingredients**

#### This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Aluminum chloride, basic, reaction products	675106-31-7	93 - 97
with silica		
Acrylic copolymer	Trade Secret	3 - 7

# **SECTION 4: First aid measures**

#### 4.1. Description of first aid measures

#### Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

#### Skin contact

Wash with soap and water. If signs/symptoms develop, get medical attention.

#### Eye contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

#### If swallowed

Rinse mouth. If you feel unwell, get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

No critical symptoms or effects. See Section 11.1, information on toxicological effects.

#### **4.3. Indication of any immediate medical attention and special treatment required** Not applicable

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable Extinguishing media

Material will not burn. Use a fire fighting agent suitable for the surrounding fire.

#### 5.2. Special hazards arising from the substance or mixture

None inherent in this product.

#### **5.3.** Special protective actions for fire-fighters

No special protective actions for fire-fighters are anticipated.

## **SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures** Not applicable.

## 6.2. Environmental precautions

Not applicable.

## 6.3. Methods and material for containment and cleaning up

Not applicable.

# **SECTION 7: Handling and storage**

## 7.1. Precautions for safe handling

Avoid breathing of vapours created during the cure cycle. This product is considered to be an article which does not release or otherwise result in exposure to a hazardous chemical under normal use conditions. For industrial/occupational use only. Not for consumer sale or use. Avoid breathing dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Solids can generate static electricity charges when transferred and in mixing operations sufficient to be an ignition source. Evaluate the need for precautions, such as grounding and bonding, low energy transfer of material (e.g. low speed, short distance), or inert atmospheres.

## 7.2. Conditions for safe storage including any incompatibilities

Not applicable.

# **SECTION 8: Exposure controls/personal protection**

#### **8.1 Control parameters**

#### **Occupational exposure limits**

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

## 8.2. Exposure controls

# **8.2.1. Engineering controls** Not applicable.

#### **8.2.2.** Personal protective equipment (PPE)

#### Eye/face protection

Eye protection not required. Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended: Safety glasses with side shields.

## Skin/hand protection

PPE No chemical protective gloves are required.

#### **Respiratory protection**

Respiratory protection is not required.

An exposure assessment may be needed to decide if a respirator is required. If a respirator is needed, use respirators as part of a full respiratory protection program. Based on the results of the exposure assessment, select from the following respirator type(s) to reduce inhalation exposure:

Half facepiece or full facepiece air-purifying respirator suitable for particulates

For questions about suitability for a specific application, consult with your respirator manufacturer.

# **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Physical state	Solid.
Specific Physical Form:	Non-Woven Material
Color	Speckled Gray, White
Odor	Odourless
Odour threshold	Not applicable.
рН	Not applicable.
Melting point/Freezing point: NA	>=1,823 °C
Boiling point/Initial boiling point/Boiling range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Flammability (solid, gas)	Not classified
Flammable Limits(LEL)	Not applicable.
Flammable Limits(UEL)	Not applicable.
Vapour pressure	Not applicable.
Vapor Density and/or Relative Vapor Density	Not applicable.
Density	150 - 210 kg/m3
Relative density	[ <i>Ref Std</i> :WATER=1] <i>Not applicable</i> .
Water solubility	Not applicable.
Solubility- non-water	Not applicable.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	Not applicable.
Decomposition temperature	Not applicable.
Viscosity/Kinematic Viscosity	Not applicable.
Volatile organic compounds (VOC)	Not applicable.
Percent volatile	Not applicable.
VOC less H2O & exempt solvents	Not applicable.
Molecular weight	No data available.

# **SECTION 10: Stability and reactivity**

## **10.1 Reactivity**

This material is considered to be non reactive under normal use conditions

## 10.2 Chemical stability

Stable.

## 10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

## **10.4 Conditions to avoid**

None known.

## **10.5 Incompatible materials**

None known.

## **10.6 Hazardous decomposition products**

#### **Substance**

Not applicable.

Condition

Not specified.

Under recommended usage conditions, hazardous decomposition products are not expected. Hazardous decomposition products may occur as a result of oxidation, heating, or reaction with another material.

# **SECTION 11: Toxicological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

**11.1 Information on Toxicological effects** 

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

#### Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

#### Skin contact

Mechanical skin irritation: Signs/symptoms may include abrasion, redness, pain, and itching.

#### Eye contact

Mechanical eye irritation: Signs/symptoms may include pain, redness, tearing and corneal abrasion.

#### Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea.

#### **Additional information:**

This product, when used under reasonable conditions and in accordance with the 3M directions for use, should not present a health hazard. However, use or processing of the product in a manner not in accordance with the product's directions for use may affect the performance of the product and may present potential health and safety hazards

#### **Toxicological Data**

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

#### Acute Toxicity

Name	Route	Species	Value
Overall product	Ingestion		No data available; calculated ATE >5,000 mg/kg
Aluminum chloride, basic, reaction products with silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Aluminum chloride, basic, reaction products with silica	Ingestion	Rat	LD50 > 4,000 mg/kg

ATE = acute toxicity estimate

#### **Skin Corrosion/Irritation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Serious Eye Damage/Irritation

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Sensitization:

## **Skin Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### **Respiratory Sensitisation**

For the component/components, either no data are currently available or the data are not sufficient for classification.

#### Germ Cell Mutagenicity

Name	Route	Value
Aluminum chloride, basic, reaction products with silica	In Vitro	Not mutagenic

## Carcinogenicity

Name	Route	Species	Value
Aluminum chloride, basic, reaction products with silica	Inhalation	Rat	Not carcinogenic

## **Reproductive Toxicity**

## **Reproductive and/or Developmental Effects**

For the component/components, either no data are currently available or the data are not sufficient for classification.

## **Target Organ(s)**

## Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

## Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Aluminum chloride, basic, reaction products with silica	Inhalation	pulmonary fibrosis	Not classified	Rat	NOAEL 0.012 mg/l	86 weeks

## Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

# **SECTION 12: Ecological information**

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

## 12.1. Toxicity

#### Acute aquatic hazard:

Not acutely toxic to aquatic life by GHS criteria.

## Chronic aquatic hazard:

Not chronically toxic to aquatic life by GHS criteria.

No product test data available.

Material	CAS Nbr	Organism	Туре	Exposure	Test endpoint	Test result
Aluminum	675106-31-7	N/A	Data not available	N/A	N/A	N/A
chloride, basic,			or insufficient for			
reaction products			classification			
with silica						

## 12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Aluminum chloride, basic, reaction products with silica	675106-31-7	Data not available- insufficient	N/A	N/A	N/A	N/A

## **12.3 : Bioaccumulative potential**

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Aluminum	675106-31-7	Data not available	N/A	N/A	N/A	N/A
chloride, basic,		or insufficient for				
reaction products		classification				
with silica						

## 12.4. Mobility in soil

Please contact manufacturer for more details

## 12.5 Other Adverse effects

No information available.

# **SECTION 13: Disposal considerations**

#### 13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Prior to disposal, consult all applicable authorities and regulations to insure proper classification. Dispose of waste product in a permitted industrial waste facility. As a disposal alternative, incinerate in a permitted waste incineration facility. If no other disposal options are available, waste product may be placed in a landfill properly designed for industrial waste.

# **SECTION 14: Transport Information**

Not hazardous for transportation.

#### Air Transport (IATA)Regulations

UN No Not applicable Proper Shipping Name Not applicable Hazard Classs/Division Not applicable Subsidiary Risk Not applicable Packing Group: Not applicable

Marine Transport (IMDG)UN NoNot applicableProper Shipping NameNot applicable

Hazard Classs/Division Not applicable Subsidiary Risk Not applicable Packing Group: Not applicable Environmental Hazards: Not applicable

# **SECTION 15: Regulatory information**

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **Global inventory status**

Contact 3M for more information.

#### **Applicable Environmental, Health and Safety Regulations**

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989 Hazardous Waste(Management, Handling & Transboundary) Rules, 2008 Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules: The product is classified as Non-Hazardous as per MSIHC Rules, 1989.

## **SECTION 16: Other information**

#### NFPA Hazard Classification

Health: 1 Flammability: 1 **Instability:** 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

## **Revision information:**

Section 02: GHS Classification Statements information was added. Section 02: GHS Pictogram Not Applicable information was added. Section 02: GHS Signal Word - Not applicable information was added. Section 02: GHS Symbol Text - Not applicable information was added. Label: GHS Classification information was deleted. Label: Graphic information was deleted.

Section 09: Nanoparticle information was deleted.

Section 12: Component ecotoxicity information information was modified.

Section 12: Persistence and Degradability information information was modified.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

## 3M India SDSs are available at http://solutions.3mindia.co.in