

Safety Data Sheet

Copyright, 2023, 3M India Limited. All rights reserved. Copying and/or downloading of this information for the purpose of properly utilizing 3M products is allowed provided that: (1) the information is copied in full with no changes unless prior written agreement is obtained from 3M, and (2) neither the copy nor the original is resold or otherwise distributed with the intention of earning a profit thereon.

Document group: 36-6354-9 **Version number:** 1.04

Issue Date: 01/09/2023 **Supersedes date:** 10/12/2020

This Safety Data Sheet has been prepared in accordance with the GHS guidelines & India Hazardous substances (Classification, Labeling & Packaging) Draft Rules 2011.

SECTION 1: Identification

1.1. Product identifier

3MTM FiltekTM One Bulk Fill Restorative

Product Identification Numbers

70-2014-0493-9

1.2. Recommended use and restrictions on use

Recommended use

Dental Restorative, Restrictions on Use: For use only by dental professionals in approved indications

1.3. Supplier's details

Address: 3M India Limited, plot-48-51, Electronic city, Hosur road, Bangalore-560100

Telephone: 080-45543000, contact Product EHS team

E Mail: productehs.in@mmm.com
Website: http://solutions.3mindia.co.in

1.4. Emergency telephone number

080-45543000 (Contact hours: 8:00 AM to 5:00 PM)

SECTION 2: Hazard identification

Under MSIHC Rules, information is noted below on flammability, acute toxicity and explosivity relevant to this product. In line with international standards, information on other hazard classes and associated precautionary statements relevant to this product are included as well.

2.1. Classification of the substance or mixture

Skin Sensitizer: Category 1B.

Reproductive Toxicity: Category 1B. Acute Aquatic Toxicity: Category 2. Chronic Aquatic Toxicity: Category 3.

2.2. Label elements

Signal Word

Danger

Symbols

Exclamation mark | Health Hazard |

Pictograms





HAZARD STATEMENTS:

H317 May cause an allergic skin reaction. H360 May damage fertility or the unborn child.

H401 Toxic to aquatic life.

H412 Harmful to aquatic life with long lasting effects.

PRECAUTIONARY STATEMENTS

Prevention:

P201 Obtain special instructions before use.

P280E Wear protective gloves.

Response:

P308 + P313 IF exposed or concerned: Get medical advice/attention.
P333 + P313 If skin irritation or rash occurs: Get medical advice/attention.

2.3. Other hazards

A similar mixture has been tested for acute oral toxicity and the test results do not meet the criteria for classification. A similar mixture has been tested for acute dermal toxicity and the test results do not meet the criteria for classification.

SECTION 3: Composition/information on ingredients

This material is a mixture.

Ingredient	CAS Nbr	% by Wt
Silane Treated Ceramic	444758-98-9	60 - 70
Aromatic Urethane Dimethacrylate	1431303-59-1	10 - 20
Diurethane Dimethacrylate (UDMA)	72869-86-4	1 - 10
Ytterbium Fluoride (YbF3)	13760-80-0	1 - 10
Silane Treated Silica	248596-91-0	1 - 10
Silane Treated Zirconia	Non-Material	< 5
Water	7732-18-5	< 5
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	< 2.5
Ethyl 4-dimethylaminobenzoate	10287-53-3	< 0.3

SECTION 4: First aid measures

4.1. Description of first aid measures

Inhalation

Remove person to fresh air. If you feel unwell, get medical attention.

Skin contact

Immediately wash with soap and water. Remove contaminated clothing and wash before reuse. If signs/symptoms develop, get

3MTM FiltekTM One Bulk Fill Restorative

medical attention.

Eve contact

Flush with large amounts of water. Remove contact lenses if easy to do. Continue rinsing. If signs/symptoms persist, get medical attention.

If swallowed

Rinse mouth. If you feel unwell, get medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Allergic skin reaction (redness, swelling, blistering, and itching).

4.3. Indication of any immediate medical attention and special treatment required

Not applicable

SECTION 5: Fire-fighting measures

5.1. Suitable Extinguishing media

In case of fire: Use a fire fighting agent suitable for ordinary combustible material such as water or foam to extinguish.

5.2. Special hazards arising from the substance or mixture

None inherent in this product.

Hazardous Decomposition or By-Products

Substance

Carbon monoxide.

Carbon dioxide.

Condition

During combustion.

During combustion.

5.3. Special protective actions for fire-fighters

Wear full protective clothing, including helmet, self-contained, positive pressure or pressure demand breathing apparatus, bunker coat and pants, bands around arms, waist and legs, face mask, and protective covering for exposed areas of the head.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Evacuate area. Ventilate the area with fresh air. For large spill, or spills in confined spaces, provide mechanical ventilation to disperse or exhaust vapors, in accordance with good industrial hygiene practice. Refer to other sections of this SDS for information regarding physical and health hazards, respiratory protection, ventilation, and personal protective equipment.

6.2. Environmental precautions

Avoid release to the environment.

6.3. Methods and material for containment and cleaning up

Collect as much of the spilled material as possible. Place in a closed container approved for transportation by appropriate authorities. Clean up residue. Seal the container. Dispose of collected material as soon as possible in accordance with applicable local/regional/national/international regulations.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Avoid breathing of dust created by cutting, sanding, grinding or machining. A no-touch technique is recommended. If skin contact occurs, wash skin with soap and water. Acrylates may penetrate commonly-used gloves. If product contacts glove, remove and discard glove, wash hands immediately with soap and water and then re-glove. Do not handle until all safety precautions have been read and understood. Do not breathe dust/fume/gas/mist/vapours/spray. Do not eat, drink or smoke when using this product. Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace. Avoid release to the environment. Wash contaminated clothing before reuse. Avoid contact with oxidising agents (eg. chlorine, chromic acid etc.) Do not get in eyes. Use personal protective equipment (eg. gloves, respirators...) as required.

7.2. Conditions for safe storage including any incompatibilities

Store away from heat. Store away from oxidising agents.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limits

No occupational exposure limit values exist for any of the components listed in Section 3 of this Safety Data Sheet.

8.2. Exposure controls

8.2.1. Engineering controls

Use in a well-ventilated area.

8.2.2. Personal protective equipment (PPE)

Eye/face protection

Select and use eye/face protection to prevent contact based on the results of an exposure assessment. The following eye/face protection(s) are recommended:

Safety glasses with side shields.

Skin/hand protection

See Section 7.1 for additional information on skin protection.

Respiratory protection

None required.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

into macion on busic physical and enemical property		
Physical state	Solid.	
Specific Physical Form:	Paste	
Color	White	
Odor	Slight Acrylate	
Odour threshold	No data available.	
pH	Not applicable.	
Melting point/Freezing point: NA	No data available.	
Boiling point/Initial boiling point/Boiling range	Not applicable.	
Flash point	No flash point	
Evaporation rate	No data available.	
Flammability (solid, gas)	Not classified	
Flammable Limits(LEL)	Not applicable.	
Flammable Limits(UEL)	Not applicable.	
Vapour pressure	Not applicable.	
Vapor Density and/or Relative Vapor Density	Not applicable.	
Density	1.9 g/cm3	
Relative density	1.9 [Ref Std:WATER=1]	

Water solubility	Negligible
Solubility- non-water	No data available.
Partition coefficient: n-octanol/water	No data available.
Autoignition temperature	No data available.
Decomposition temperature	No data available.
Viscosity/Kinematic Viscosity	No data available.
Volatile organic compounds (VOC)	No data available.
Percent volatile	No data available.
VOC less H2O & exempt solvents	No data available.
Molecular weight	Not applicable.

SECTION 10: Stability and reactivity

10.1 Reactivity

This material may be reactive with certain agents under certain conditions - see the remaining headings in this section

10.2 Chemical stability

Stable.

10.3 Possibility of hazardous reactions

Hazardous polymerisation will not occur.

10.4 Conditions to avoid

Heat.

10.5 Incompatible materials

Strong oxidising agents.

10.6 Hazardous decomposition products

Substance

Condition

None known.

Refer to section 5.2 for hazardous decomposition products during combustion.

SECTION 11: Toxicological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. In addition, toxicological data on ingredients may not be reflected in the material classification and/or the signs and symptoms of exposure, because an ingredient may be present below the threshold for labelling, an ingredient may not be available for exposure, or the data may not be relevant to the material as a whole.

11.1 Information on Toxicological effects

Signs and Symptoms of Exposure

Based on test data and/or information on the components, this material may produce the following health effects:

Inhalation

Respiratory tract irritation: Signs/symptoms may include cough, sneezing, nasal discharge, headache, hoarseness, and nose and throat pain.

Skin contact

Contact with the skin during product use is not expected to result in significant irritation. Allergic skin reaction (non-photo

induced): Signs/symptoms may include redness, swelling, blistering, and itching.

Eye contact

Contact with the eyes during product use is not expected to result in significant irritation.

Ingestion

Gastrointestinal irritation: Signs/symptoms may include abdominal pain, stomach upset, nausea, vomiting and diarrhoea. May cause additional health effects (see below).

Additional Health Effects:

Reproductive/Developmental Toxicity:

Contains a chemical or chemicals which can cause birth defects or other reproductive harm.

Toxicological Data

If a component is disclosed in section 3 but does not appear in a table below, either no data are available for that endpoint or the data are not sufficient for classification.

Acute Toxicity

Name	Route	Species	Value
Overall product	Dermal	Professio nal judgeme nt	LD50 Not applicable
Overall product	Ingestion	Rat	LD50 > 2,000 mg/kg
Silane Treated Ceramic	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Ceramic	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic Urethane Dimethacrylate	Dermal	Professio nal judgeme nt	LD50 estimated to be 2,000 - 5,000 mg/kg
Aromatic Urethane Dimethacrylate	Ingestion	Rat	LD50 > 2,000 mg/kg
Silane Treated Zirconia	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Zirconia	Ingestion		LD50 estimated to be 2,000 - 5,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Dermal	Rat	LD50 > 2,000 mg/kg
Diurethane Dimethacrylate (UDMA)	Ingestion	Rat	LD50 > 5,000 mg/kg
Ytterbium Fluoride (YbF3)	Dermal	Professio nal judgeme nt	LD50 estimated to be > 5,000 mg/kg
Ytterbium Fluoride (YbF3)	Ingestion	Rat	LD50 > 5,000 mg/kg
1,12-Dodecane Dimethycrylate (DDDMA)	Dermal	similar compoun ds	LD50 > 2,000 mg/kg
1,12-Dodecane Dimethycrylate (DDDMA)	Ingestion	similar compoun ds	LD50 > 2,000 mg/kg
Silane Treated Silica	Dermal		LD50 estimated to be > 5,000 mg/kg
Silane Treated Silica	Ingestion		LD50 estimated to be > 5,000 mg/kg
Ethyl 4-dimethylaminobenzoate	Dermal	Rat	LD50 > 2,000 mg/kg
Ethyl 4-dimethylaminobenzoate	Ingestion	Rat	LD50 > 2,000 mg/kg

ATE = acute toxicity estimate

Skin Corrosion/Irritation

Name	Species	Value
Silane Treated Ceramic	similar compoun ds	No significant irritation
Aromatic Urethane Dimethacrylate	In vitro data	No significant irritation

Page: 6 of 13

Silane Treated Zirconia	Rabbit	No significant irritation
Diurethane Dimethacrylate (UDMA)	Rabbit	No significant irritation
1,12-Dodecane Dimethycrylate (DDDMA)	similar	No significant irritation
	compoun	
	ds	
Silane Treated Silica	Professio	No significant irritation
	nal	
	judgemen	
	t	
Ethyl 4-dimethylaminobenzoate	Rabbit	No significant irritation

Serious Eye Damage/Irritation

Name	Species	Value
Silane Treated Ceramic	similar	Mild irritant
	compoun	
	ds	
Aromatic Urethane Dimethacrylate	In vitro	No significant irritation
	data	
Silane Treated Zirconia	Rabbit	Mild irritant
Diurethane Dimethacrylate (UDMA)	Rabbit	No significant irritation
Ytterbium Fluoride (YbF3)	Professio	Mild irritant
	nal	
	judgemen	
	t	
1,12-Dodecane Dimethycrylate (DDDMA)	similar	Mild irritant
	compoun	
	ds	
Silane Treated Silica	Professio	No significant irritation
	nal	
	judgemen	
	t	
Ethyl 4-dimethylaminobenzoate	Rabbit	No significant irritation

Sensitization:

Skin Sensitisation

Name	Species	Value
Silane Treated Ceramic	similar compoun ds	Not classified
Aromatic Urethane Dimethacrylate	Professio nal judgemen t	Sensitising
Diurethane Dimethacrylate (UDMA)	Multiple animal species	Sensitising
1,12-Dodecane Dimethycrylate (DDDMA)	similar compoun ds	Sensitising
Ethyl 4-dimethylaminobenzoate		Not classified

Respiratory Sensitisation

For the component/components, either no data are currently available or the data are not sufficient for classification.

Germ Cell Mutagenicity

Name	Route	Value
Aromatic Urethane Dimethacrylate	In Vitro	Not mutagenic
Silane Treated Zirconia	In Vitro	Some positive data exist, but the data are not sufficient for classification
Diurethane Dimethacrylate (UDMA)	In Vitro	Not mutagenic

Page: 7 of 13

1,12-Dodecane Dimethycrylate (DDDMA)	In Vitro Not mutagenic	
Ethyl 4-dimethylaminobenzoate	In vivo Not mutagenic	
Ethyl 4-dimethylaminobenzoate	In Vitro Some positive data exist, but the data are no	
		sufficient for classification

Carcinogenicity

Name	Route	Species	Value
Silane Treated Ceramic	Inhalation	similar compoun ds	Some positive data exist, but the data are not sufficient for classification
Silane Treated Zirconia	Inhalation	Multiple animal species	Some positive data exist, but the data are not sufficient for classification

Reproductive Toxicity

Reproductive and/or Developmental Effects

Name	Route	Value	Species	Test result	Exposure Duration
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for female reproduction	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for male reproduction	Rat	NOAEL 1,000 mg/kg/day	56 days
Diurethane Dimethacrylate (UDMA)	Ingestion	Not classified for development	Rat	NOAEL 1,000 mg/kg/day	premating into lactation
Ethyl 4-dimethylaminobenzoate	Ingestion	Not classified for female reproduction	Rat	NOAEL 600 mg/kg/day	premating into lactation
Ethyl 4-dimethylaminobenzoate	Ingestion	Not classified for development	Rat	NOAEL 50 mg/kg/day	premating into lactation
Ethyl 4-dimethylaminobenzoate	Ingestion	Toxic to male reproduction	Rat	NOAEL 50 mg/kg/day	53 days

Target Organ(s)

Specific Target Organ Toxicity - single exposure

For the component/components, either no data are currently available or the data are not sufficient for classification.

Specific Target Organ Toxicity - repeated exposure

Name	Route	Target Organ(s)	Value	Species	Test result	Exposure Duration
Silane Treated Ceramic	Inhalation	pulmonary fibrosis	Not classified	similar compoun ds	NOAEL Not available	
Silane Treated Zirconia	Inhalation	pulmonary fibrosis	Not classified	Multiple animal species	NOAEL Not available	
Silane Treated Zirconia	Inhalation	respiratory system	Not classified	Human	NOAEL Not available	occupational exposure
Diurethane Dimethacrylate (UDMA)	Ingestion	liver kidney and/or bladder heart skin endocrine system gastrointestinal tract bone, teeth, nails, and/or hair hematopoietic system immune system muscles nervous system eyes respiratory system vascular system	Not classified	Rat	NOAEL 1,000 mg/kg/day	56 days

Ethyl 4- dimethylaminobenzoate	Ingestion	hematopoietic system	Some positive data exist, but the data are not sufficient for classification	Rat	NOAEL 74 mg/kg/day	28 days
Ethyl 4- dimethylaminobenzoate	Ingestion	liver heart endocrine system gastrointestinal tract bone, teeth, nails, and/or hair immune system muscles nervous system eyes kidney and/or bladder respiratory system vascular system	Not classified	Rat	NOAEL 900 mg/kg/day	28 days

Aspiration Hazard

For the component/components, either no data are currently available or the data are not sufficient for classification.

Please contact the address or phone number listed on the first page of the SDS for additional toxicological information on this material and/or its components.

SECTION 12: Ecological information

The information below may not be consistent with the material classification in Section 2 if specific ingredient classifications are mandated by a competent authority. Additional information leading to material classification in Section 2 is available upon request. In addition, environmental fate and effects data on ingredients may not be reflected in this section because an ingredient is present below the threshold for labelling, an ingredient is not expected to be available for exposure, or the data is considered not relevant to the material as a whole.

12.1. Toxicity

Acute aquatic hazard:

GHS Acute 2: Toxic to aquatic life.

Chronic aquatic hazard:

GHS Chronic 3: Harmful to aquatic life with long lasting effects.

No product test data available.

Material	CAS Nbr	Organism	Type	Exposure	Test endpoint	Test result
Silane Treated Ceramic	444758-98-9	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Aromatic Urethane Dimethacrylate	1431303-59-1	Green algae	Experimental	72 hours	ErC50	>100 mg/l
Aromatic Urethane Dimethacrylate	1431303-59-1	Water flea	Experimental	48 hours	EC50	>100 mg/l
Aromatic Urethane Dimethacrylate	1431303-59-1	Green algae	Experimental	72 hours	ErC10	>100 mg/l
Diurethane Dimethacrylate (UDMA)	72869-86-4	Green algae	Endpoint not reached	72 hours	ErC50	>100 mg/l
Diurethane Dimethacrylate (UDMA)	72869-86-4	Water flea	Experimental	48 hours	EC50	>100 mg/l
Diurethane Dimethacrylate (UDMA)	72869-86-4	Zebra Fish	Experimental	96 hours	LC50	10.1 mg/l
Diurethane Dimethacrylate (UDMA)	72869-86-4	Green algae	Endpoint not reached	72 hours	ErC10	>100 mg/l

Silane Treated Silica	248596-91-0	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
Ytterbium Fluoride (YbF3)	13760-80-0	Water flea	Experimental	48 hours	No tox obs at lmt of water sol	>100 mg/l
Silane Treated Zirconia	Non-Material	N/A	Data not available or insufficient for classification	N/A	N/A	N/A
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Green algae	Experimental	72 hours	ErC50	0.017 mg/l
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Water flea	Experimental	48 hours	EC50	>100 mg/l
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Green algae	Experimental	72 hours	ErC10	0.0064 mg/l
Ethyl 4- dimethylaminobenz oate	10287-53-3	Activated sludge	Experimental	3 hours	EC50	>1,000 mg/l
Ethyl 4- dimethylaminobenz oate	10287-53-3	Green algae	Experimental	72 hours	EL50	2.8 mg/l
Ethyl 4- dimethylaminobenz oate	10287-53-3	Rainbow trout	Experimental	96 hours	LC50	1.9 mg/l
Ethyl 4- dimethylaminobenz oate	10287-53-3	Water flea	Experimental	48 hours	EC50	4.5 mg/l
Ethyl 4- dimethylaminobenz oate	10287-53-3	Green algae	Experimental	72 hours	ErC10	0.71 mg/l

12.2. Persistence and degradability

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Ceramic	444758-98-9	Data not available-insufficient	N/A	N/A	N/A	N/A
Aromatic Urethane Dimethacrylate	1431303-59-1	Experimental Biodegradation	28 days	CO2 evolution	4.88 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Diurethane Dimethacrylate (UDMA)	72869-86-4	Experimental Biodegradation	28 days	CO2 evolution	22 %CO2 evolution/THCO2 evolution (does not pass 10-day window)	OECD 301B - Modified sturm or CO2
Silane Treated Silica	248596-91-0	Data not available-insufficient	N/A	N/A	N/A	N/A
Ytterbium Fluoride (YbF3)	13760-80-0	Data not available- insufficient	N/A	N/A	N/A	N/A
Silane Treated Zirconia	Non-Material	Data not available- insufficient	N/A	N/A	N/A	N/A
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Experimental Biodegradation	28 days	CO2 evolution	97.3 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Ethyl 4- dimethylaminobenz oate	10287-53-3	Experimental Biodegradation	28 days	CO2 evolution	40 %CO2 evolution/THCO2 evolution	OECD 301B - Modified sturm or CO2
Ethyl 4-	10287-53-3	Experimental		Hydrolytic half-life	>1 years (t 1/2)	OECD 111 Hydrolysis func

3MTM FiltekTM One Bulk Fill Restorative

Ī	dimethylaminobenz	Hydrolysis	(pH 7)	of pH
	oate			

12.3: Bioaccumulative potential

Material	CAS Nbr	Test type	Duration	Study Type	Test result	Protocol
Silane Treated Ceramic	444758-98-9	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Aromatic Urethane Dimethacrylate	1431303-59-1	Experimental Bioconcentration		Log Kow	6.9	OECD 117 log Kow HPLC method
Diurethane Dimethacrylate (UDMA)	72869-86-4	Experimental Bioconcentration		Log Kow	3.39	
Silane Treated Silica	248596-91-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Ytterbium Fluoride (YbF3)	13760-80-0	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
Silane Treated Zirconia	Non-Material	Data not available or insufficient for classification	N/A	N/A	N/A	N/A
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Modeled Bioconcentration		Bioaccumulation factor	6.6	Catalogic TM
1,12-Dodecane Dimethycrylate (DDDMA)	72829-09-5	Experimental Bioconcentration		Log Kow	>6.5	830.7570 Part. Coef by LC
Ethyl 4- dimethylaminobenz oate	10287-53-3	Experimental Bioconcentration		Log Kow	3.2	OECD 117 log Kow HPLC method

12.4. Mobility in soil

Please contact manufacturer for more details

12.5 Other Adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Disposal methods

Dispose of contents/ container in accordance with the local/regional/national/international regulations.

Dispose of completely cured (or polymerised) material in a permitted industrial waste facility. As a disposal alternative, incinerate uncured product in a permitted waste incineration facility. If no other disposal options are available, waste product that has been completely cured or polymerised may be placed in a landfill properly designed for industrial waste.

SECTION 14: Transport Information

Not hazardous for transportation.

Air Transport (IATA)Regulations

UN No Not applicable

Proper Shipping Name Not applicable Hazard Classs/Division Not applicable

Subsidiary Risk Not applicable **Packing Group:** Not applicable

Marine Transport (IMDG)

UN No Not applicable

Proper Shipping Name Not applicable **Hazard Classs/Division** Not applicable

Subsidiary Risk Not applicable **Packing Group:** Not applicable

Environmental Hazards: Not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Global inventory status

Contact 3M for more information.

Applicable Environmental, Health and Safety Regulations

The Manufacture, Storage and Import of Hazardous Chemical Rules, 1989

The Bio Medical Waste (Management & Handling) Rules, 1998

Hazardous Chemicals (Classification, Packaging and Labelling Draft Rules), 2011

The following ingredients are listed as hazardous on Part II of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules
None.

The following ingredients are classified as hazardous based on the criteria listed under Part I of Schedule I of the India Manufacture, Storage and Import of Hazardous Chemicals (MSIHC) rules:

The product is classified as Non-Hazardous as per MSIHC Rules, 1989.

SECTION 16: Other information

NFPA Hazard Classification

Health: 2 Flammability: 1 Instability: 0 Special Hazards: None

National Fire Protection Association (NFPA) hazard ratings are designed for use by emergency response personnel to address the hazards that are presented by short-term, acute exposure to a material under conditions of fire, spill, or similar emergencies. Hazard ratings are primarily based on the inherent physical and toxic properties of the material but also include the toxic properties of combustion or decomposition products that are known to be generated in significant quantities.

Revision information:

Section 1: Product name information was modified.

US Section 01 Product Use - Recommended Use information was modified.

Section 2: Hazard - Other information was modified.

Label: GHS Classification information was modified.

Label: GHS Precautionary - Disposal information was deleted.

Label: GHS Precautionary - Prevention information was modified.

Label: GHS Precautionary - Response information was modified.

Label: Graphic information was modified.

Label: Signal Word information was modified.

Label: Symbol information was modified.

Section 2: Ingredient table information was modified.

Section 04: First Aid - Symptoms and Effects (GHS) information was added.

Section 04: Information on toxicological effects information was deleted.

Section 7: Precautions safe handling information information was modified.

Section 09: Nanoparticle information was deleted.

Section 09: Percent Volatile information was modified.

Section 09: VOC Less H2O & Exempt Solvents information was modified.

3MTM FiltekTM One Bulk Fill Restorative

- Section 09: Volatile Organic Compounds information was modified.
- Section 11: Acute Toxicity table information was modified.
- Section 11: Carcinogenicity Table information was modified.
- Section 11: Germ Cell Mutagenicity Table information was modified.
- Section 11: Health Effects Ingestion information information was modified.
- Section 11: Health Effects Inhalation information information was modified.
- Section 11: Reproductive and/or Developmental Effects text information was added.
- Section 11: Reproductive Hazards information information was added.
- Section 11: Reproductive Toxicity Table information was added.
- Section 11: Serious Eye Damage/Irritation Table information was modified.
- Section 11: Skin Corrosion/Irritation Table information was modified.
- Section 11: Skin Sensitization Table information was modified.
- Section 11: Specific Target Organ Toxicity single exposure text information was deleted.
- Section 11: Target Organs Repeated Table information was modified.
- Section 12: Component ecotoxicity information information was modified.
- Section 12: Persistence and Degradability information information was modified.
- Section 12:Bioccumulative potential information information was modified.
- Section 13: Standard Phrase Category Waste GHS information was modified.

DISCLAIMER: The information in this Safety Data Sheet (SDS) is based on our experience and is correct to the best of our knowledge at the date of publication, but we do not accept any liability for any loss, damage or injury resulting from its use (except as required by law). The information may not be valid for any use not referred to in this SDS or use of the product in combination with other materials. For these reasons, it is important that customers carry out their own evaluation to satisfy themselves as to the suitability of the product for their own intended applications. In addition, this SDS is being provided to convey health and safety information. If you are the importer of record of this product into India, you are responsible to comply with all applicable regulatory requirements, including, but not limited to, product registrations/notifications, substance volume tracking, and potential substance registration/notification.

3M India SDSs are available at http://solutions.3mindia.co.in