


# Versatile. Gentle. Secure.


A selection guide for 3M™ Tegaderm™ Dressings.





# The story of 3M™ Tegaderm™ Brand was written by you.

Together, we've changed the world of IV care and wound care.



For more than 40 years, 3M scientists have partnered with clinicians to develop dressings that would improve patient care. Through collaboration, we created 3M™ Tegaderm™ Transparent Film Dressing that went beyond tape and gauze to offer transparent window dressings to provide clear views of IV sites and wounds to improve ease of monitoring.

Over the decades, clinicians have worked tirelessly to improve patient practices. When you came to us with new challenges, we listened. Your insights helped improve Tegaderm™ dressings to:



increase holding power in moist conditions



offer a solution to fit pediatric patients



set new standards with borders, notches and enhanced securement



Today, 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing is the only transparent dressing cleared by the Food and Drug Administration (FDA) to reduce catheter-related bloodstream infections (CRBSIs) and vascular catheter colonization.¹

While Tegaderm Brand sets new standards in IV care, it also encompasses a comprehensive range of dressings and solutions for advanced wound care. Over 50 years ago, 3M scientists invented gentle-to-skin medical adhesives and for decades pioneered bold innovations to help create an environment to promote healing. These breakthroughs in wound healing helped optimize wear time with dressings that offer gentle adhesion management, moisture control and conformability in designs that are easy to apply and remove. Tegaderm Brand innovations help protect patients from complications and promote better outcomes around the world.

To all the clinicians who continue to help us simplify and improve care practices, thank you.

U.S. Food and Drug Administration, Department of Health & Human Services. 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing 510(k) K153410 approval letter, May 15, 2017. Retrieved June 18, 2020 from https://www.accessdata.fda.gov/cdrh\_docs/pdf15/ K153410.pdf

# Unmatched support to match the dedication of your team.

Enjoy all the advantages of partnering with us. And we'll raise standards with you.



# Onsite training. Ongoing support. 3M is on call for education.

Your commitment to delivering the best patient care possible drives us to offer more every day. More specialists collaborating with you on process improvements. More education and training programs onsite to help busy staff work efficiently. More ongoing support to help achieve compliance across the board.

Rely on our team of 3M Clinical Specialists with decades of experience to help you stay on top of current best practices. With a robust portfolio of tools and processes, our team handles the legwork so you can implement successful programs and find resources that match your needs.

### 3M™ Peak™ Clinical Outcomes Program: Customized in-service support and resources.

The 3M<sup>™</sup> Peak<sup>™</sup> Clinical Outcomes Program begins with 3M Clinical Specialists and the facility clinicians conducting an onsite assessment to understand your unique needs and challenges. Together, we evaluate clinical practices and facility processes and customize a program that will give you tools, training and resources designed for your needs.

#### **How the Peak Program works:**



#### Identify

Identify the areas where you have the biggest opportunity to drive impact at your facility.



#### Learn

Learn about industry best practices, clinical evidence and new ways to improve outcomes.



#### **Improve**

Improve or implement new work processes and protocols through a variety of tools and approaches.



#### Maintain

Maintain the progress you've made and continue to keep staff educated and engaged.

#### 3M<sup>™</sup> Health Care Academy: Education for health care professionals.



As the medical landscape shifts, maintaining traction can be difficult. Continue your education with 3M™ Health Care Academy. Take advantage of online courses to sharpen your skills, enhance your expertise and help you provide the best care. Find live events and webinars from industry experts and thought leaders.

On demand resources to help you learn anytime. Anywhere.

For more information, visit 3M.com/medicaleducation

# Science-based solutions aligned with your clinical needs.

Each of the 70+ 3M™ Tegaderm™ Dressings SKUs is designed to meet a different clinical goal, adhere to a wide variety of skin and environmental conditions and is available in an array of shapes and sizes to fit your application. With help from health care professionals like you, we designed a few new products that were several years ahead of clinical guidelines. Let our team help evaluate your facility's dressing program and suggest solutions for your needs.

# Vascular Access Securement Dressings and Devices

#### Dressing and device categories include:


- Antimicrobial Protection (See Page 6) Suppresses regrowth of skin flora for up to seven days.<sup>2</sup> Meets the Infusion Nurses Society highest level recommendation to use chlorhexidine-impregnated dressings to reduce the risk of catheter-associated bloodstream infection (CABSI).<sup>3</sup>
- Catheter Securement (See Page 8) A comfortable solution that
  provides patients with securement, site visibility and breathability all in
  one product. These dressings have up to a seven-day wear time and
  meet the Infusion Nurses Society definition of a securement device.<sup>3</sup>
- Bacterial and Viral Barrier\* (See Page 10) The flagship Tegaderm
  Dressing launched in 1981 provides a waterproof sterile barrier to
  external contaminants with transparency for easy monitoring.


# **Wound Care Dressings**

#### Dressing categories include:

- Pressure Injury (See Page 12) May help prevent skin damage as part of a comprehensive pressure injury prevention program.
- Moisture Control (See Page 14) Helps optimize the wound environment by managing exudate. Dressings specifically designed for dry to low exudate, medium exudate and high exudate.

In addition to the Tegaderm Dressing family, 3M has other skin and wound care products that help protect skin, protect and prepare the wound bed, provide collagen, provide antimicrobial protection, support granulation tissue formation and provide therapeutic compression.





<sup>\*</sup>In vitro testing shows that the transparent film of 3M™ Tegaderm™ brand dressings provide a viral barrier for viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

<sup>2.</sup> Bashir MH, Olson LK, Walters SA. Suppression of regrowth of normal skin flora under chlorhexidine gluconate dressings applied to chlorhexidine gluconate-prepped skin. *Am J Infect Control.* 2012;40(4):344-348.

<sup>3.</sup> Gorski LA, Hadaway L, Hagle ME, et al. Infusion Therapy Standards of Practice, 8th Edition. *J Infus Nurs*. 2021;44(suppl 1):S1-S224. doi:10.1097/NAN.0000000000000396. Refer to the document to view verbatim, comprehensive standards and practice recommendations.

# Meet our family.

Find the right 3M™ Tegaderm™ Dressing for your application.

#### **Vascular Access Securement Dressings and Devices**

#### **Antimicrobial Protection Catheter Securement Bacterial and Viral Barrier\*** 3M™ Tegaderm™ 3M™ Tegaderm™ 3M™ Tegaderm™ CHG Chlorhexidine Diamond Pattern I.V. Advanced Securement Dressing Film Dressing Gluconate I.V. Securement Dressing 3M™ PICC/CVC 3M™ Tegaderm™ 3M™ PICC/CVC Securement Device Transparent Securement Device + Tegaderm<sup>™</sup> Film Dressing + Tegaderm™ CHG I.V. Advanced Chlorhexidine Securement Dressing Gluconate I.V. 3M™ Tegaderm™ Securement Dressing **HP (Holding Power)** Transparent 3M™ Tegaderm™ Film Dressing Antimicrobial I.V. Advanced 3M™ Tegaderm™ Securement Dressing I.V. Transparent Film Dressing with 3M™ Tegaderm™ Adhesive-Free **CHG Chlorhexidine** Window Gluconate Gel Pad 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. 3M™ Tegaderm™ Port Dressing Transparent Film Roll

#### **Wound Care Dressings Pressure Injury Manage Dry to Low Exudate** Manage Medium Exudate Manage High Exudate 3M™ Tegaderm™ +Pad 3M™ Tegaderm™ 3M™ Tegaderm™ High Film Dressing with Silicone Foam Dressing Integrity Alginate Dressing 3M™ Tegaderm™ Non-Adherent Pad Silicone Foam Dressing 3M™ Tegaderm™ Absorbent 3M™ Tegaderm™ High 3M™ Tegaderm™ High Clear Acrylic Dressing Performance Foam Dressing Gelling Alginate Dressing

<sup>\*</sup>In vitro testing shows that the transparent film of 3M™ Tegaderm™ brand dressings provide a viral barrier for viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

# Antimicrobial protection. Innovative securement. All in one.


Bloodstream infections are associated with significant increases in care and costs. In some cases they can even be deadly.⁴ Help reduce infection at IV insertion sites with 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing.⁵ These transparent dressings provide secure attachment for IVs, offer antimicrobial protection and align with current guidelines.

**Tegaderm CHG Dressings Featured Product:** 

# 3M™ Tegaderm™ CHG Chlorhexidine Gluconate I.V. Securement Dressing 1657

#### **Breathable**

Highly breathable, transparent film creates a waterproof, sterile barrier that protects against external contaminants.\*



#### Secure

Stabilizes IV sites to help reduce the risk of dislodgement.

#### **Transparent**

Helps facilitate continuous monitoring for early signs of complications.

#### **Antimicrobial Protection**

The chlorhexidine gluconate gel pad of the dressing provides antimicrobial protection and helps suppress regrowth of skin flora for up to seven days.<sup>6</sup>

#### **Integrated Design**

All-in-one design combines advanced securement and antimicrobial protection to eliminate the need for multiple products.

#### **Ease of Use**

Easy-to-learn application helps ensure consistent protection and simplify securement practices.<sup>7</sup>

- \*In vitro testing shows that the transparent film provides a viral barrier for viruses 27 nm in diameter or larger while the dressing remains intact without leakage.
- 4. Siempos I, Kopterides P, Tsangaris I, Dimopoulou I, Armaganidis A. Impact of catheter-related bloodstream infections on the mortality of critically ill patients: A meta-analysis. Crit Care Med. 2009;37(7):2283-2289.
- 5. Timsit JF, Mimoz O, Mourvillier B, et al. Randomized controlled trial of chlorhexidine dressing and highly adhesive dressing for preventing catheter-related infections in critically ill adults. Am J Respir Crit Care Med. 2012;186(12):1272-1278.
- 6. Bashir MH, Olson LK, Walters SA. Suppression of regrowth of normal skin flora under chlorhexidine gluconate dressings applied to chlorhexidine gluconate-prepped skin. *Am J Infect Control.* 2012;40(4):344-348.
- 7. Kohan CA, Boyce JM. A different experience with two different chlorhexidine gluconate dressings for use on central venous devices. Am J Infect Control. 2013;41(6):S142–S143.

Important Safety Information for Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad. Do not use Tegaderm CHG I.V. Securement Dressings or Tegaderm CHG Gel Pad on premature infants or infants younger than two months of age. Use of these products on premature infants may result in hypersensitivity reactions or necrosis of the skin. The safety and effectiveness of Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad has not been established in children under 18 years of age. For full prescribing information, see the Instructions for Use (IFU). Rx Only.

Product	Product Number	CHG Gel Pad Size	Dressing Size	Dressings/Box	Boxes/Case		
3M <sup>™</sup> PICC/CVC Securement Device + Tegaderm <sup>™</sup> CHG Chlorhexidine Gluconate I.V. Securement Dressing							
	1877–2100	1½ in x 1% in (3 cm x 4 cm)	3½ in x 4½ in (8,5 cm x 11,5 cm)	20	4		
	1879–2100	1½ in x 2½ in (3 cm x 7 cm)	4 in x 6½ in (10 cm x 15,5 cm)	20	4		
3M <sup>™</sup> Tegaderm <sup>™</sup> CH	G Chlorhexidine Gluc	onate I.V. Securemer	nt Dressing				
	1657	1% in x 1½ in (3 cm x 4 cm)	3½ in x 4½ in (8,5 cm x 11,5 cm)	25	4		
	1658	1½ in x 1¾6 in (4 cm x 3 cm)	4 in x 4¾ in (10 cm x 12 cm)	25	4		
	1659	1¾6 in x 2¾ in (3 cm x 7 cm)	4 in x 6½ in (10 cm x 15,5 cm)	25	4		
	1660	∜₅ in x ∜₅ in (2 cm x 2 cm)	2¾ in x 3¾ in (7 cm x 8,5 cm)	25	4		
3M™ Tegaderm™ CH	G Chlorhexidine Gluc	onate I.V. Port Dressi	ng				
	1665	13/16 in x 13/16 in (3 cm x 3 cm)	4¾ in x 4¾ in (12 cm x 12 cm)	25	4		
3M™ Tegaderm™ CHG Chlorhexidine Gluconate Gel Pad							
<u>t</u>	1664	13/16 in x 13/16 in (3 cm x 3 cm)	2% in x 115% in (6,2 cm x 4,9 cm)	25	4		
3M <sup>™</sup> Tegaderm <sup>™</sup> Antimicrobial I.V. Advanced Securement Dressing							
	9132	-	3% in x 2% in (8,5 cm x 7 cm)	25	4		

Important Safety Information for Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad. Do not use Tegaderm CHG I.V. Securement Dressings or Tegaderm CHG Gel Pad on premature infants or infants younger than two months of age. Use of these products on premature infants may result in hypersensitivity reactions or necrosis of the skin. The safety and effectiveness of Tegaderm CHG I.V. Securement Dressings and Tegaderm CHG Gel Pad has not been established in children under 18 years of age. For full prescribing information, see the Instructions for Use (IFU). Rx Only.

# Get a clear view of consistent, reliable IV securement.

Catheter movement is a prevalent problem. Up to 1/3 of vascular access devices become dislodged.<sup>8</sup> Securing IV lines properly is a key part of maintaining quality care and patient satisfaction. Help stabilize catheters and minimize movement and dislodgement with 3M<sup>™</sup> Tegaderm<sup>™</sup> I.V. Advanced Securement Dressing. This family of reliable securement products helps you visualize the catheter site and promote patient comfort.

**Tegaderm I.V. Advanced Securement Dressings Featured Product:** 


#### 3M™ Tegaderm™ I.V. Advanced Securement Dressing 1683

#### **Transparent**

Allows a full view of the catheter site for application and early identification of complications.

#### Conformable

Helps reduce edge-lift with conforming edge border technology.



#### **Protective**

Helps keep out external contaminants including viruses\* with a sterile, waterproof barrier.

#### **Breathable**

Pattern-coated adhesive allows for high breathability across each dressing.

#### **Ease of Use**

Frame delivery system and dressing design promote consistent application and removal.

#### **Stabilization**

Securement tape strip with notch helps control movement at the hub to reduce the risk of dislodgement.

#### **Patient Comfort**

Safe to wear up to seven days, potentially reducing the number of dressing changes and restarts.

<sup>\*</sup>In vitro testing shows that the transparent film provides a viral barrier for viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

<sup>8.</sup> Jackson A. Retrospective comparative audit of two peripheral IV securement dressings. Br J Nurs. 2012;21(2 Suppl):10-15.

Product	Product Number	Dressing Size	Dressings/Box	Boxes/Case	
3M <sup>™</sup> PICC/CVC Securement Device + Tegaderm <sup>™</sup> I.V. Advanced Securement Dressing					
	1837–2100	3½ in x 4½ in (8,5 cm x 11,5 cm)	20	4	
	1839–2100	4 in x 6⅓ in (10 cm x 15,5 cm)	20	4	
3M™ Tegaderm™ I.V.	Advanced Secureme	nt Dressing			
	1680	1½ in x 1¾ in (3,8 cm x 4,5 cm)	100	4	
	1682	2 in x 2¼ in (5,0 cm x 5,7 cm)	100	4	
	1683	2½ in x 2¾ in (6,5 cm x 7 cm)	100	4	
	1685	3½ in x 4½ in (8,5 cm x 11,5 cm)	50	4	
	1688	4 in x 4¾ in (10 cm x 12 cm)	50	4	
	1689	4 in x 6⅓ in (10 cm x 15,5 cm)	25	4	
	1882	2¾ in x 3% in (7 cm x 8,5 cm)	50	4	

# A versatile, transparent barrier to contaminants.

3M™ Tegaderm™ Transparent Film Dressing is the flagship Tegaderm Dressing launched in 1981 and is known as the standard of care. It provides a waterproof sterile barrier to external contaminants including bacteria, viruses\*, blood and bodily fluids. These transparent dressings provide full site visibility for precise placement, continuous monitoring and to help minimize unnecessary dressing changes.

For moist conditions, 3M<sup>™</sup> Tegaderm<sup>™</sup> Diamond Pattern Film Dressing and 3M<sup>™</sup> Tegaderm<sup>™</sup> HP (Holding Power) Transparent Film Dressing have specialized adhesives, providing better wear for humid conditions or with diaphoretic patients.<sup>9</sup>

**Tegaderm Transparent Film Dressings Featured Product:** 


#### 3M™ Tegaderm™ Diamond Pattern Film Dressing 1686

#### **Breathable**

Advanced breathability allows good moisture and vapor exchange.

# Bacterial and Viral Barrier\*

A waterproof, sterile barrier protects against external contaminants (e.g., blood, fluid, bacteria, etc.) including viruses.



#### **Low Sensitizing**

Sterile film includes a low sensitizing adhesive that is not made with natural rubber latex.

#### **Site Visibility**

Frame construction makes it easy to apply consistently and transparent film provides full site visibility.

#### **Moisture Management**

Designed for patient comfort and longer wear times; especially in hot, humid conditions and on sweaty skin.

#### Versatility

Unique shapes and sizes for both IVs and minor wounds.

<sup>\*</sup>In vitro testing shows that the transparent film provides a viral barrier from viruses 27 nm in diameter or larger while the dressing remains intact without leakage.

<sup>9. 3</sup>M Data on file (05-012089).

Product	Product Number	Dressing Size	Dressings/Box	Boxes/Case			
3M <sup>™</sup> Tegaderm <sup>™</sup> I.V. Securement Dressing Designed for the BD Nexiva <sup>™</sup> Closed IV Catheter System							
	9525HP	2½ in x 2¾ in (6,5 cm x 7 cm)	100	4			
3M™ Tegaderm™ I.V. Transparent Film Dressing with Adhesive-Free Window							
	1668	4¾ in x 4¾ in (12 cm x 12 cm)	25	4			
3M™ Tegaderm™ Diamond Pattern Film Dressing							
	1674	1¾ in x 1¾ in (4,5 cm x 4,5 cm)	100	4			
	1679	4 in x 4½ in (10 cm x 11,5 cm)	50	4			
	1684	2¾ in x 2¾ in (6 cm x 7 cm)	100	4			
	1686	4 in x 4¾ in (10 cm x 12 cm)	50	4			
3M <sup>™</sup> Tegaderm <sup>™</sup> HP	(Holding Power) Tran	sparent Film Dressing					
	9519HP	2¾ in x 2¾ in (6 cm x 6 cm)	100	4			
	9534HP	2¾ in x 2¾ in (6 cm x 7 cm)	100	4			
	9536HP	4 in x 4¾ in (10 cm x 12 cm)	50	4			
	9546HP	4 in x 4½ in (10 cm x 11,5 cm)	50	4			
3M™ Tegaderm™ Tra	nsparent Film Dressir	ng					
	1622W	1¾ in x 1¾ in (4,4 cm x 4,4 cm)	100	4			
	1624W	2¾ in x 2¾ in (6 cm x 7 cm)	100	4			
	1626W	4 in x 4¾ in (10 cm x 12 cm)	50	4			
	1627	4 in x 10 in (10 cm x 25 cm)	20	4			
	1628	6 in x 8 in (15 cm x 20 cm)	20	4			
	1629	8 in x 12 in (20 cm x 30 cm)	20	4			
	1630	4 in x 4½ in (10 cm x 11,5 cm)	50	4			
Product	Product Number	Size	Rolls/Carton	Cartons/Case			
3M™ Tegaderm™ Transparent Film Roll							
<b>J</b>	16002	2 in x 11 yd (5 cm x 10 m)	1	4			
	16004	4 in x 11 yd (10 cm x 10 m)	1	4			
	16006	6 in x 11 yd (15 cm x 10 m)	1	4			

# Start at the surface to manage moisture and help protect at-risk skin.

Not all silicone foam dressings offer the same performance. Where other dressings may fall short and fall off, 3M™ Tegaderm™ Silicone Foam Dressing provides adhesion that's strong yet gentle. Its thin, low profile edge minimizes rolling and lift that may impact wear time. The dressing is also designed to reduce the amount of moisture at the skin's surface, helping support the ideal microclimate to help reduce the potential for skin maceration. As shown *in vitro*, Tegaderm Silicone Foam Dressing works to redistribute pressure, which may help to protect patients from pressure injuries.¹⁰ Make Tegaderm Silicone Foam Dressing part of your wound management and pressure ulcer and injury prevention programs.

**Tegaderm Silicone Foam Dressing Featured Product:** 


#### 3M™ Tegaderm™ Silicone Foam Dressing 90647 (Small Sacral)

# Patented Spoke Delivery System

Enables easy application even with gloves on.

#### Thin, Low-profile Edge

Minimizes the rolling and lifting that can impact adhesion and wear time.



# Superabsorbent Layer

Absorbs and evaporates moisture.

# Fenestrated Foam Layer

Improves flexibility and moisture absorption.

#### Silicone Adhesive

Dressing can be lifted and repositioned without losing adhesion properties.

# Help Minimize Skin Maceration

Innovative multi-layer technology helps minimize the backward moisture migration that can lead to periwound maceration.

#### **Manage Moisture**

Moisture control layer helps maintain optimal moisture balance by facilitating evaporation through the film backing.

#### **Remove Easily**

Gentle silicone adhesive is shown to remove significantly fewer skin cells than a standard acrylate adhesive – helping to reduce the risk of skin trauma.<sup>11</sup>

<sup>10.</sup> Sieracki J, Wilkes R, Bennett ER, et al. Finite Element Analysis Modeling of a Novel Silicone Dressing. *Cureus*. 2020;12(9):e10629. doi:10.7759/cureus.10629

<sup>11. 3</sup>M data on file. EM-14109.

Product	Product Number	Dressing Size	Dressings/Box	Boxes/Case		
3M <sup>™</sup> Tegaderm <sup>™</sup> Silicone Foam Dressing						
	90631 (Non-Bordered Dressing)	4 in x 4¼ in (10 cm x 10,8 cm)	10	4		
	90632 (Non-Bordered Dressing)	6 in x 6 in (15 cm x 15 cm)	10	4		
	90643 (Bordered Dressing)	2 in x 2 in (5 cm x 5 cm)	10	6		
	90640 (Bordered Dressing)	3 in x 3 in (7,5 cm x 7,5 cm)	10	6		
	90641 (Bordered Dressing)	4 in x 4 in (10 cm x 10 cm)	10	6		
	90642 (Bordered Dressing)	6 in x 6 in (15 cm x 15 cm)	10	4		
	90646 (Heel and Contour)	6½ in x 6½ in (16,5 cm x 16,5 cm)	5	4		
	90647 (Small Sacral)	6 in x 6¾ in (15 cm x 17 cm)	10	4		
	90648 (Large Sacral)	7¼ in x 8¾ in (18,5 cm x 22 cm)	5	4		

Product	Product Number	Foam Pad Size	Dressing Size	Dressings/Box	Boxes/Case	
3M™ Tegaderm™ +Pad Film Dressing with Non-Adherent Pad						
•	3582	1 in x 1½ in (2,5 cm x 4 cm)	2 in x 2¾ in (5 cm x 7 cm)	50	4	
	3584	1 in x 2% in (2,5 cm x 6 cm)	2% in x 4 in (6 cm x 10 cm)	50	4	
	3586	1¾ in x 2¾ in (4,5 cm x 6 cm)	3½ in x 4 in (9 cm x 10 cm)	25	4	
	3587 (Oval)	1¾ in x 2¾ in (4,5 cm x 6 cm)	3½ in x 4⅓ in (9 cm x 10,5 cm)	25	4	
	3588	4 in x 4 in (10 cm x 10 cm)	6 in x 6 in (15 cm x 15 cm)	25	4	
	3589	13/4 in x 4 in (4,5 cm x 10 cm)	3½ in x 6 in (9 cm x 15 cm)	25	4	
	3590	1¾ in x 6 in (4,5 cm x 15 cm)	3½ in x 8 in (9 cm x 20 cm)	25	4	
	3591	1¾ in x 8 in (4,5 cm x 20 cm)	3½ in x 10 in (9 cm x 25 cm)	25	4	
	3593	1¾ in x 11¾ in (4,5 cm x 30 cm)	3½ in x 13¾ in (9 cm x 35 cm)	25	4	
3M <sup>™</sup> Tegad	erm <sup>™</sup> High Performance	Foam Adhesive Dressing				
	90610 (Square)	2 in x 2 in (5 cm x 5 cm)	3½ in x 3½ in (8,8 cm x 8,8 cm)	10	4	
	90611 (Oval)	2½ in x 3 in (6 cm x 7,6 cm)	4 in x 4½ in (10 cm x 11 cm)	10	4	
	90612 (Square)	4 in x 4 in (10 cm x 10 cm)	55% in x 55% in (14,3 cm x 14,3 cm)	10	4	
	90613 (Oval)	4 in x 4½ in (10 cm x 11 cm)	55% in x 61% in (14,3 cm x 15,6 cm)	5	6	
<b>₩</b>	90614 (Mini Oval)	1¼ in x 1½ in (3,1 cm x 3,8 cm)	2¾ in x 3 in (6,9 cm x 7,6 cm)	10	4	
	90616 (Oval)	5½ in x 6¾ in (14 cm x 17,1 cm)	7½ in x 8¾ in (19 cm x 22,2 cm)	5	3	
	90619 (Heel/Elbow)	3 in x 3 in (7,6 cm x 7,6 cm)	5½ in x 5½ in (13,9 cm x 13,9 cm)	5	4	
<b>⇔</b>	90615 (Mini Wrap)*	1 in x 1 in (2,5 cm x 2,5 cm)	2¾ in x 2¾ in (7 cm x 7 cm)	10	4	
Product	Product Number	Dressing Size		Dressings/Box	Boxes/Case	
3M <sup>™</sup> Tegaderm <sup>™</sup> High Performance Foam Non-Adhesive Dressing						
	90600	2 in x 2 in (5 cm x 5 cm)		10	4	
	90601	4 in x 4 in (10 cm x 10 cm)		10	4	
	90602	4 in x 8 in (10 cm x 20 cm)		5	6	
	90603	8 in x 8 in (20 cm x 20 cm)		5	6	
<b>1</b>	90604	3½ in x 3½ in (8,8 cm	10	4		


<sup>\*</sup>The mini wrap dressing is constructed of a conformable, polyurethane foam pad with a highly breathable, non-waterproof, film backing reinforced with soft cloth tape.

Product	Product Number	Dressing Pad Size	Dressing Size	Dressings/Box	Boxes/Case		
3M <sup>™</sup> Tegaderm <sup>™</sup> Absorbent Clear Acrylic Dressing							
<b>©</b>	90800 (Oval)	1½ in x 2¼ in (3,8 cm x 5,7 cm)	3 in x 3¾ in (7,6 cm x 9,5 cm)	10	4		
<b>©</b>	90801 (Oval)	2¾ in x 3 in (6 cm x 7,6 cm)	4¾ in x 5 in (11,1 cm x 12,7 cm)	10	4		
	90802 (Square)	3% in x 4 in (9,8 cm x 10,1 cm)	5% in x 6 in (14,9 cm x 15,2 cm)	10	4		
0	90803 (Oval)	3% in x 4% in (8,5 cm x 10,7 cm)	55% in x 6¼ in (14,2 cm x 15,8 cm)	10	4		
	90805 (Square)	5% in x 6 in (14,9 cm x 15,2 cm)	7% in x 8 in (20 cm x 20,3 cm)	10	4		
	90815 (Rectangle)	1¾ in x 8 in (4,5 cm x 20 cm)	3½ in x 10 in (9 cm x 25 cm)	30	4		
	90817 (Rectangle)	1¾ in x 11¾ in (4,5 cm x 30 cm)	3½ in x 13¾ in (9 cm x 35 cm)	30	4		
Product	Product Number	Dressi	Dressings/Box	Boxes/Case			
3M <sup>™</sup> Tegad	erm™ High Integrity Alg	inate Dressing					
	90112	4 in x 4 in (10	10	5			
6	90120	12 in rope	5	4			
3M <sup>™</sup> Tegado	erm™ High Gelling Algir	nate Dressing					
	90212	4 in x 4 in (10	10	5			
6	90220	12 in rope	5	4			
Product	Product Number	Si	Tubes/Box	Boxes/Case			
3M <sup>™</sup> Tegaderm <sup>™</sup> Hydrogel Wound Filler							
	91110	15 g (0	10	10			
	91111	25 g (C	10	10			

# From selection to application and removal, we are with you every step of the way.

3M™ Tegaderm™ Brand offers a portfolio of 70+ SKUs of proven solutions for securement and wound management.

After 40 years of industry firsts, clinicians worldwide continue to choose 3M™ Tegaderm™ Dressings to help improve the lives of their patients daily. Grow with us as 3M scientists continue to pioneer solutions for evolving care practices.



#### For more information:

Tegaderm Brand

3M.com/Tegaderm

3M<sup>™</sup> Tegaderm<sup>™</sup> CHG Dressings 3M.com/IVProtect

3M™ Tegaderm™ IV Advanced Securement Dressings 3M.com/IVSecure 3M™ Tegaderm™ Silicone Foam Dressings

3M.com/SiliconeFoam

3M Wound Care
3M.com/WoundCare

To learn more about an assessment of care practices at your facility through the 3M™ PEAK™ Clinical Outcomes Program, visit

3M.com/PEAK

Educational content from industry experts, visit 3M<sup>™</sup> Health Care Academy,

3M.com/medicaleducation

3M Health Care Customer Helpline 1-800-228-3957



**3M Company** 2510 Conway Avenue St. Paul. MN 55144 USA

Phone 1-800-228-3957 Web 3M.com/Medical



© 3M 2023. All rights reserved. 3M and the other marks shown are marks and/or registered marks. 3M marks used under license in Canada. All other marks are property of their respective owners. Unauthorized use prohibited. 70-2013-1519-2